

BYTE

THE GLOBAL AUTHORITY FOR COMPUTING TECHNOLOGY

Wow! New IBM ThinkPad

Putting the Space in
Cyberspace – with VRML

Network Project: Six Rules
for Web Page Design

INSIDE THE Web PC

4 Key Technologies
That Will Make
It Fly... or Fail

Exclusive!

Oracle's Network Computer
page 50

PLUS

- 4 C++ Compilers Reviewed
- Building Bugfree Benchmarks

The Bandai Network Computer



SERVICE...MICRON DELIVERS!

MILLENNIA P150

- Intel 150MHz Pentium® processor
- 256K pipelined burst cache, flash BIOS
- 6X EIDE CD-ROM drive, 3.5" floppy drive
- SoundBlaster™ 16 stereo sound & speakers
- PCI 64-bit video, MPEG, 2MB EDO
- Tool-free mini-tower or desktop
- Microsoft® Mouse, 104-key keyboard
- Microsoft Windows® 95 CD
- 5-year/3-year Micron PowerSM warranty*



- A** • 8MB EDO RAM • 1.0GB EIDE hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
• Microsoft Works 95 CD

\$2,299

Business lease \$82/month

- B** • 16MB EDO RAM • 1.6GB EIDE hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
• Microsoft Office Pro 95 & Bookshelf 95 CDs

\$2,699

Business lease \$96/month

- C** • 32MB EDO RAM • 2.1GB EIDE hard drive
• 17" Micron 17FGx, .26dp (15.8" display)
• Microsoft Office Pro 95 & Bookshelf 95 CDs

\$3,599

Business lease \$123/month

- With 166MHz Pentium processor.....add \$200



May 30, 1995
MILLENNIA P120



December 1995
MILLENNIA P133

MILLENNIA PLUS P166

- Intel 166MHz Pentium processor
- 256K pipelined burst cache, flash BIOS
- PCI 32-bit Ultra SCSI Fast-20 controller
- 6X SCSI-2 CD-ROM drive, 3.5" floppy drive
- SoundBlaster 16 stereo sound & speakers
- PCI 64-bit video, MPEG, 2MB EDO
- Tool-free mini-tower or desktop
- Microsoft Mouse, 104-key keyboard
- Microsoft Windows 95 CD
- Microsoft Office Pro 95 & Bookshelf 95 CDs
- 5-year/3-year Micron Power warranty*



- A** • 16MB EDO RAM • 1GB Fast SCSI-2 hard drive
• 15" Micron 15FGx, .28dp (13.7" display)

\$3,299

Business lease \$112/month

- B** • 32MB EDO RAM • 2GB Fast SCSI-2 hard drive
• 15" Micron 15FGx, .28dp (13.7" display)

\$4,199

Business lease \$143/month

- C** • 64MB EDO RAM • 4GB Fast SCSI-2 hard drive
• 17" Micron 17FGx, .26dp (15.8" display)

\$6,099

Business lease \$199/month



Micron's Pentium processor-based MPC is loaded with power, and packed with standard features that other PC companies add as extras. The Micron Home MPC presents the most complete multimedia experience in a single package.



HOME MPC P100

- Intel 100MHz Pentium processor
- 256K write-back cache, flash BIOS
- 8MB EDO RAM • 1.0GB EIDE hard drive
- 4X EIDE CD-ROM drive, 3.5" floppy drive
- SoundBlaster 16 stereo sound & speakers
- 14.4 fax/modem, speakerphone, voice mail
- PCI 64-bit video, MPEG, 2MB EDO
- 15" Micron 15FGx, .28dp (13.7" display)
- Tool-free mini-tower or desktop
- Microsoft Mouse, 104-key keyboard
- Microsoft Windows 95 CD
- Microsoft Works 95 CD
- Microsoft Scenes: Sports Extremes; Microsoft Bob® CD; Microsoft Encarta 96 CD; Quicken® Deluxe Edition CD; Microsoft Dangerous Creatures CD; Microsoft Golf Multimedia CD; Trial subscriptions for CompuServe™, Prodigy™ and America On-Line™.
- 5-year/3-year Micron PowerSM warranty*



\$1,999

HOME MPC Pro P150


- Intel 150MHz Pentium processor
- 256K pipelined burst cache, flash BIOS
- 16MB EDO RAM • 1.6GB EIDE hard drive
- 6X EIDE CD-ROM drive, 3.5" floppy drive
- SoundBlaster 16 stereo sound & speakers
- 28.8 fax/modem, speakerphone, voice mail
- PCI 64-bit video, MPEG, 2MB EDO
- 17" Micron 17FGx, .26dp (15.8" display)
- Tool-free mini-tower or desktop
- Microsoft Mouse, 104-key keyboard
- Microsoft Windows 95 CD
- Microsoft Office Pro 95 & Bookshelf 95 CDs
- Microsoft Scenes: Sports Extremes; Microsoft Bob CD; Microsoft Encarta 96 CD; Quicken Deluxe Edition CD; Microsoft Dangerous Creatures CD; Microsoft Golf Multimedia CD; Trial subscriptions for CompuServe, Prodigy and America On-Line.
- 5-year/3-year Micron Power warranty*



\$3,199

- With 133MHz Pentium processor.....subtract \$100
- With 166MHz Pentium processor.....add \$200

QUALITY, RELIABILITY, SE



Only Micron can deliver server solutions built on such a unique heritage of award-winning speed, performance, reliability and service. *Computer Shopper* has substantiated our claim by awarding Micron the Best Network

Server Buy for 1995. And just like all Micron systems, the PowerServer SMP is engineered to meet the challenge of your most demanding information processing needs—with no compromise in

system reliability.

POWERSERVER SMP P133

- Intel 133MHz Pentium® processor
- Dual Pentium SMP ZIF sockets
- 512K write-back cache, flash BIOS
- Slots: 5 EISA, 2 PCI, 1 EISA/PCI
- PCI 32-bit Ultra SCSI Fast-20 controller
- 4X SCSI-2 CD-ROM drive, 3.5" floppy drive
- PCI 64-bit video, MPEG, 2MB EDO
- Full-size tower with 10 drive bays
- Microsoft® Mouse, 104-key keyboard
- Microsoft Windows® 95 CD
- 5-year/3-year Micron PowerSM warranty*



A • 16MB RAM • 1GB SCSI-2 hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
\$3,199 Business lease \$109/month

B • 32MB RAM • 2GB SCSI-2 hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
\$4,099 Business lease \$138/month

- With second 133MHz Pentium processor.....add \$499
- With Windows NT Workstation 3.51 CD.....add \$249

POWERSERVER SMP P266

- Dual 133MHz Pentium processors
- 512K write-back cache, flash BIOS
- Slots: 5 EISA, 2 PCI, 1 EISA/PCI
- PCI 32-bit Ultra SCSI Fast-20 controller
- 6X SCSI-2 CD-ROM drive, 3.5" floppy drive
- PCI 64-bit video, MPEG, 2MB EDO
- Full-size tower with 10 drive bays
- Microsoft Mouse, 104-key keyboard
- Microsoft Windows NT Workstation 3.51 CD
- 5-year/3-year Micron Power warranty*



A • 32MB RAM • 2GB SCSI-2 hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
\$4,599 Business lease \$157/month

B • 64MB RAM • 4GB SCSI-2 hard drive
• 17" Micron 17FGx, .26dp (15.8" display)
\$6,299 Business lease \$206/month


"The Millennia is nothing short of the best all-around PC available on the market today."


PC Magazine, April 25, 1995

Unleashing 150MHz of Pentium® processor power, the Micron Millennia P150 blows past established benchmarks for computing performance. New optimized memory technologies like EDO memory and pipelined burst cache mean this proven champion is ready *right now* to run the applications you need. There's no stopping the Micron Millennia P150—so what's stopping you?



January 9, 1996
MILLENNIA




A person wearing a white cleanroom suit and gloves is holding a small, square, blue silicon wafer in front of a large, red server rack. The server rack has multiple bays, and the person is holding the wafer in the center. The background is dark, and there is a large, circular, multi-colored light fixture on the right side of the image. The text "MICRON. THE BEST PC MONEY CAN BUY." is overlaid on the red server rack in a white, serif font.

MICRON.
THE BEST
PC MONEY
CAN BUY.

Personality, AKEC

WORKSTATIONS FOR THE REAL WORLD



Again, Micron leads the industry by making affordable workstation performance a reality. The new Micron Magnum Plus Pro200 expands the limits of a workstation with the most advanced components available. The Magnum Plus Pro200 system combines superior Micron engineering with Intel's advanced Pentium® Pro processor and Windows® NT for the fastest, most reliable system on the market



today. The Micron Magnum Plus Pro200—just what you'd expect from Micron Electronics, the technology leader.

NEW MAGNUM PRO180

- Intel 180MHz Pentium Pro processor
- 256K internal cache, flash BIOS
- 6X EIDE CD-ROM drive, 3.5" floppy drive
- SoundBlaster™ 16 stereo sound & speakers
- PCI 64-bit video, MPEG, 2MB EDO
- Tool-free mini-tower or desktop
- Microsoft® Mouse, 104-key keyboard
- Microsoft Windows NT Workstation 3.51 CD
- Microsoft Office Pro 95 & Bookshelf 95 CDs
- 5-year/3-year Micron Power™ warranty*

A • 16MB RAM • 1.6GB EIDE hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
\$3,999 Business lease \$136/month

B • 32MB RAM • 2.1GB EIDE hard drive
• 17" Micron 17FGx, .26dp (15.8" display)
\$4,899 Business lease \$167/month

- With 150MHz Pentium Pro processor....subtract \$200
- With 200MHz Pentium Pro processor.....add \$200

NEW MAGNUM PLUS PRO200

- Intel 200MHz Pentium Pro processor
- 256K internal cache, flash BIOS
- PCI 32-bit Ultra SCSI Fast-20 controller
- 6X SCSI-2 CD-ROM drive, 3.5" floppy drive
- SoundBlaster 16 stereo sound & speakers
- PCI 64-bit video, MPEG, 2MB EDO
- Tool-free mini-tower or desktop
- Microsoft Mouse, 104-key keyboard
- Microsoft Windows NT Workstation 3.51 CD
- Microsoft Office Pro 95 & Bookshelf 95 CDs
- 5-year/3-year Micron Power warranty*

A • 32MB RAM • 2GB Fast SCSI-2 hard drive
• 15" Micron 15FGx, .28dp (13.7" display)
\$5,199 Business lease \$170/month

B • 64MB RAM • 4GB Fast SCSI-2 hard drive
• 17" Micron 17FGx, .26dp (15.8" display)
\$7,099 Business lease \$232/month

C • 128MB RAM • 9GB Fast SCSI-2 hard drive
• 20" Micron 20FGx, .28dp (20.0" display)
\$11,799 Business lease \$379/month



*MICRON POWER™ WARRANTY & SUPPORT

- 5-year limited warranty on microprocessor and main memory
- 3-year limited parts-only system warranty
- 1-year optional on-site service agreement included
- 30 days of free Micron-supplied software support
- 30-day money-back policy
- 24-hour technical support

All sales are subject to Micron's standard limited warranties and terms and conditions of sale. Copies of the limited warranties may be obtained by calling Micron.

900 E. Karcher Road, Nampa, ID 83687
Mon-Fri 6am-9pm Sat 7am-5pm (MT)
International Sales Hours: Mon-Fri 7am-6pm
208-893-3434 • Fax 208-893-3424
Purchase Order Fax 208-893-8992

Technical Support Available 24 Hours A Day—7 Days A Week
Technical Support E-mail: techsupport.mei@micron.com

It's Your Call

800-233-7027

<http://www.mei.micron.com>

MICRON
ELECTRONICS, INC.

International Sales
208-893-8970



International Fax
208-893-8993



Toll Free From Mexico Call
95-800-708-1755



Toll Free From Puerto Rico Call
800-708-1756



Toll Free From Canada Call
800-708-1758

©1996 Micron Electronics, Inc. All rights reserved. All prices and specifications subject to change without notice. Micron Electronics, Inc. cannot be responsible for omissions and/or errors in typography or photography. Intel, Intel Inside and Pentium are registered trademarks of the Intel Corporation. Microsoft is a registered trademark and Windows, Windows NT and the Windows logos are trademarks of Microsoft Corporation. All other company trademarks are trade names of each respective company. Prices do not include shipping and handling. 30-day risk-free money back guarantee does not include return freight and original shipping/handling charges, applies only to Micron brand products, and begins from date of shipment. All returns require RMA numbers and must be shipped in the original condition prepaid and insured. Lease prices based on 36-month lease. FAM-BYTE-9603

Circle 61 on Inquiry Card.

PENTIUM PUNCH.

75MHz PENTIUM® PROCESSOR

Today's complex software demands fast computing speeds. With this quick-thinking Pentium processor and 8MB of fast EDO RAM, you'll run all your applications with ease.



BUILT-IN POWER SUPPLY

The days of bulky, hard-to-pack AC adapters are over. Now all you need is this slim power cord, which fits easily in your case. Even better, it's actually long enough to easily reach an outlet from your desk or chair.



PC MAGAZINE "A" RATING

PC Magazine has awarded us their coveted "A" rating for service and technical support. So wherever you use your Toshiba computer, you can be confident we'll be there for you.

NEW NOTEDOCK™

At home or the office, Toshiba's optional NoteDock Enhanced Port Replicator provides two PC Card Type III slots and allows one-step connection to your external monitor, keyboard, mouse and printer.



KNOCKOUT PRICE.

\$1999

Satellite 100CS

INTRODUCING THE NEW SATELLITE® SERIES. Now you can get the quality of a Toshiba and the power of a Pentium processor, without taking a financial hit. In the new Satellite Series, you'll also find a huge 10.4" color display, 8MB of lightning fast EDO RAM, and a 528 million byte hard disk drive. It's a real knockout. Call 1-800-457-7777 for more information or a dealer near you.

Satellite

100CS*

- 75MHz Pentium® processor
- 10.4" dia. color DSTN dual-scan display
- 528 Million Byte (=504MB) HDD
- 8MB EDO RAM expandable to 40MB
- 16KB cache

- VL local-bus video
- Two stacked PC Card (PCMCIA) slots (two Type II or one Type III)
- Plug and Play Connectivity
- Built-in AC adapter
- Accupoint™ integrated pointing device
- Optional NoteDock™ Enhanced Port Replicator

- 3.5" floppy disk drive
- 6.9 lbs.
- Pre-installed software: Windows®95 or MS-DOS® with Windows 3.11
- Toll-free technical support - 7 days a week, 24 hours a day

Designed for

Microsoft®
Windows®95


pentium
PROCESSOR

In Touch with Tomorrow
TOSHIBA

Toshiba. The World's Best Selling Portable Computers.

Circle 83 on Inquiry Card.

COVER STORY

Inside the Web PC...44

BY TOM R. HALFHILL

Call them network PCs, Internet appliances, or browser boxes, a new class of dirt-cheap computers is coming soon. But first, their designers must overcome four technical hurdles.

Four Key Technologies—46

Inside the Pippin—54



Features

Put the Space in Cyberspace 61

BY UDO FLOHR

The Virtual Reality Markup Language helps create and explore three-dimensional on-line worlds. No need to travel in flat space.



Opening PBX Doors..... 64NA 1

BY SALVATORE SALAMONE

Those strange boxes that do something with phones are becoming more data-friendly by connecting to LANs. New architectures and APIs are joining these communications technologies.



Web Design 91

BY JON UDELL

Six rules for designing Web pages that make sense.

State of the Art

MULTIMEDIA DEVELOPMENT

Make Multimedia Happen 65

BY SALVATORE SALAMONE

From storyboards to development tools to network delivery, here's what you should know about making multimedia.



What's the Story? 67

BY SALVATORE SALAMONE

Before developing your project, you should do like filmmakers and first develop a storyboard.



Multimedia over the Network 73

BY NATHAN J. MULLER

Here's how to tackle the timely delivery of multimedia over networks and the Internet.



Learn the Lingo 85

BY ROBERT A. DELROSSI

Multimedia authoring tools range from low-end presentation-graphics programs to high-end CASE tools. Picking the right one will make the job easier.

News & Views

Virtual Reality Goes to Work .. 26

Lawnmower Man comes to the office as VR starts to influence the business world.

New Batteries Will Keep You Running 27

New technologies will let you work longer without plugging in.



Multimedia Tools Animate the Web 28

Multimedia Web pages are more than just visual gratification.

I'll Talk to You Soon. 30

Speech technologies are going to change the way you work (and play).

On-line Shoppers: "Just Looking, Thanks" 34

Net surfers are using the Web for info gathering. Here's what could change that.

Get Smart—Wear a PC... 36

The latest thing in high-tech fashion.



Users Like SmartSuite's Team Computing 38

What beta testers are saying about Lotus's new office suite.

INTERNET TOOLS

Navigating with a Web Compass 97

BY REX BALDAZO

Quarterdeck's WebCompass, a "metasearch" utility that queries Internet search sites, gets high praise from our reviewer.

MOBILE COMPUTERS

Big, Bright, and Beautiful 101

BY RUSSELL KAY

IBM's new ThinkPad 760CD has a display to die for. But this well-equipped notebook won't run graphics like your desktop does.



NETWORK HARDWARE

NetWare Mirror with a Twist 103

BY BILL LAWRENCE

Vinca's StandbyServer 32 lets you cost-effectively mirror a NetWare server. And the new SnapShotServer can perform backups without affecting server availability.

SCANNERS

The Paperless Cubicle 107

BY STANFORD DIEHL

We see how well Visioneer's upgraded PaperPort Vx and HP's new ScanJet 4Si handle our personal paper crisis.

PROGRAMMING TOOLS

Compiling Convenience + 109

BY RICK GREHAN

Our tests find Watcom's C++ compiler the best if you're programming for multiple Intel platforms, but Microsoft's is tops if you're building 32-bit-only programs.

STORAGE

CD-ROM Changers: The Inside Story ... 113

BY CHRIS O'MALLEY

Two new quad-speed internal CD-ROM drives from Alps Electric and NEC prove that four discs are better than one.



APPLICATIONS DEVELOPMENT

Windows-Built for Unix Power 115

BY TOM YAGER

PowerSoft's PowerBuilder for Unix makes it amazingly easy to port Windows and Mac client/server applications to Unix.

ELECTRONIC-FORMS PROGRAMS

Software Roundup: Smart Forms for the Enterprise 119

BY MARK HETTLER

Leading-edge forms software can query databases and help you manage workflow. In our roundup, Delrina FormFlow and Novell's InForms demonstrate the best form.

WEB SERVERS

6 Servers Tangle on the Web 124

BY CHANDRIKA MYSORE AND BRENT MELSON
It's time to put your company's message on-line. Our tests show that these Web servers make it easier than you might think.

BYTE Best—125

Netscape's Navigator 2.0 Adds Security and Interactive Multimedia—126

Service Instead of Server?—128

Honorable Mentions—128

How We Tested—130



Core Technologies

OPERATING SYSTEMS

Plan 9: Feature Film to Feature-Rich OS 143

BY PAUL FILLINICH

Plan 9 from Bell Labs is a distributed and fairly portable operating system. It could be playing soon in a niche near you.

CHIPS

Bringing Benchmarks Up to SPEC 145

BY TOM YAGER

The new SPEC95 benchmarks more accurately measure the performance of systems and microprocessors.

PROGRAMMING

Bug-Free Benchmarks 149

BY RICK GREHAN

The lead developer of the BYTEmark tests clears up the mysteries of malloc() memory mismanagement.

NETWORKS

Internet-Aware Applications 151

BY SALVATORE SALAMONE

The first wave of Internet-enabled client/server applications are under development.

Opinions

Pournelle: An Upgrade for Mrs. Pournelle .. 137

BY JERRY POURNELLE

Jerry refurbishes an old 486 for multimedia, wrestles with an OS dilemma, and settles on Windows 95—but COM ports and communications pose problems.

Books and CD-ROMs:

The Future, According to Bill 41

BY DAVE ANDREWS, TOM THOMPSON, AND ROWLAND AERTKER

Bill Gates writes about the future of computing; plus, code fragments for the Mac and an off-line search engine for the Web.

Commentary: Oh, Grow Up..... 216

BY CURTIS FRANKLIN JR.

Product developers have to start acting like adults, or there'll be no watching *Beavis and Butt-Head* tonight.

Editorial: Keep Your Eye Off the Ball 12

BY RAPHAEL NEEDLEMAN

Letters 20

Code Talk: Symantec Pours Java into Its Development Environment 38

It's a software implant: Symantec has inserted a Java compiler into its latest software-development system.



Finally, Push-Button PDA-to-PC Integration 40



Connect the PDA and push a button. Presto! Your data's synchronized.

What's New 154

Apple's QuickDraw 3D Accelerator Card promises more realistic 3-D imagery; Lotus cc:Mail for Macintosh Release 3 helps you

automate message handling; plus more new hardware and software.

READER SERVICE

Alphabetical Index to Advertisers 210

Editorial Index by Company 214

Index to Advertisers by

Product Category 212

Inquiry Reply Cards 144E-H, 208A-B

BUYER'S GUIDE

161

Mail Order

Hardware/Software Showcase

Buyer's Mart

PROGRAM LISTINGS

FTP: ftp.byte.com

From BIX: Join "listings/frombyte96" and select the appropriate subarea (i.e., "mar96").

From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow instructions at the prompt.

THE BYTE WEB SITE

http://www.byte.com

BYTE (ISSN 0360-5280) is published monthly by The McGraw-Hill Companies, Inc. U.S. subscriber rate \$29.95 per year. In Canada and Mexico, \$34.95 per year. European surface mail subscriptions \$60, airmail \$85. Non-European subscriptions, \$60 surface mail or \$85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$3.50 in the U.S., \$4.50 in Canada. Executive, Editorial, Circulation, and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Second-class postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Canada Post International Publications Mail Product Sales Agreement No. 246492. Registered for GST as The McGraw-Hill Companies, Inc., GST #123075673. Printed in the United States of America. **Postmaster:** Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.



**THIS WON'T
PROTECT
YOUR
FILESERVER.**


THIS WILL.

SmartPro Intelligent Network UPS Systems

Your Fileserver's Defense Against the Assaults of Commercial Power

Gleaming shields and broadswords may be romantic, but they won't protect your data. To really defend your network you need a Tripp Lite SmartPro UPS. With its line interactive design and advanced protection circuitry, the SmartPro will see your fileserver through the sieges of brownouts and power surges. And with long lasting battery backup, full SNMP compatibility and the most advanced network management and unattended shut-down software available, you can trust your SmartPro UPS to defend your network investment — even during total blackouts!

With models from 280 to 5000VA, there is a SmartPro system for any size computer. So whether you're defending your data, or just chopping the competition down to size, make sure that your LAN is protected with Tripp Lite quality.



**ULTIMATE \$50,000
LIFETIME
INSURANCE**

Call (312) 755-8741 Dept. SPBT1 for a
FREE UPS sizing chart and full
information on Tripp Lite UPS systems.



Circle 62 on Inquiry Card (RESELLERS: 63).

500 N. Orleans, Chicago IL 60610 (312) 755-8741 Fax (312) 644-6505 Faxback (312) 755-5420
E-mail: info@tripplite.com Web: <http://tripplite.com>

BYTE Contents by Platform

This page presents the articles in this issue according to computing platform.

DOS/WINDOWS

Ten Reasons Why You Need a Windows 95 Uninstaller 34

Two words: Save time.

Users Like SmartSuite's Team Computing 38

Beta testers talk about their favorite features in Lotus's new office package.

Finally: Push-Button PDA-to-PC Integration 40

PDA-to-PC connectivity is a no-brainer thanks to Palm's new hand-held.

Inside the Web PC 44

Will you be using a stripped-down box instead of your Windows PC to log on and work on-line?

What's the Story? 67

Windows-based storyboarding tools exploit OLE links when associating elements in a multimedia presentation.

Navigating with a Web Compass 97

Quarterdeck's WebCompass intelligently manages Web searches.

Big, Bright, and Beautiful ... 101

The ThinkPad 760CD's gorgeous 12.1-inch color display might convince you that it's time to replace your desktop PC.

The Paperless Cubicle 107

We test two solutions to personal paper overload: Visioneer's upgraded PaperPort Vx and Hewlett-Packard's new ScanJet 4Si network scanner.

Compiling Convenience + ... 109

Rick Grehan gives you the lowdown on four new C++ compilers.

Software Roundup: Smart Forms for the Enterprise 119

We review four network-enabled forms programs for Windows shops.

An Upgrade for Mrs. Pournelle 137

Don't try this at home: Jerry finds out what it's like to install Windows 95 from floppy disks!

OS/2

Big, Bright, and Beautiful ... 101

With a 90-MHz Pentium, a 1.2-GB hard drive, a quad-speed CD-ROM drive, and a beautiful 12.1-inch color display, IBM's ThinkPad 760CD is the top notebook for running OS/2 Warp.

Compiling Convenience + ... 109

Watcom's C/C++ 10.5 lets you develop software for OS/2 (and other OSes), and you can run its development environment on an OS/2 machine.

MACINTOSH

Books and CD-ROMs: The Future, According to Bill 4

Tom Thompson reviews *A Fragment of Your Imagination*, which he thinks is the best book yet on programming PowerPC-based Macs.

Inside the Web PC 44

The appliance computer, the concept that inspired the original Mac, is coming around again—this time as a box for on-line access. We also take a peek at Apple's Pippin.

What's the Story? 67

Links with media players help speed multimedia application development.

Lab Report: 6 Servers Tangle on the Web 12

At \$8799, Apple's Workgroup Server 9150 is the second least-expensive server in the bunch, but our lab tests show it is best-suited for small Web sites.

What's New 15

Two new products of note: cc:Mail for Macintosh and Apple's QuickDraw 3D Accelerator Card.

UNIX

Windows-Built for Unix Power 11

If you've got to port applications to Unix from Windows or the Mac, check out the new PowerBuilder for Unix.

Lab Report: 6 Servers Tangle on the Web 12

A Unix-based server, Silicon Graphics' WebForce Indy keeps up with Digital's much more expensive NT-based Alpha machine in our performance tests.


Plan 9: Feature Film to Feature-Rich OS 14

Plan 9 from Bell Labs takes some of the basic concepts behind Unix to their natural conclusion.

Bringing Benchmarks Up to SPEC 14

This month's chip column looks at the revamped versions of those famous gauges of workstation performance: SPECint and SPECfp. *continue*

When you just can't get enough...



Disk space, that is.

Today's computer users just can't get enough. Storage demands are growing out of control. Finally a storage system you'll never outgrow... the Pinnacle Micro Apex 4.6 Gigabyte Optical Hard Drive. Go ahead and store it all - no worries. Fill up a disk, just add another. Each optical disk holds 4.6 Gigabytes of all kinds of stuff. All the graphics you can create. Run your favorite CD-ROM titles at 16X speed. Backup data like accounting records, business plans, and images with compression up to 10 GB per disk. Store all the high resolution color images,



Apex 4.6 GB Optical Hard Drive • PC/MAC

CAD/CAM files, or documents you could ever want at the speed of hard disk drives. And, it's affordable at only \$1695 with one free disk. Additional optical disks are just \$199 with a guaranteed shelf life up to 30 years. The Pinnacle Apex 4.6 GB Optical Hard Drive. The ultimate storage machine. Remember, you can never be too rich, too thin or have too much disk space. To order or for a local dealer call: **800.553.7070**

PINNACLE MICRO
THE OPTICAL STORAGE COMPANY
Tel: 714-789-3000 Fax: 714-789-3150

All Trademarks and Registered Trademarks of Their Respective Owners.

Circle 64 on Inquiry Card (RESELLERS: 65).

We've solved your inter-connecting puzzle.

Avoid the twists and turns in choosing your communications software. FaxFacts is your one stop source for enhanced fax/voice solutions.

- Fax documents from any Windows application
- Complete transaction reporting
- Total network support
- On-line credit card authorization
- Fax over network from multiple workstations

Faxfacts®

by
Copia International Ltd.
(800) 689-8898
(708) 682-8898

TRY THIS DEMO:
708/924-3030
DOC. NO. 889812



Create Software Demos!

ABC Software Demo


Jump to topic of your choice.



Create professional marketing & software demos that run direct from a floppy with no installation. Using simple point-click methods, you define and arrange graphics, menus, text, banners, screen captures, voice, music, video and animation. Also create buttons and

hot spots for navigation. Creates the distribution diskette for you. Distribute via floppy, CD or Internet for Windows 3.1, Win-95 or NT.

DEMOquick Express™ \$295



DEMOquick creates software application demos & tutorials which guide the user through an exact full motion simulation of your application. The completed demos are compact and do not require the original application. Development is fast & easy. The simulation is created as you simply run your

software. Then edit the simulation to add Pop-Up messages, graphics, voice & music. Creates the distribution setup disk automatically. Demos run on Windows 3.1, Win95 and NT.

DEMOquick Simulation Plus™ \$495

30 Day Money Back Guarantee!

Call Today For Free Samples.

AMT
Learning Solutions, Inc.

Phone: (904) 913-8354
Fax: (904) 913-8032
Internet: www.amtcorp.com

Contents by Platform *continued*

NETWORKS

Multimedia Tools Animate the Web28

Want to make your Web pages pop? Here are some new software kits that can help.

Code Talk: Symantec Pours Java into Its Development Environment38

Java developers get a boost from Symantec's Cafe.

Books and CD-ROMs: The Future, According to Bill41

Search the Net with this new CD-ROM.

Inside the Web PC44

Some people think they're just a '90s version of the dumb terminal. Some think they're a revolutionary Internet appliance. Here's the technical low-down on these low-cost boxes.

Put the Space in Cyberspace61

The Virtual Reality Markup Language could add some depth to the Web.

Multimedia Over the Network73

New ways to deal with delays when delivering multimedia over the wire.

Network Project: Web Design91

Too often, Web pages don't make sense. Here's how to keep that from happening at your site.

Navigating with a Web Compass97

We review Quarterdeck's "metasearch" tool that can help you find stuff on the Web and organize the results.

NetWare Mirror with a Twist103

It's not fault-tolerant, but our reviewer finds that Vinca's StandbyServer 32 comes close enough for many users for mirroring a NetWare server.

The Paperless Cubicle107

Hewlett-Packard's unique ScanJet 4Si network scanner delivers document input services to an entire workgroup.

Smart Forms for the Enterprise119

A review of network-enabled forms programs that do more than just let you design grids of blocks and blanks.

Internet-Aware Applications 151

Scheduling and database programs are being retrofitted to run over the Internet.

Index

Authoring tools.....	67, 85
Backups.....	103
Benchmarks.....	20, 145, 149
C/C++.....	109, 149
CD-ROM.....	41, 113, 137
Chips.....	44, 145
Client/server.....	44, 115, 124, 151
Compilers.....	109
Computer-based training.....	87
Databases.....	67, 119, 151
Desktop PCs.....	40, 44
Document management.....	107
Forms, electronic.....	119
HTML.....	61, 115, 124
Internet.....	28, 34, 36, 41, 44, 61, 73, 91, 97, 124, 151
Java.....	38, 44
Mobile computing.....	27, 40, 101
Multimedia.....	28, 65, 67, 73, 85, 137
Networks.....	44, 73, 103, 107, 119, 124, 151
OCR.....	107
Operating systems.....	44, 137, 143
PDA's.....	40
Plan 9.....	143
Presentation software.....	67, 85
Programming.....	38, 44, 61, 91, 109, 115, 149
Scanners.....	107
Search tools.....	41, 97
Servers.....	103, 124
Storyboarding.....	67
Unix.....	115, 124, 143
Virtual reality.....	26, 61
Voice technology.....	30
VRML.....	61
World Wide Web.....	28, 38, 44, 61, 91, 97, 124



Circle 69 on Inquiry Card (RESELLERS: 70).

++ see me, feel me,
touch me, hear me ++

multi.media.miro.

miro D (05 31) 21 13-100 - miro US (415) 855-0940 - miro GB (1-494) 51 02 50
miro F (1) 46 12 03 12 - miro E (9 43) 46 60 47 - miro NL (040) 2670486 - miro DK 42 25 05 51
miro A (1) 7 01 55 - miro CH (01) 7 41 05 15 - <http://www.miro.com/>



miro



**WELCOME to the
SHOW**



**Hall 8
Booth C36**

COMPAQ

Has It Changed Your Life Yet?



The problem with trouble is that usually by the time you find out about it, it's too late. Not so with Compaq Intelligent Manageability. Compaq Intelligent Manageability is a superior collection of preinstalled features and tools found only on the Compaq Deskpro. Together, they work to detect and eliminate a variety of potential problems on your network before they become real ones. Fault Management features like our IntelliSafe drive, which not only notifies you of impending failure but also backs itself up, minimizing loss of mission-critical data

YOU'RE FLYING ALONG AT 25,000 FEET WHEN SUDDENLY
THREE OF THE ENGINES QUIT. NOW WOULD BE A GOOD
TIME TO TALK ABOUT SUPERIOR FAULT MANAGEMENT.

and PC downtime. And Asset Management, whose features help you keep track of hardware and software across the network from the comfort of your desk. Because all the information you need can be delivered remotely to your PC. Compaq Intelligent Manageability also includes a wide range of security features designed to keep your network secure. Which all adds up to providing the best and most comprehensive solution for managing PCs and predicting trouble on your network. Because when there's trouble, don't you want to know about it—before it happens?

Keep Your Eye Off the Ball



To successfully plan a strategy, sometimes you need to focus on the bigger picture and let the details take care of themselves

A lot of computers in the BYTE offices run Windows 95. You can tell with your eyes closed—if you walk around the editorial floor, you'll hear the weird error bleeps coming from customized Windows installations.

But you'll also see quite a few Macintoshes (not just in the art department) and a number of PCs running DOS. Furthermore, if you visit the homes of our editors, you'll find that the personal machines—the machines people here actually paid for with their own money—cover the complete historical spectrum of computing. Many of these machines are still being used.

Several editors have rather creaky DOS machines still being used for E-mail (cc:Mail and BIX) and word processing (XyWrite, mostly). Dave Rowell has an unusual Wells American 20-MHz 286. Ed DeJesus has an IBM XT he uses for voice mail (though how he can hear phone messages over the banshee scream of that machine's old hard drive is beyond me). And Tom Halfhill actually travels with a Toshiba T1000SE portable (8086 processor, 1 MB of RAM, 720-KB floppy drive, no hard drive). At home, I have an old Hi-Q 386SX machine (upgraded with a Cyrix 486 CPU) that I use exclusively to support my pathetic attempts to learn to play piano through the Miracle Piano Teaching system.

In our "glass house"—a raised-floor computer room that used to house a VAX but now holds about a dozen microcomputer servers—we run cc:Mail gateways on old reliable DOS computers, and file and print servers on 486s running NetWare. Our Pentiums are mostly reserved for NT and our Web servers.

Why This Matters

This hodgepodge of systems—some supported by our IS department, some not—all holds together, through no special architectural design or foresight on the part of software or hardware manufacturers. It holds together because as new technologies come along, we tend to adapt them piece by piece, and fix their integration prob-

lems as they occur. And it also holds together because what we need to do here isn't that complex; we're not putting a lot of stress on the capabilities of the systems.

Is this the right way to do things? I would wager that the majority of inexperienced systems administrators would look at our setup and gasp in horror. What is its architecture? Where's the three-year microcomputer plan?

There isn't a very detailed one, and there never can be. Sure, we have a plan; we know what we want to be able to do with our systems in three months, six months, a year. But we'd be kidding ourselves to predict which hardware we will need to support these tasks. ISDN? ATM? Who knows? Who cares?

To really be successful in planning information systems, you have to accept the fact that for a variety of reasons (most of them financial), you're going to be stuck with oddball "legacy" hardware and software for years. It's not a bad thing, either—Ed's old PC voice-mail system is certainly less expensive to operate than a fancy new one. Our cc:Mail gateways work just fine.

Furthermore, beyond some completely obvious areas, you simply cannot predict which specific products you'll need to support in order to realize your broader plans. Netscape or Microsoft Explorer? PowerPC or Pentium Pro? At BYTE, we try to help you answer these tactical questions, but we're always cognizant that these questions wouldn't even be worth asking were we not also asking the more important, larger questions: Electronic commerce or old-style banks? Private or public network services? Constant technology retraining or new hires?

The challenge is to keep one eye on the technology and the other on the bigger trends. You say you want to invest in the Web? Are you sure? Perhaps what you really mean is you want to invest in the emerging global electronic community. If so, be sure your plans aren't tied to a particular platform. After all, compared to how hard it is to change the culture of your business to support cyberspace, it's a snap to change technology platforms.



And no matter what hardware you have, it's really hard to learn to play piano. ■

A stylized, handwritten signature of Raphael Needleman in dark ink.

RAPHAEL NEEDLEMAN, EDITOR IN CHIEF
(rafe@well.com)

PENTIUM® CHIP, LITHIUM, 16MB, TFT.

\$2999



PC Laptop's
"Value Notebook of the Year"
— January 1996

Prices quoted over 1-800 lines as of 1/11/96 for identically equipped models with 75MHz Intel Pentium® processor, lithium ion battery, 14.4 fax/modem, and 256K cache, from USA Flex for IBM, Dell Computer Corp., WinBook Computer Corp., Compaq Direct Plus, and Texas Instruments

* With NiMH battery — lithium battery not available
** Includes two lithium ion batteries

Winner of PC Laptop's annual Editors' Choice Award — the WinBook XP5 gives you the features you want in the highest quality, best value notebook. At \$2999, you get an amazing list of standard features including: Intel Pentium® processor, lithium ion battery, 10.4" TFT active matrix screen, 16MB RAM, an 810 MB hard drive, and more.

Great values on options begin with stereo sound, integrated touchpad or trackball, and 3-year extended limited warranty package. Call today about our \$2999 offer or for information on our other models.



CD-ROM VALUES



**DOCKING STATION
with 4x CD-ROM**

\$399



**EXTERNAL CD-ROM
with SCSI adapter**

\$199

Available only to
WinBook XP and
XP5 owners

**CALL US TODAY, TOLL-FREE
1-800-293-1639**

Monday-Friday, 8am-9pm EST • Saturday, 9am-4pm
Use your VISA, Discover Card, MasterCard, personal check or P.O. with credit approval.
U.S. sales only. 30-day unconditional money-back guarantee from date of purchase.

WinBook®
COMPUTER CORPORATION
a subsidiary of Micro Electronics, Inc.

WinBook XP5

Featuring the new Intel Pentium® Processor

- 10.4" TFT Active Matrix Color Display
- 16MB RAM
- 810MB Removable Hard Drive
- 3.5" 1.44MB Diskette Drive
- 256K Cache
- 6.1 Pounds
- 14.4 Send/Receive Fax/Voice/Data Modem
- 32-Bit Local-bus Video
- 40 Watts per hour Lithium Ion Battery
- 1MB Video RAM
- Two Type II or One Type III PCMCIA Slot
- Integrated Dual-button Pointing Stick, Optional Dual-button Trackball or Touchpad
- Parallel, Serial and PS/2 Ports

\$2999

Other XP/XP5 models and price configurations available, starting at \$1999

Circle 602 on Inquiry Card.


Introducing a new way for workstations to think.



PENTIUM[®] PRO
PROCESSOR

It's the Intel Pentium[®] Pro processor. And it's the brains behind some of the most powerful new workstations available.

Whether you're creating 3-D graphics for a hot new Web site or authoring a multimedia title, designing with CAD applications or developing new software,



PENTIUM® PRO
PROCESSOR

Intel's Pentium Pro processor delivers the
The Intel Pentium Pro processor. It's the
stations in a long time. For more information
<http://www.intel.com/>

performance you need.
brightest idea to hit work-
visit our Web site at

intel®
The Computer Inside.™

EDITOR IN CHIEF

Raphael Needleman

Editor in Chief's Assistant: Linda Higgins

EDITORIAL

EDITOR

Mark Schlack

EXECUTIVE EDITORS

International: Rich Friedman
New Media: Jon Udell

MANAGING EDITOR

Jennifer Donelan

NEWS

Peterborough:

News Editors: David L. Andrews,
Martha Hicks

New York:

News Editor: Salvatore Salamone

Frankfurt:

Senior Editor: Rainer Mauth

REVIEWS

Director: Stanford Diehl
Senior Technical Editor: Rick Grehan
Technical Editors: Susan Colwell, David
Essex, Russell Kay, Dave Rowell

FEATURES

San Mateo:

Features Editor: John Montgomery
Senior Editor: Tom Halfhill

Peterborough:

Senior Technical Editor at Large:
Tom Thompson
Senior Editor: Alan Joch

Lexington:

Senior Editor: Edmund X. DeJesus

NEW MEDIA

Technical Editor: Rex Baldazo

SENIOR RESEARCHER

Rowland Aertker

ASSOCIATE TECHNICAL EDITORS

Dennis Barker, Cathy Kingery,
Warren Williamson

SENIOR CONTRIBUTING EDITOR

Jerry Pournelle

CONTRIBUTING EDITORS

Dick Pountain, Udo Flohr

CONSULTING EDITORS

Stephen Apiki, Nicholas Baran,
Raymond GA Côté, Trevor Marshall,
Stan Miatkowski, Barry Nance,
Roberta Pournelle, Ellen Ullman,
Peter Wayner

EDITORIAL ASSISTANT

June Sheldon

PUBLISHER

David B. Egan

Publisher's Assistant: Donna Nordlund

ADVERTISING SALES

Vice President: John M. Griffin
(212) 512-2367
Peterborough, NH (603) 924-2663
Administrative Assistant:
Terry Ouellette (603) 924-2635

NEW ENGLAND

Sanford L. Fibish (617) 860-6344
Merle Model (617) 860-6221
Laurie Anderson (617) 860-6267

NEW YORK

Michael Feinberg (212) 512-4811
John Ferraro (212) 512-2555
Jill Pollak (212) 512-3585

MID-ATLANTIC

Neil Helms (212) 512-4629
Paul Franchak (614) 899-4912

CENTRAL U.S.

Lori Silverstein (614) 899-4908
Jeanne Beeson (617) 860-6349

SOUTHWEST, ROCKY MOUNTAIN, SOUTHEAST

Brian Higgins (603) 924-2596
Michelle MacDonald (214) 701-8496

SOUTH PACIFIC

Beth Dudas (714) 753-8140
Emily Ospenson (714) 753-8140

NORTH PACIFIC

Roy J. Kops (415) 513-6861
Susan Rastellini (415) 513-6951
Lisa Farrell (415) 513-6862

NEW MEDIA/ON-LINE PRODUCTS

(603) 924-2618
FAX: (603) 924-2683

INSIDE ADVERTISING SALES

Advertising Director:
Diane Lieberman
Assistants: Susan Monkton,
Vivian Bernier

BYTE DECK

Brian Higgins (603) 924-2596

EURO-DECK

Joseph Mabe (603) 924-2533

REPRINT SALES

Susan Monkton (603) 924-2618

INTERNATIONAL ADVERTISING SALES STAFF

Director: L. Bradley Browne
(603) 924-2501
Administrative Assistant:
Arja Neukam (603) 924-2636
See listing on page 209.

DESIGN

Design Director: Charles Dixon III
Associate Design Director/Design &
Photography: Sharon Price
Associate Design Director/Graphics:
Joseph A. Gallagher
Desktop Prepress Manager:
Virginia Reardon
Designers: Barbara Busenbark,
Donna Sweeney
Design Assistant: Cindy Sands

FINANCE AND OPERATIONS

Vice President: Claudia Flowers

ADVERTISING PRODUCTION

Advertising Production Manager:
Linda Fluhr
Senior Advertising Services
Representative: Dale J. Christensen
Senior Advertising Production
Coordinator: Lyda Clark
Advertising Production Coordinators:
Karen Cilley, Rod Holden
Operations Assistant: Lisa Jo Steiner
Advertising Graphics Manager:
Susan Kingsbury
Graphics Production Coordinator:
Christa Patterson

FINANCE

Senior Financial Analyst:
Kathleen Degeuse
Systems Administrator: Peggy Dunham
Junior Financial Analyst: Diane Henry

CIRCULATION

Director: Susan Blattman
International Circulation Manager:
Barbara Copcutt
Subscriptions Manager: Lynn Lagasse
Assistant Subscriptions Manager:
Christine Tourgee
Subscription Source Specialist:
Carol Sanchioni
Newsstand Manager: Vicki Weston
Assistant Manager: Karen Desroches
Back Issues: Jill Wood

ADMINISTRATION

Human Resources Administrator:
Patricia Burke
Receptionist: Agnes Perry

MARKETING AND PLANNING

Marketing Manager: Rob Mitchell
Marketing Art Director:
Stephanie Warnesky
Market Research Manager:
William Zhao
Copyrights Manager: Faith Kluntz
Marketing Services Administrator:
Meredith Bickford

HOW TO CONTACT THE EDITORS

We welcome your questions, comments,
complaints, kudos, and submissions.

MAIN OFFICE: One Phoenix Mill Lane,
Peterborough, NH 03458, (603) 924-9281.
San Mateo: 1900 O'Farrell St. #200, San
Mateo, CA 94403, (415) 513-6912.

New York: 1221 Avenue of the Americas, New
York, NY 10020, (212) 512-3588.

Lexington: 24 Hartwell Ave., Lexington, MA
02173, (617) 863-5100.

GERMANY/EUROPE: Liebigstrasse No. 19,
60323 Frankfurt, Germany, +49 69 7140 7123.

ELECTRONIC MAIL: On BIX, send to "editors." All
BYTE editors and columnists also have individual
mailboxes on BIX for easy access.

MCI: 250-0135 BYTE Magazine. Many editors
also have individual MCI addresses in their
own name.

OTHERS: Many editors also are reachable
through uunet, AppleLink, CompuServe, and
numerous other services.

WEB: http://www.byte.com

U.S. fax: Editorial: (603) 924-2550

Advertising: (603) 924-7507

U.K. fax: +44 171 495 6734

SUBMISSIONS:

Authors: We welcome article proposals and
submissions. Unacceptable manuscripts will
be returned if accompanied by sufficient re-
turn postage. Not responsible for lost manu-
scripts or photos.

Vendors: We welcome news of your new
products; please call the News department or
the BYTE Lab at the earliest possible date.
We cannot be responsible for unsolicited
product samples.

ARTICLE REPRINTS: For price quotations on
customized reprints of BYTE articles,
contact Susan Monkton, reprints manager,
at (603) 924-2618. (Minimum quantity: 500.)

SUBSCRIPTION CUSTOMER SERVICE

Inside U.S. (800) 232-BYTE; outside U.S.,
+609 426 7676. E-mail-based customer ser-
vice: mpcstsvc@mcgraw-hill.com, Web-
based customer service: http://www.mcgraw-
hill.com/multipub. International subscribers
may also contact our international customer
service facility in Galway, Ireland, by calling
+353 91 752792 or via fax: +353 91 752793.

For a new subscription, (800) 257-9402 U.S.
only, E-mail: mporders@mcgraw-hill.com or
write to BYTE Subscription Dept., P.O. Box
555, Hightstown, NJ 08520. Subscriptions are
\$29.95 for one year, \$54.95 for two years, and
\$74.95 for three years in the U.S. and its pos-
sessions. In Canada and Mexico, \$34.95 for
one year, \$64.95 for two years, \$87.95 for
three years. In Europe, £42 (US\$60) for fast
surface delivery, £55 (US\$80) for air delivery.
Non-European countries US\$60 for surface
mail, or US\$85 for air mail. Single copy price
is \$3.95 in the U.S. and its possessions, \$4.95
in Canada. Foreign subscriptions and sales
should be remitted in U.S. funds drawn on a
U.S. bank. Please allow six to eight weeks for
delivery of first issue.

PHOTOCOPY PERMISSION:

Where necessary, permission is granted by
the copyright owner for those registered with
the Copyright Clearance Center (CCC), 222
Rosewood Dr., Danvers, MA 01923, to pho-
tocopy any article herein for personal or in-
ternal reference use only for the flat fee of
\$1.50 per copy of the article or any part thereof.
Correspondence and payment should be sent
directly to the CCC, 222 Rosewood Dr., Dan-
vers, MA 01923. Specify ISSN 0360-5280,
\$1.50. Copying done for other than personal
or internal reference use without the permis-
sion of The McGraw-Hill Companies, Inc., is
prohibited. Requests for special permission
or bulk orders should be addressed to Faith
Kluntz, copyrights manager, (603) 924-2525.
BYTE is available in microform from Univer-
sity Microfilms International, 300 North Zeeb
Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bed-
ford Row, Dept. PR, London, WC1R 4EJ, U.K.

BYTE

A Division of the McGraw-Hill Companies

Copyright © 1996 by The McGraw-Hill Com-
panies, Inc. All rights reserved. BYTE and
BITE are registered trademarks of The Mc-
Graw-Hill Companies, Inc. Trademark regis-
tered in the United States Patent and Trade-
mark Office.



Member Audit Bureau of Circulation

BIX INTERACTIVE ON-LINE SERVICE

MANAGING EDITOR

Christine Taylor

EXCHANGE EDITORS

Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange:
Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Tojerry Exchange: Jerry Pournelle
WIX Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.

TECHNICAL ASSOCIATE

Mark Lavi

MEMBER SERVICES MANAGER

Kevin Plankey


BIX, owned and operated by Delphi Internet Services Corporation, is a worldwide, low-cost,
on-line information service featuring industry news, downloadable software, powerful elec-
tronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE,
and source and/or executable code for BYTE benchmarks and noncommercial software
mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every com-
puter-related topic imaginable, where you can share information with thousands of other com-
puter pros. To subscribe via modem, set your communications software to full duplex, 7
bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or telnet to
x25.bix.com and type "bix" at the USERNAME prompt. At the Name? prompt, type bix.ville.
For more information, call (800) 695-4775 or (617) 354-4137 (voice); send a fax to (617) 491-
6642; or send Internet mail to info@bix.com.

OFFICERS OF THE MCGRAW-HILL COMPANIES, INC.:

Chairman and Chief Executive Officer: Joseph L. Dionne; President and Chief Operating Officer: Harold W. McGraw III; Senior Executive
Vice President, and Secretary: Robert N. Landes; Senior Vice President and General Counsel: Kenneth M. Vittor; Executive Vice President
and Chief Financial Officer: Robert J. Bahash; Senior Vice President, Treasury Operations: Frank D. Penglase; President, Information
Services Group: Michael K. Hehir; Executive Vice President, Publication Services: Norbert Schumacher.

Founder: James H. McGraw (1860-1948).

Samsung monitors. Designed from your point of view.



"We were impressed with the picture quality and feature sets of both units, and their relative value makes them top choices."

PC Magazine - Sept. 12, 1995, on the SyncMaster 17GLi and 17GLSi monitors.



September 12, 1995
Samsung SyncMaster 17GLi

Performance is only part of the reason to buy a new 17-inch SyncMaster™ monitor. It has big, bright, crisp, clear images that you can depend on year after year.

Simplicity is also important. The GLi Series offers Plug and Play® compatibility, so you can get right to work. Its intuitive controls and on-screen programming keep concentration where it belongs - on the job.

Plus, Samsung delivers outstanding **Value** - in the comfort of a three-year warranty, and the satisfaction of a competitive price.

If you take your work seriously, think about an exceptional monitor. Think about the SyncMaster 17GLi. After all, it's your point of view.

Call 1-800-933-4110 or use fax-on-demand at 1-800-229-2239 for more information.

SyncMaster	15GLi	17GLi	17GLSi
Flat Square CRT	15"	17"	17"
Dot Pitch	.28	.28	.26
PC Compatibility	1280x1024@60Hz	1280x1024@60Hz	1280x1024@80Hz
Mac Compatibility	1024x768@75Hz	1024x768@75Hz	1152x870@75Hz
Color Temperature Selection	*	*	*
UltraClear Coating™	*	*	*
Limited Warranty	3 Years	3 Years	3 Years

Actual viewable areas are 13.8" (15GLi) and 15.75" (17GLi and 17GLSi).



© 1995 Samsung Electronics America, Inc. SyncMaster™ and UltraClear Coating™ are trademarks of Samsung Electronics. *When used with Windows 95 or a Plug & Play operating system conforming to VESA guidelines. PC Magazine quote and Editors' Choice tags used with permission of Ziff Davis Communications, Inc.

Circle 603 on Inquiry Card.



LEADING PRICE/PERFORMANCE STx86 PROCESSORS FROM SGS-THOMSON LET YOU

SOCKET COMPATIBILITY

Core

586

486

ST486 DX-2
-4
66...133
MHz

ST5x86
100...150
MHz

ST6x86
100...166
MHz

ST486 DC
25...133
MHz

486

586

686

ARCHITECTURES



SGS-THOMSON
MICROELECTRONICS

Windows is a registered trademark of Microsoft corporation. OS/2 is a registered trademark of International Business Machines. Unix is a trademark of Bell Laboratories, Inc.

OPEN WINDOWS OF OPPORTUNITY

After only 12 months in the competitive 486 market, SGS-THOMSON have produced more than a million 486 microprocessors. We have also helped our x86 partner, Cyrix, set production records. Now we are opening the Windows of Opportunity even wider by extending the standard ST486 range upward in performance with 586 and 686 architectures, first-class products that will offer industry-leading price/performance advantages.

A Commitment to PC

STx86 microprocessors complement a vast family of SGS-THOMSON devices that are raising performance standards in every area of the PC. For example, ST devices can be found on PC motherboards, in monitors, disk drives and multimedia add-ons. In fact, there are probably more SGS-THOMSON chips in more PCs than any other x86 manufacturer.

Compatibility without Compromise

STx86 microprocessors are 100% compatible with the thousands of applications that run on Windows, DOS, OS/2, UNIX, Netware and other x86-based operating systems. We can guarantee it because SGS-THOMSON STx86 microprocessors have received compatibility certifications from Microsoft, IBM and Novel.

Architecture, Technology and Choice

Consistently superior x86 architectures mean consistently better price/performance standards. SGS-THOMSON's rapidly evolving leading edge semiconductor technology means our STx86 devices are always ready to run the newest, most demanding multimedia applications. We offer choice by extending our standard STx86 portfolio to include an ST486 core for embedded applications such as Set-Top-Boxes and PDAs (Personal Digital Assistants).

Environmentally Friendly Power

SGS-THOMSON STx86 microprocessors are designed to make your computer run faster and more efficiently than ever before — but not at the expense of the environment. In our multi-million dollar state-of-the-art STx86 production facility in Phoenix, Arizona, the most advanced equipment and methods are used to ensure that all of our products are environmentally friendly. De-ionized water is reclaimed. Waste water is reused. What's more, chemicals are reprocessed. Our ecology charter is creating standards that allow SGS-THOMSON to be benchmarked against the world's most stringent environmental requirements. You can be sure when you invest in an SGS-THOMSON STx86 microprocessor, you are also contributing to a better environment.



For further information on SGS-THOMSON's STx86 family or any other product in the Company's range of PC products fax us at (602) 867-6227 or e-mail us at x86@st.com

Circle 71 on Inquiry Card.



Bells and Whistles

In "How Software Doesn't Work" (December 1995), I believe you presented a balanced view of the problems and existing approaches to software development. More important, I didn't see a bias for any technique or method.

Jim Cardow
Director of Software Development
Tybrin Corp., Shalimar, FL
jimc@hq.tybrin.com

While I never thought that developing software programs was easy, "How Software Doesn't Work" helped me to understand the complexity of the development process. On the one hand, consumers want reliable software with all the bells and whistles. On the other hand, they want that software to be affordable. The conflict between delivering a product on time—or ahead of a competitor—and developing a reliable product is usually resolved by compromise.

James Tyrone Cooper
jamesco@ix.netcom.com

Frame It

I just checked out your virtual press room. Great stuff! But I don't care for the graphics being constantly reloaded as I go from page to page. A suggestion: Start using frames, an enhancement found in Netscape 2.x. This saves a lot of reloading and at the same time saves bandwidth.

Ed Berlot
edber@hookup.net

We're working on a frame implementation for the article archive. It's very Smalltalk-browser-like, which is our preference. But we also believe strongly in remaining open to the broadest spectrum of browsers, which complicates matters a good bit.

—Jon Udell, executive editor

The Importance of Being Text

I appreciate the clean look of BYTE's World Wide Web pages. I am also glad

they're compatible with my browser, Lynx. I and other blind computer users are fearful that text information on the Web will suffer with the advent of interactive graphics, Virtual Reality Markup Language (VRML), and Java. Access to the Windows environment has been difficult until lately, and the graphical Web could also prove difficult for the blind to manage. The greatest problems with Windows and other GUIs are nonstandard icons and buttons that are not clearly labeled with text. These are still problem areas for makers of screen-reading packages for Windows 3.1; even Microsoft chooses not to follow its own standards for some applications.

Bob Logue
boblogue@freenet.edmonton.ab.ca

We're working on alternate E-mail interfaces to our Web-based services because we realize that not everyone has convenient access to the Web. But the concerns you raise make our effort even more important. Thanks for the feedback.

—Jon Udell, executive editor

Real Performance Peaks

I read "The World's Fastest Computers" (January) with great interest, but I was quite disappointed to see that you have fallen prey to the "peak performance" trap. Peak performance has little relation to what can actually be sustained on a supercomputer. Supercomputers should be presented in terms of classes of applications and their sustained performance. The Intel TFLOPS, which you tout as the world's fastest, is actually so only on a very small set of applications. For most general-purpose scientific computing applications, a Cray will be faster.

Peter Van Roy
Programming Systems Lab, DFKI
Saarbruecken, Germany
vanroy@dfki.uni-sb.de

According to Intel, the TFLOPS system operates with a sustained rate of 1 TFLOPS. As stated in the text box on page 62, this supercomputer will run some very specific research applications for the U.S. Department of Energy. The



Cray T3E, pictured on the January cover, is a massively parallel processing (MPP) system capable of 1-TFLOPS operation, and it doesn't require a government grant to own and operate. Presumably it will run many of the applications written for Cray systems over the years. How well these existing commercial applications can be made to exploit its massive parallelism remains to be seen.

—Tom Thompson, senior technical editor

BYTEmark Bug Bitten?

In regard to "BYTEmark Bug Bashed" (December), it appears to me that the bug is with the compiler vendor's `malloc()` rather than with your code. The C Standard section on memory management functions states that "the pointer returned if the allocation succeeds is suitably aligned so that it may be assigned to a pointer to any type of object and then used to access such an object or an array of such objects in the space allocated (until the space is explicitly freed or reallocated)." If double requires 8-byte alignment to work properly, and double has the strictest alignment requirements, then `malloc()` should return memory aligned to at least 8-byte boundaries.

Fred J. Tydeman
Member, X3J11 (ANSI C Committee)
tydeman@tybor.com

You may be right. We have received several letters suggesting that the problem lies with the C library's implementation of `malloc()`, not with our benchmarks; however, we have not yet found any documentation that explicitly states that a `malloc()` returning data not optimally aligned is in error. It's not quite accurate to say that "double requires 8-byte alignment to work." The algorithm works even if the data is not aligned. It just works more slowly.

—Rick Grehan, senior technical editor

Where's the GNU Hurd?

The November 1995 articles "NT Roars on the 604" and "CPU Scorecards" were

We want to hear from you. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458; or you can send E-mail via the Internet or BIX to editors@bix.com. Letters may be edited.

New Paradox 7 for Windows 95 and Windows NT

Adapt to your environment effortlessly.

Boost productivity

with new Experts that automate common tasks such as importing data and creating labels, reports, form letters, tables, and even database applications.

Learn Paradox quickly

with new intuitive Paradox User Help—a book-style help system.

Eliminate toolbar guesswork with new tool tips that show each toolbar function.

Easily share data with other applications with excellent suite integration and act-alike toolbars and menus.

"The hands-down best Windows database is easier to use and more powerful than ever." —InfoWorld, October 16, 1995

Evolution just got easier

Windows 95 may be a new environment, but it's comforting to know that with Paradox® 7, your new database will blend right in. All the cool features from

Windows 95 are here: object-style controls, meaningful long filenames, movable toolbars, and more. Dozens of built-in "Experts"

make everything you do easier, so your work gets done faster. The new Quick Start Expert gets new users up to speed fast. With new Database and Table Experts, you can create a database simply by choosing from more than 30 ready-to-use templates and eight prebuilt, customizable applications. This is truly database power made easy.

"You'll find the Merge Expert to die for."

—InfoWorld, October 16, 1995

Integration with your suite environment

Microsoft Office 95 or Novell PerfectOffice 7 users can easily share data components between their word processor, spreadsheet, and graphics programs. With new act-alike menus and toolbars, you learn concepts once that apply to all the applications in your suite.

Make a smooth transition

Paradox 7 is compatible with previous versions of Paradox for Windows, so any data or applications you created in Paradox for Windows can be used in the new environment of Paradox 7. This makes Paradox the fastest way to get your database working for you in Windows 95 or Windows NT.

Circle 72 on Inquiry Card.

Find out more

Find out why all types of users call Paradox "the easiest-to-use database." Find out why there are more client/server applications implemented in Paradox than in any other database. And discover the legendary speed of Paradox performance. With Paradox 7, business productivity is full speed ahead.

Try Paradox 7 risk-free

If for any reason you're not fully satisfied, simply return it to Borland within 90 days for a full refund.

What's New

New! Ready-to-use customizable business and personal applications—from a home assets application to an order entry and inventory control system—get you productive fast.

New! Dozens of Experts automate common database tasks, such as creating form letters, importing data, creating database applications, and more.

New! Enhanced OLE support lets you categorize, control, manage, store, and share numerous types of data—including documents, spreadsheets, and graphics. That means you can link information from virtually any application on your desktop.

ORDER PARADOX 7 TODAY

FOR ONLY **\$89⁹⁵***

See your reseller or call today.
1-800-336-6464, ext. 50441

To see the entire InfoWorld article, just access our Web site.

Canada: 1-800-461-3327 • Internet: <http://www.borland.com>
CompuServe: GO BORLAND

Borland
Making Development Easier

quite welcome. But the Special Report on operating systems did not mention GNU Hurd. This OS is based on the Mach microkernel, and thus it has been essentially ported to a wide variety of hardware platforms—nearly as many as NetBSD. To learn more about Hurd, and especially about its binary portability, visit <http://www.cs.pdx.edu/~trent/gnu/hurd/>. Contrary to what you say in the text box “Operating-System Research: Dim or Bright Future?” (page 116), microkernel technology has not been exploited to its maximum capability, as the Hurd philosophy demonstrates.

Todd Hutchinson
jasper@terra.3rdplanet.com

DB2 Pricing

While your November 1995 review “Enterprise Database Managers” was fair, accurate, and thorough, the comparison chart of features and prices on page 216 was not accurate. The correct suggested retail pricing for 50 users for IBM’s DB2 2.1 is

\$91.40 per user (server with five licenses, \$1495; five-user entitlement, \$359; four 10-user entitlements, \$679 each). In addition, IBM’s DB2 does offer row locking, which was not properly indicated in the chart. Also, you state that DB2 for AIX “has relatively little third-party support.” IBM has listed in its solutions catalog more than 440 applications available for DB2 on AIX from 254 vendors, with support growing at a rate of more than 200 percent per year.

Tim Negris
Vice President, Sales and Solutions Marketing
IBM Software Solutions Division

IBM informed us that the price of the DB2 server had changed from \$1995 to \$1495 as we finished the review. While that change was reflected in the Product Information summary, it was not incorporated into the chart, which should have shown a per-user cost of \$106. We were not informed at the time of further reductions in client prices. We also reported an incorrect price for Microsoft SQL Server; we should have indicated a

per-user cost of \$145. To be fair, we’ve also learned that Oracle recently changed the price of Workgroup Server 7.1 to \$295 per concurrent connection and eliminated the per-server fee.

The reference to page locking came from the DB2 technical documentation; we reported what we found there. While support for DB2 for AIX is growing, it lacks the breadth of third-party support that Oracle for AIX enjoys.

—Barry Nance, consulting editor

FIXES

Due to an error at our printer, a line of text was lost in the January review “Sumo Graphics Giants Weigh In.” The partial sentence at the top of page 130 should read “Corel has made some features, such as layer control in CorelDraw, easier to use by bringing more functions to the first level of a roll-up menu.”

In “The World’s Fastest Computers” (January), the system pictured in the text box on page 52 is the Cray T90 vector-processing system, not the CS6400 parallel-processing system described in the text. The system pictured on the cover of the magazine is the Cray T3E, which is Cray Research’s new commercial TFLOPS machine.

In “PDA Vendors Improve PC Links” (January), we printed an incorrect area code for AllPen. The correct number is (408) 399-8800.

In “A Data Miner’s Tools” by Karen Waterson (October 1995), we inadvertently omitted the SAS System, including OLAP++ (\$30,000 and up; SAS Institute, Cary, NC, (919) 677-8200; fax (919) 677-4444; E-mail software@sas.sas.com or <http://www.sas.com>).

In “The Data Gold Rush” by Sara Reese Hedberg (October 1995), we inadvertently omitted CrossTarget Builder (\$7500–\$29,500; Dimensional Insight, Burlington, MA, (617) 229-9111; fax (617) 229-9113; E-mail sales@dimins.com).

The first chip set to implement the PCI bus was not the Intel Mercury, as we indicated in the article “Most Important Chips” (September 1995), but a 486 chip set named Saturn. The Intel Mercury was the first chip set for the original 5V Pentium processors. ■

COMING UP IN APRIL

• COVER STORY: IS THERE LIFE BEYOND CMOS?

Silicon has long been the heart of the computer. But what will define the machine a decade from now? BYTE looks to the laboratories for glimpses of the possible future: rhodopsin memory, holographic storage, and quantum computing.

• SPECIAL REPORT: WINDOWS 95 TECHNOLOGY ISSUES

The ultimate success—or failure—of Windows 95 hinges on technology-implementation issues. We examine OLE integration, VxDs, Plug and Play, communications, and key utilities you might need to help the OS live up to the hype.

• THE GREAT OS SHOWDOWN

NSTL evaluates Windows NT, OS/2, and Windows 95 for performance, features, and usability.

• CAN VLIW SPEED UP THE P7?

Hewlett-Packard and Intel are gambling on very-long-instruction-word (VLIW) technology to make one version of the P7 superfast.

• DEBUGGING WORK FLOW

Work flow means “process analysis,” “business process reengineering,” and, worst of all, software that still doesn’t quite work the way that people do. BYTE explores problems and solutions to help you debug work flow.

• MIDDLEWARE


What is it? How do you implement it? Will new client/server technologies—and the Internet—send it the way of middle management?

• REVIEWS


In the Lab Report, we uncover the best CD-ROM notebooks. We take a real-world look at the long-awaited Lotus Notes 4.0. And we dissect Sun’s Java and peek in on the competition: OCXes for World Wide Web development.



CorelFLOW 3 BEATS VISIO 4!



FEATURE	CorelFLOW 3	Visio 4
Symbols	6,400+	1,000+
Smart Symbol Libraries/Stencils	205	29
Fonts	150	0
Clipart	1,500+	0
Photos	1,000	0
Live repeating line patterns	YES	NO
Polygon tool	YES	NO
Fountain fills	YES	NO
Center and repeating arrows	YES	NO
Hyperlinks	YES	NO
Dynamic print preview	YES	NO
Multiple shadows	YES	NO
Thesaurus and Type Assist	YES	NO
Live auto-line routing	YES	NO
Script editor	YES	NO
Number of color models supported	8	2



CHARTS

- Organization Charts
- Flow Charts
- Timelines
- Process Flow Charts
- Marketing

DIAGRAMS

- Network Diagrams
- Quality
- Block Diagrams
- Boolean Logic
- Sports

SCHEMATICS

- Electrical
- Mechanical
- Chemical
- Petroleum
- Software

LAYOUTS

- Landscape
- Home Planning
- Office Planning
- Space Planning
- Maps

...and more!

CorelFLOW 3 includes all the tools you need to communicate your ideas effectively. A Windows® 95 application with 32-bit power, CorelFLOW 3 is the most powerful diagramming software available on the market. With more than 6,400 drag and drop symbols, Microsoft® Office Binder support and CorelDRAW® 6 graphics technology, creating the perfect diagram is a breeze with CorelFLOW 3—from Corel, the world leader in graphics software.

Easier to Use!

- Spell checker, Thesaurus and Type Assist
- Dynamic print preview
- Rulers and guidelines
- Microsoft® Office Binder support
- Templates and Wizards

More Power!

- Designed for Windows® 95
- Live auto-line routing
- Advanced text controls
- Fountain fills and shadows

Better Value!

- 6,400+ symbols
- 1,500+ clipart
- 1,000 photos
- 150 fonts



Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Visio is a registered trademark of Visio Corporation.

<http://www.corel.com>
Call now for faxed literature!
1-613-728-0826 ext. 3080
Document # 1057



Corel offers a simple, cost-effective software licensing program. For faxed information, please call 1-613-728-0826 ext. 3080 and ask for Document # 1142.



Call for
direct connect
to your
nearest store.

\$149⁹⁹
US\$ plus applicable taxes.

Enter the Corel \$3,000,000 World Design Contest and win! (September '95 to July '96)
To receive a faxed copy of the rules and an entry form please call:
1-613-728-0826 ext. 3080, Document # 1125. To leave a message please call: 1-613-728-0826 ext. 81609.



KUP-0118

Circle 73 on Inquiry Card.

The Millennia TransPort.

The Millennia TransPort™
from Micron bridges the
performance gap
between desktop and
notebook computers.

Feature for feature this
notebook gives you
everything you need—
whether you're working
on the road or at your desk.

Moreover, it bears the Micron
name; a name synonymous
with award-winning
technology and reliability.



Specifications

Common Features

- 133MHz or 120MHz Intel Pentium® processor
- Intel PCI mobile Triton chipset
- 256KB L2 pipelined burst cache
- EDO memory (48MB max.)
- 4X modular CD-ROM drive
- 11.3" SVGA color display, 800 x 600
- PCI 64-bit graphics accelerator, 1MB RAM
- Pick-a-Point™ dual pointing devices integrate both pointing stick and touchpad



900 E. Karcher Road, Nampa, ID 83687 • Mon-Fri 6am-9pm
Sat 8am-5pm (MT) • 24-hour technical support • 208-893-3434
• Fax 208-893-3424 • Purchase Order Fax 208-893-8992

© 1996 Micron Electronics, Inc. All rights reserved. All prices and specifications subject to change without notice. Micron Electronics, Inc. cannot be responsible for omissions and/or errors in typography or photography. Micron Power is a service mark. Pick-a-Point, MicronDock, MicronExec and FlexOpt are trademarks of Micron Electronics Inc. Intel, Intel Inside, and Pentium are registered trademarks of the Intel Corporation. Microsoft is a registered trademark and Windows 95 and the Windows logos are trademarks of Microsoft Corporation. All other company trademarks are trade names of each respective company. Prices do not include shipping and handling. 30-day money back policy does not include return freight and original shipping/handling charges, applies only to Micron brand products, and begins from date of shipment. All returns require RMA numbers and must be shipped in the original condition prepaid and insured. Lease prices based on 36-month lease. TRN-BYTE-9603

- 3.5" modular floppy drive
- Removable EIDE hard drive (1.3GB max.)
- Intelligent modular lithium-ion battery
- SoundBlaster™ 16-bit stereo sound
- Built-in stereo speakers and microphone
- 2 Type II and one Type III PCMCIA slots
- S-Video and NTSC video-outputs
- Headphone, microphone and line-in jacks
- 2 infrared ports, one front, one back
- Parallel, serial, VGA and 2 PS/2 ports
- Dimensions: 11.7" x 9.4" x 2.0", Weight: 6.9 lbs.†
- Nylon carrying case
- Microsoft® Windows® 95 and MS Plus! Companion
- Microsoft Office Pro 95 and Bookshelf 95 CDs
- 5-year/3-year Micron Power™ limited warranty*

Micron Millennia TransPort P133

- Intel 133MHz Pentium processor
 - 11.3" active matrix color display, 800 x 600
 - 32MB EDO memory (48MB max.)
 - 1.3GB removable hard drive
 - 2nd intelligent modular lithium-ion battery
 - Motorola® Montana 28.8 fax/modem
- \$5,799** Business lease: \$190/month

- Intel 133MHz Pentium processor
 - 11.3" active matrix color display, 800 x 600
 - 16MB EDO memory (48MB max.)
 - 1.3GB removable hard drive
 - 2nd intelligent modular lithium-ion battery
- \$4,899** Business lease: \$167/month

Micron Millennia TransPort P120

- Intel 120MHz Pentium processor
 - 11.3" active matrix color display, 800 x 600
 - 16MB EDO memory (48MB max.)
 - 1.3GB removable hard drive
- \$4,499** Business lease: \$153/month
- Intel 120MHz Pentium processor
 - 11.3" dual scan color display, 800 x 600
 - 16MB EDO memory (48MB max.)
 - 810MB removable hard drive
- \$3,999** Business lease: \$136/month

†6.9 lbs. includes 3.5" floppy and one battery.

• MicronDock™ multimedia port replicator

Ethernet LAN adapter, SCSI-2 port, S-Video and NTSC video outputs, built-in stereo speakers, infrared port, headphone, microphone, line-in jacks, parallel, serial, VGA and 2 PS/2 ports.....\$299

It's Your Call

800-250-5807

<http://www.mei.micron.com>

MICRON
ELECTRONICS, INC.

Spec it out!

133MHz Pentium Processor combined with 256KB of pipelined burst cache and 16MB of EDO memory provide the screaming performance you've come to expect from Micron.

11.3" Active Matrix Display shows you the big picture in vivid 800 x 600 eye-popping color.

64-bit Graphics Accelerator provides blazing PCI graphics performance with VGA, S-Video, and NTSC video outputs.

Dual Infrared Ports provide convenient IrDA-compliant wireless connection in front or in back.

Two Type II PCMCIA Slots or one Type III PCMCIA slot accommodates a wide variety of communications and storage options.

SoundBlaster™ 16 Sound delivers 16-bit stereo sound to two integrated stereo speakers for the complete multimedia experience.

4X Modular CD-ROM Drive provides fast access to a whole new world of information.

Removable 1.3GB Drive gives you vast amounts of storage and allows you to upgrade to a larger hard drive in the future.



Lithium-ion Battery
Intelligent modular lithium-ion batteries give you the power to complete the job. Add a second modular battery in bay two and double your productivity.

Modular Bay #2:

Lithium-ion battery

or

4X CD-ROM drive

or

2nd 1.3GB hard drive

or

3.5" floppy disc drive

Dual Pointing Devices
The Pick-a-Point™ offers two pointing devices; choose either the touchpad or the pointing stick.



Modular Bay #1:

Lithium-ion battery

or

3.5" floppy disc drive



NEWS & VIEWS

APPLICATION TRENDS

Virtual Reality Goes to Work

Virtual reality is not for games and entertainment software only. Here's how it will influence mainstream business and Internet applications.



CHRIS CHINNOCK

If you think the World Wide Web is changing the way in which you do business, wait until you see how virtual reality (VR) will change mainstream computing. Thanks to new development tools and hardware, digital convergence, and the Internet, vendors and analysts predict that VR technologies will become commonplace over the next two years. Traditional arcade-style VR entertainment centers—along with military, medical, and industrial VR simulators—will improve, while new industries and applications will adopt VR.

Future VR applications might not even require a mouse or a keyboard. Using MultiGen's SmartScene software, developers and end users can interact with 3-D scenes by manipulating objects using both hands.

Doug Schiff, vice president of marketing at VR-tool developer Division (Chapel Hill, NC), says a key trend in VR is decreasing prices for high-performance graphics platforms. "Until very recently, serious VR developers needed to spend several hundred thousand dollars on a hardware platform," Schiff says. "But we're now starting to see platforms that can support immersive, high-performance VR applications in the \$10,000-to-\$50,000 range." PCs using Intel's Pentium Pro processor, as well as workstations from Hewlett-Packard (Palo Alto, CA), Silicon Graphics, Inc. (SGI, Mountain View, CA), Sun Microsystems (Mountain View, CA), and others, will continue to deliver increasing power at decreasing prices.

Another key trend: VR development software is getting easier to use and less expensive. Software from vendors such as Division, Sense8 (Mill Val-



Pressing together your forefinger and thumb lets you manipulate objects, such as this fence. Or you can put your arms together and fly through a model.

MultiGen's toolkit lets you stretch and manipulate objects. Here the designer is stretching the picket fence to cordon off a lawn.



One example of how VR is changing business is at Ford Motor Co., where researchers use Division's dVise and dVS VR software to evaluate new arrangements for instrument panels.

ley, CA), Superscape (Palo Alto, CA), and others let non-programmers build 3-D worlds via menu selections. "This is extremely important, because it means you no longer have to be a VR expert to build a 3-D virtual world," says Schiff.

VR development tools are also immersing the developers themselves. New tools slated for release in May on SGI platforms from MultiGen (San Jose, CA) let developers build, stretch, and color 3-D scenes literally by waving their hands around (see the photos).

Although VR development tools can still be pricey (e.g., MultiGen's SmartScene will likely sell for over \$10,000), prices for other toolkits and components are dropping. For example, Apple recently eliminated royalty fees from its \$495 QuickTime VR authoring tool. A turnkey development system from Division that costs \$75,000 would have cost

\$250,000 two years ago. Dive Labs' (Santa Cruz, CA) \$150 C++-based VR development toolkit, called Amber, runs on Windows 95 and NT. A version for SGI and other workstation platforms costs just \$199. Another Dive toolkit, vr-Tracker, lets business managers monitor financial data in animated 3-D scenes (see "Assets in Wonderland," July 1995 BYTE). Company officials say they expect to release a toolkit for Visual Basic developers later this year. And Polhemus (Colchester, VT) now sells its two-input body-motion tracking unit for PCs at \$999, down from \$2200.

Patricia Glovsky, an equity analyst with Kaufman Brothers (New York, NY), says that digital media—the blending of graphics, animation, and video—will eventually supplant graphics-only VR environments. "Three-dimensional worlds will soon evolve from

computer-generated, graphics-only-based environments into full digital-media worlds. These new environments will be quite compelling for developers and users alike," she says.

An especially intriguing new development will be the merging of VR technology with the Internet. For example, Virtual Reality Markup Language (VRML) allows designers to create entire 3-D environments, such as a downtown shopping district, that users can explore over the Internet (for more information, see "Put the Space in Cyberspace" on page 61). Microsoft's Internet Studio (aka Blackbird), a Web and multimedia toolkit, will enable developers to create virtual 3-D worlds. Java-based development environments will allow developers to build applets that have the ability to interact with

objects within these worlds.

In addition to navigating 3-D Internet worlds with *avatars*, computer reincarnations of yourself (for more information, see "Agents and Avatars," February BYTE), you will also interact with other avatars in a shared virtual environment. Such interaction might be based on the DIS (Distributed Interactive Simulation) protocol, which enables thousands of entities (e.g., tanks, planes, and people) to interact in a huge virtual space. Another exciting possibility is distributed gaming.

"Three-dimensional worlds on the Internet will be popular because it's a metaphor that everybody can relate to," Glovsky says. "This is exactly what is needed to bring non-computer-literate mass markets online."

New Batteries Will Keep You Running


New battery technologies that let notebook PCs run longer without a recharge might make the transition from the laboratory to commercial products this year. However, notebook manufacturers, wishing to avoid such problems as battery overheating, remain cautious and say they will incorporate these new technologies only after careful evaluation.

One technology, lithium metal polymer, offers the possibility of high energy density (perhaps as much as double that of today's lithium ion). But lithium in its metallic form in a rechargeable battery poses safety risks: After repeated charging, the battery can short-circuit internally. Vendors are anxious to avoid the bad press and poor customer relations related to notebooks that overheat or catch fire.

A more promising technology, from Ultralife Batteries (Newark, NY), which may ship in commercial products later this year, uses both a solid-state electrolyte and a lithium-ion chemistry. Ultralife officials say its battery has a high duty cycle (up to 1200 recharge cycles, compared to about 500 for nickel metal hydride) and high energy density (comparable to today's lithium ion with liquid electrolyte). The battery's solid-state electrolyte allows design flexibility (batteries can be made in ultrathin rectangular shapes) and a high degree of safety (the solid electrolyte cannot leak).

Meanwhile, AER Energy Resources (Smyrna, GA) says it will soon release to computer manufacturers the first prototypes of a new version of its zinc-air battery that can run a full-size notebook up to 12 hours between charges. Previous versions of the company's zinc-air batteries, such as the PowerPro for certain Toshiba notebooks, weighed 4½ pounds. But AER says the new version, thanks to a second air electrode that doubles the surface area for the battery's chemical reaction, will weigh only 1.8 pounds. Commercial products based on the new prototype might ship sometime in 1997, the company says.

—Dave Andrews



A partially completed scene as viewed from the street, showing the fence. Models created with MultiGen have intelligence: Fences can snap to the lawn, but not to the middle of the pavement, making object manipulation easier.

INTERNET DEVELOPMENT

Multimedia Tools Animate the Web

Vendors of multimedia development toolkits are preparing a variety of tools that can make your World Wide Web site come alive with mu-

sic, animation, and video. While such companies as Symantec are releasing new development kits based on the Java programming language

(see "Code Talk" on page 38), others offer alternatives that don't require you to learn Java, which loosely resembles C.


Macromedia's (San Francisco, CA) new ShockWave for Director allows multimedia movies created with its Director authoring package to play over the Web. ShockWave will be supported by several Web browsers, including Netscape and Internet Explorer, and it supports on-the-fly compression. Macromedia's ShockWave for FreeHand, which will provide the capability to display native FreeHand vector-graphics files with extreme close-up and zoom-out capabilities within Web pages displayed in Netscape Navigator 2.0, is slated to ship this quarter.

Microsoft says it will release a new beta version of its Internet Studio Web publishing system in March, with plans to release the product commercially

sometime this year. With Internet Studio, Web developers can create multimedia pages without programming. Meanwhile, IBM, Microsoft, and others have proposed various extensions that improve upon the Virtual Reality Markup Language (VRML) standard's support for 3-D animation and interactivity.

Adding interactivity is a good way to advertise on a Web page without insulting your readers. "Interactivity provides a way for end users to enjoy an advertisement and not be offended by it," says Heather Rose, senior product manager for network technologies at Macromedia. "The Web today is very similar to print, and your browser today is more like a world-wide library card. These new tools give more of a TV feel to the Web, but without turning end users into total couch potatoes."

—D.A.



Web sites are becoming much more interactive, thanks to new development tools. With Macromedia's new ShockWave player, Web developers can use the Director multimedia authoring package to create virtual magazines in which headlines, photos, and text move across your computer screen.

COLOR PRINTING

Simple Color Matching for Everybody

Purchasers of low-cost color ink-jet printers are learning something that graphics professionals have known for years: What you see on the computer screen isn't always what you get from the printer. To make color matching more accessible to small-business and home users, vendors are preparing solutions that make color matching easier and more affordable.

Today's latest entry-level color matching eliminates expensive hardware standards that require you to periodically attach devices called colorimeters to your monitors. These new software solutions use existing systems, such as Kodak's Precision Color Matching or Apple's ColorSync, to reproduce consistent colors on monitors and printers. Self-calibrating monitors, such as Apple's AppleVision 1710, which includes the DigitalColor internal calibration scheme, can also continually compare themselves to factory settings and adjust themselves as needed.


One low-cost solution is Sonnetech's Colorific, a software-based color-matching program that calibrates and adjusts monitor color balance and compensates for ambient light factors.

Many monitor manufacturers now bundle this software. "Colorific lets users match colors between the monitor and the printer without bulky devices or extensive training," says Chris Ota, general manager of Nanao, which now includes Colorific with its products. "It's a simple, one-time-only process."

The ultimate goal is invisible, automatic color matching. "We anticipate that an increase in bidirectional communication will make calibration easier and more automatic," says Tom Paterniti, senior marketing manager at Mitsubishi. "We foresee device-independent color, so regardless of the system or hardware, colors created in a certain program will travel among different systems without change."

Customers who shop on the Internet will especially benefit. "[Technology will] someday enable your Internet browser to adjust your color on-screen to compensate for the color biases in your monitor," says Bill Hilliard, managing partner at Sonnetech. "Color management can provide the Internet with 'What you see is what you buy.' This should help catalog sellers face fewer returns due to wrong colors."

—Wayne Kawamoto



Relied on networking expert for ISDN connection.



The 3Com Impact ISDN Digital Modem delivers 128 Kbps for high-speed Internet access.

Choosing the right company to supply your hardware connection to the high-speed world of ISDN can really make a difference in your lifestyle. Which is why you should choose the company that has connected nearly 25 million users to networks. 3Com.[®]

At 3Com, we've used our extensive networking expertise to develop a full line of modems and adapters to meet all your ISDN needs. In fact, our 3Com Impact digital modems are the first to deliver Multilink PPP at the speed of 128 Kbps, making them at least four times faster than even the quickest analog modems. The 3Com Impact™ ISA adapters have also combined this same technology along with



Didn't.



The 3Com Impact ISDN ISA Adapter provides LAN emulation, ideal for telecommuting.

high-performance LAN features to optimize remote LAN access. Plus, all of our products are easy-to-use and install and are standards-based, insuring compatibility.

So when it comes to ISDN, call the expert and relax. We'll send you a free CD or diskette* that demonstrates the benefits of using ISDN versus analog. Just give us a call today at **1-800-NET-3Com**. Or visit our web site at <http://www.3com.com> to learn about our networking solutions.



PC VOICE DICTATION

I'll Talk to You Soon

By the year 2000, the mouse and the keyboard might be obsolete for text input. The steady increase in affordable desktop-computing power, combined with improved speech-recognition software, could bring unconstrained continuous voice-dictation systems to PCs within two or three years, vendors and analysts say. Meanwhile, sales of current voice-dictation products continue to increase as products improve and prices drop.

"Unit sales of shrink-wrapped dictation systems are doubling or tripling each year," says William Meisel, editor and publisher of *Speech Recognition Update*, a newsletter published in Encino, California. The consulting firm Venture Development (Natick, MA) says that in 1995, 44,000 dictation systems were sold. Over a million units will be sold in 1998, the consultancy predicts.

Vendors continue to improve their products by making them more accurate, faster, and easier to use. They're also delivering

tighter integration with key office applications (see the text box "Battle of the Dictation APIs" for more information). But commercial dictation programs still can't handle unconstrained-dictionary, continuous speech, which is the natural manner of talking that we use in conversations. "That's the holy grail," says Neal Bernstein, North America marketing manager for IBM Voice Recognition. Today's voice-dictation products require you to speak discretely, by speaking carefully and pausing between words.

Some analysts say that today's discrete-speech English dictation products are sufficiently fast to improve productivity. And dictation can provide tremendous benefits to users whose language requires a laborious effort to input characters. Apple says that users of its Chinese Dictation Kit for the Power Mac can input text approximately five times faster than they can using the most popular Chinese keyboard-input methods. But discrete speech requires

BATTLE OF THE DICTATION APIS

One way in which speech-recognition vendors hope to increase their penetration into the market is through speech APIs. "The true value of speech technology is realized when it's integrated with applications," says IBM's Neal Bernstein.

At present, two standards are competing. One is Microsoft's Speech API (SAPI); the other is Speech Recognition API (SRAPI), spearheaded by Novell.

SRAPI will get its rollout with the release of WordPerfect 7.0 and Perfect Office 7.0, both of which will be SRAPI enabled. Leading voice-recognition system vendors, such as Dragon Systems (Newton, MA), IBM (Boca Raton, FL), and Kurzweil Applied Intelligence (Waltham, MA), worked on SRAPI.

SAPI, which went out to developers late in 1995, currently addresses command and control (but not yet dictation) in its high-level API. Company officials say they are not yet convinced of the dictation market's potential.

—R.D.

practice and might even contribute to voice strain, so efforts continue on the improvement of continuous-speech products.

Vendors are already preparing commercial continuous-speech programs with specific speech dictionaries for the medical and legal fields. Philips Dictation Systems (San Francisco, CA) says that it will release its SpeechMagic system for Windows 3.1 in March at a price to be determined (officials say it will probably sell for at least \$1000). However, delivering a continuous-speech dictation product for everyday language is a greater challenge, due in part to the higher degree of variability of words that occur in casual conversation.

Estimates vary as to when an unconstrained continuous-speech dictation product will arrive. "We believe that it will be there in two to three years," says IBM's Bernstein. Others say such a time frame is optimistic, but not by much.

Prices for dictation products range from \$700 to \$1000 or more for systems with a full-size vocabulary, but Dragon Systems also sells an entry-level version with a 10,000-word dictionary for \$395. Venture Development predicts that by 1998 dictation systems will cost less than \$100, which the consultancy believes is "a critical price point necessary for mass-market acceptance." —Rob Dieterich

Dive! Dive!

Games Get Voice Recognition

The next trend in computer-entertainment-control devices is one of the oldest forms of communication: the spoken word. New titles, such as *Command: Aces of the Deep*—a realistic World War II U-boat simulation game for Windows 95 from Sierra Online (Bellevue, WA)—and IBM Multimedia Studio's (Atlanta, GA) upcoming *Jungle Book*, use voice-recognition technology to let you play by speaking into a microphone.

Frank Evers, producer of *Command: Aces of the Deep* (\$54.95; (800) 757-7707 or <http://www.sierra.com>) says voice recognition can make a game more realistic. Instead of using just a keyboard and a mouse, you also get to give orders as a submarine commander would.

IBM's *Jungle Book* game ((800) 426-7235), which is slated for release in April for Windows 3.1, features voice recognition with a twist: Players must learn to communicate with and speak like the creatures of the jungle to win. "Voice activation frees the user from hand-eye coordination and can allow for a more intellectual game," says Cal Morrell, IBM Brand Manager. "This freedom can lower the barrier for children who have not fully developed their motor skills. The use of voice has its greatest potential in education and in products for small children."

Effectively incorporating voice recognition into games means that the software must recognize a range of words in different tones and accents and allow time for the computer to process the voice commands. For now, *Command: Aces of the Deep* does a decent job of understanding spoken commands. But players still occasionally hear their virtual crews respond, "I don't understand"—something you wouldn't want to hear if you were actually under attack.

Sierra might add voice-recognition support to other games in the future. For example, a future flight-simulation game might let you communicate with virtual wingmen or call up different virtual screens. Another possible scenario is in networked versions of games in which you communicate with other human players over a network while a computer monitors the conversation and takes actions based on what it hears.

—W. K.



Voice recognition adds realism to games. With Sierra Online's *Command: Aces of the Deep*, you shout commands to your crew instead of typing on your keyboard.



Come to the 1996 IBM International Technical Interchange, April 22-26 in Nashville, TN. There's a lot to experience: Insights into IBM's latest software strategies. Over 300 unique elective sessions, including App Development, Network-Centric and Client/Server Computing. Tips and techniques for building a competitive advantage. More than 200 exhibitors. Free Developer Connection software. And, of course, some nifty

T-shirts. For enrollment information and program brochure, call 1 800 872-7109 (U.S. & Canada) or 1 617 893-2056 (Outside N. America). Or visit our Web site at http://www.austin.ibm.com/developer/conferences/ti_96 for details.



Solutions for a small planet™

New Back-UPS[®] Pro[™] PnP itself the first time you use

Experts agree: Windows 95 and Windows NT Workstation demand APC protection



If you're using a computer, few things are more certain than power problems. If you haven't yet had a blackout, lost a hard drive, or toasted a modem, you will. It's almost a statistical certainty.

No surprise that PCWeek showed power problems such as blackouts, brownouts, and surges accounted for almost as much data loss as all other factors combined, or that a leading accounting firm attributed the largest single cause of computer downtime to—you guessed it—bad power.

MULTI-TASKING MULTIPLIES YOUR RISK OF "THE BIG ONE"

Multi-tasking operating systems like Windows 95 and Windows NT Workstation let you open and manipulate multiple files and applications at the same time. That's why, unfortunately, as PC Magazine says "When Windows 95 does crash, it's a horrible mess..."

Moreover, if you are "wired" to the Internet, an on-line service, or dialing into the office, you'll discover that phone lines are common paths for surges taking the express route direct to your motherboard.



In short, if you still don't have proper protection (that \$5 surge strip doesn't count) it's time to protect yourself before you kick yourself. Experts agree: If you choose not to decide on proper protection now, the next time you see this ad may be too late.

ROI IN THE BLINK OF AN EYE

More than 4,000,000 smart computer users protect against the inevitable with the affordable: award-winning power protection from APC, including the UPS that's winning praise the world over: the Plug n Play Back-UPS Pro. Ask them and they'll tell you: One prevented problem is all it takes to pay for proper power protection many times over.



BACK-UPS PRO PnP UPSs FEATURE:

- Instantaneous battery backup protects your data against a total loss of power.
- Automatic Voltage Regulation (AVR) provides the edge you need for full protection against extended brownouts or overvoltages without draining the battery.

MORE THAN 4,000,000 SATISFIED USERS SAY "PROTECT ME! WITH APC"


CLOCKWISE: "I'm an electrical engineer, and understand what's needed to protect a Pentium-class machine. I recommend these to everyone I know," says Jim Rawnick. "I especially like the Back-UPS Pro because it compensates for voltage irregularity without kicking over to battery."

"We've had great experience with APC," says Gordon Zellers. "The Back-UPS Pro has great features: it tells you if the battery is getting low, and they're user-replaceable with no hassle. As a small business, our computers and phones are vital to us. So is APC protection..."

"As a Fortune 500 company, we've used APC for at least 6 years," says Matt Lazar of Phelps-Dodge subsidiary Columbian Chemicals Co. "The new Back-UPS Pro PnP is easier to use than ever and is now our preferred UPS for our corporate PC's."

■ CellGuard[™] intelligent battery management dramatically extends battery life with fast recharge and deep discharge protection. Battery diagnostic

FREE software



Currently supports Windows, Windows 95, Windows NT, Windows for Workgroups and OS/2

warn you before problems occur and batteries are quickly and safely user-replaceable without needing to shut your system down. (Batteries last 3-6 years under normal use).

■ \$25,000 lifetime repair/replace guarantee against surge damage to your equipment (see details).

■ Built-in phone line/10Base-T network cable surge protection for a bulletproof response to anything Mother Nature or Murphy's Law sends in your direction.

So don't wait for the school of high shocks to teach you an expensive lesson. Ask for APC today.



pays for t

"...TO TAKE ADVANTAGE OF
WINDOWS 95's SYSTEM AGENT
AND DRIVESPACE
ULTRACOMPRESSION--GRACEFUL
SHUTDOWN IN THE EVENT OF AN
EXTENDED POWER OUTAGE HAS
BECOME INCREASINGLY
IMPORTANT. APC's PLUG AND
PLAY BACK-UPS PRO 280... IS
ONE SLICK PACKAGE."

PC COMPUTING

"DON'T TAKE CHANCES. GET THE
ULTIMATE PROTECTION... FROM
APC." PCWORLD

Designed for "ENSURE RELIABLE
PERFORMANCE BY
CHOOSING A
UPS LICENSED TO
BEAR THE
DESIGNED FOR
WINDOWS 95
LOGO..."

MICROSOFT

"★★★★...SHOULD BE
STANDARD EQUIPMENT ON EVERY
DESKTOP... EFFECTIVE,
DURABLE, DESIGNED TO LAST."

PC COMPUTING

"PAIR YOUR PC UP WITH THE
RIGHT UPS, AND PnP WILL
PROTECT IT AGAINST SHORT OR
LONG TERM POWER PROBLEMS."

WINDOWS MAGAZINE

"APC's BACK-UPS PRO SAVED
THE DAY JUST AS EXPECTED."

WINDOWS SOURCES

"99 OUT OF 100"

COMPUTER GAMING WORLD

PC World
20 Best
Upgrades

PC
MAGAZINE
UPGRADE
CHECK

W
WINDOWS
MAGAZINE
Reader's
Choice

CHOOSING THE RIGHT
APC PROTECTION
For advanced PC protection
including automatic voltage
regulation, CellGuard battery
management and phone line/
Modem-T protection, choose the
Back-UPS Pro. For longer
runtime choose a higher VA
rating. For basic PC
protection choose from the
Back-UPS family (software not
included). For file-server
protection, ask for our Smart-
UPS line (not shown). For
hardware-only surge
protection, ask for APC's
SurgeArrest line (not shown).



Back-UPS PRO

ADVANCED PC PROTECTION:
FOR PENTIUM, 486, WIN 95, AND
BUSINESS APPLICATIONS

Volt-Amp Rating	List Price	Runtime*
280PNP (Includes software)	\$199	6 min
420PNP (Includes software)	\$339	8 min
650PNP (Includes software)	\$419	17 min
1000 (software not included)	\$589	35 min
1400 (software not included)	\$759	74 min


*Runtime shown is for typical Pentium desktop system
and may vary with your actual load. Note: Back-UPS
200 not recommended for Pentium systems



Back-UPS

BASIC PC PROTECTION:
FOR 286, 386, ENTERTAINMENT, AND
EDUCATION

Volt-Amp Rating	List Price	Runtime*
200 (software not included)	\$119	-
280 (software not included)	\$139	7 min
400 (software not included)	\$199	13 min
450 (software not included)	\$254	24 min
600 (software not included)	\$359	31 min
900 (software not included)	\$529	47 min
1250 (software not included)	\$689	75 min



Available at:

COMPUSA
THE COMPUTER SUPERSTORE

COMPUTER City

APC products have won more awards for
excellence than all other brands combined. Call
for a Free demo Disk and 60-page catalog, or visit
our PowerPage™ at <http://www.apcc.com>

APC®

AMERICAN POWER CONVERSION

800-800-4APC

Dept. A2

fax: 401-788-2797 / PowerFax™ 800-347-FAXX

CompuServe: GO APC SUPPORT

Internet: APCC@apcc.com

PowerPage™: <http://www.apcc.com>

132 Fairgrounds Rd., W. Kingstons RI 02892 USA

Circle 76 on Inquiry Card.


INTERNET COMMERCE

On-Line Shoppers: "Just Looking, Thanks"

Security concerns, clunky interfaces, and other factors continue to stymie Internet commerce. The result: On-line users see the Web primarily as a channel for information gathering rather than for actually buying products.

According to an ongoing survey of over 23,000 Internet users done by Georgia Tech and the University of Michigan, one major obstacle to on-line purchases is security. As people learn more about the Internet, they grow less inclined to trust it with their financial transactions.

The survey, called the Hermes Project, found that people are less likely now than they were just six months ago to post credit-card information



on-line. The reason most often cited is security concerns: 60 percent of those surveyed agreed somewhat or strongly that security concerns are a primary reason for not buying.

This doesn't mean businesses aren't selling products over

the Web, however. Robert Olson, president of Virtual Vineyards (Los Altos, CA; <http://www.virtualvin.com>), says "the bulk of our orders come over the Web."

But the Hermes Project indicates that far more Net surfers use the Web for information gathering (see the chart). "Security is always an important consideration, whether you're buying from a mini-mart on Main Street [or on] the Internet," Olson says. "An electronic-payment system will make it more difficult for bad retailers to steal from users by making all transactions more traceable." The Hermes Project report indicates that a major marketing push by a nationally known bank or credit-card company is required to push network commerce into the mainstream.

Experts contend that virtual businesses need to pay attention to other factors as well. Officials at Intuit (Menlo Park, CA), which offers (or will offer) electronic bill-payment services through on-line services, banks, and the Internet, say the fees that banks charge users for electronic-payment services are a bigger factor in stifling on-line banking than security concerns. They add that once the fees come down, the number of users paying bills elec-

tronically will start to increase.

Others say that the interface design of Web sites is a much greater inhibitor to Internet commerce than security. Unlike paper catalogs, which all look approximately the same, the interfaces that users encounter when purchasing products electronically vary widely, Virtual Vineyards' Olson says. "Web marketers need to settle on a common format," he adds. And some companies' Web interfaces for buying products are downright clunky.

"The problem with the Web is that it's not always a very efficient shopping experience," says Andrew Singleton, president of Money.Com (Cambridge, MA), a provider of financial-information services on the Internet. He says that a colleague recently compared how long it took to buy a product over one company's Web site compared to using the telephone to buy the same product. "It took 10 minutes to poke through the Internet catalog and order the product, but it took only 2½ minutes to do it over the telephone," says Singleton. "Most people aren't concerned about security; they are concerned about convenience."

Still, vendors believe it's only a matter of time before attitudes about electronic commerce change. "Once secure transactions become more prominent, the Web will be for people of this century what the Sears Roebuck catalog was for consumers in the last century," says Robert Marczak, president of Marczak Business Services (Sharon Springs, NY, (800) 573-8721; <http://www.reu.com>), an Internet marketer. Marczak says that people laughed at the Home Shopping Network when it first came out, but it's now a proven money-winner.

—Steven J. Vaughan-Nichols

10 REASONS WHY YOU NEED A WINDOWS 95 UNINSTALLER

Although Windows 95 applications must have a deinstall routine to qualify for Microsoft's Windows 95 logo, companies such as MicroHelp (Marietta, GA, (770) 516-0899), Quarterdeck (Marina del Rey, CA, (310) 309-3700), and others have released their own Windows 95 uninstallers. Here's why:

1 Users have 16-bit and 32-bit applications and need uninstallers to manage and remove 16-bit applications.

2 The deinstall routines in Windows 95 applications don't usually remove data files. Third-party deinstallation programs do.

3 Third-party software utilities remove noncompliant Windows 95 programs.

4 Uninstallers that automatically make a compressed backup copy of deleted files allow easy file restoration if you change your mind.

5 Mobile users need to move applications and data files from desktop PCs to notebooks and home PCs. Some third-party programs offer transport features that make this process fast and easy.

6 Windows 95 applications share files, but program-deinstall routines usually have minimal knowledge


of other applications. Third-party programs perform a system scan the first time they run, which helps ensure that they know about all the applications and shared files on the system, including those installed before the deinstallation software.

7 Third-party programs that routinely scan a system can deinstall directories, temporary files, and registration entries created by a Windows 95 application after its installation.

8 Third-party utilities provide cleanup tools that eliminate unnecessary files on precious hard disk space.

9 Archive tools compress infrequently used programs, thus saving hard disk space.


10 Before upgrading to Windows 95, users need to free up some hard disk space. It's easier to clean up a hard disk with an uninstaller.



Inside Visual C++®, Third Edition
1-55615-891-2 \$45.00 U.S.




Hardcore Visual Basic®
1-55615-667-7 \$39.95 U.S.



Object Programming
with Visual Basic® 4
1-55615-899-8
\$39.95 U.S.



Microsoft® Jet Database Engine
Programmer's Guide
1-55615-877-7 \$39.95 U.S.



OLE Automation
Programmer's Reference
1-55615-851-3 \$24.95 U.S.



OLE Controls Inside Out
1-55615-824-6 \$39.95 U.S.

Read these and see what develops.

Take advantage of the faster, better, and cheaper way to develop applications for Windows® 95—with these Microsoft Press® books. Get the straight story from the foremost Visual C++® authority. Put OLE in your bag of tricks, and OLE Automation, and OLE custom controls. Unleash the powerful tools in Visual Basic®. Use it to automate objects in Office 95. Fire up the Microsoft® Jet database engine. Do it all. Set your sights high, and help things along with Microsoft Press books from your favorite bookstore or software store—the smartest way to get where you want to go.

software  ETC

Barnes & Noble
Bookstore Since 1873

BORDERS®

If you could find price, you didn't buy it at
CROWN BOOKS

Microsoft® Press

MOBILE COMPUTING

Get Smart—Wear a PC

In the old TV series *Get Smart*, good guy Maxwell Smart occasionally communicated using his shoe phone. Now some researchers at the Massachusetts Institute of Technology in Cambridge, Massachusetts, and elsewhere have gone one better. Envision a PC that goes far beyond Agent Smart's wearable telephone—a PC that actually fits into the heel of a shoe and is powered by electricity captured from the mechanical energy of walking. This and other advancements come from research in miniaturization and wireless communications revolving around the so-called wearable computer.


In its current configuration, a typical wearable computer consists of a small PC and a battery pack, usually worn on a belt, and a head-mounted display consisting of a 0.7-inch-diagonal active-matrix LCD. Companies such as Computer Products and Services, Inc. (CPSI, Fairfax, VA), and InterVision Systems (Raleigh, NC) sell commercial versions of wearable computers.

CPSI's wearable unit, called the Mobile Assistant, consists of a belt-worn 486 unit with a 340-MB internal hard disk, a lithium-ion battery pack, and a head-mounted 0.7-inch VGA display that's manufactured by Kopin Systems using the Smart Slide technology (see News & Views, April 1994 BYTE). This system costs at least \$10,000, depending on options, which include a voice-activated Windows interface and a variety of wireless options, such as a global-positioning system and a cellular modem. These systems are used primarily in industrial and field applications for storing documentation, entering inventory data, and similar applications.

Due to the high cost and the currently awkward nature of these commercial systems—the head-mounted display is obtrusive, to say the least, and the belt-mounted system weighs 3.3 pounds or more—the wearable-computer market remains a small, niche market. But as microprocessors, battery packs, and miniature hard drives continue to improve in power and capacity, the design of wearable computers will probably change.

Thad Starner and Steve Mann of MIT Media Labs are working on far more sophisticated systems than the current belt-mounted 486 PCs. For example, the shoe PC described above could connect to a one-handed wireless keyboard that fits into your pants or coat pocket. The display could be contained in eyeglass frames, with laser optics located in the earpiece and projected onto a small lens. Because CD-ROM is not very reliable in a wearable-PC scenario (too much bouncing), a wireless connection to files on the Internet is the preferred solution for data storage.

Today's wearable computers use a 486 processor and a heads-up display. But future wearable computers may fit inside your shoe.




"The goal," says Starner, "is to have the computer disappear into your clothes so that no one knows you have it." Starner believes this type of system is only a few years away. And talk about handshake protocols: One of Starner's more bizarre ideas is to use human skin as the transport medium for an Ethernet network. Starner claims that in a test of this concept, one person transmitted the contents of his business card to another person's wearable computer by means of a handshake.

Starner and Mann are also working on applications that go far beyond taking inventory and consulting user's manuals. "The real strength of wearable computing is not in controlling unskilled labor remotely," says Mann. "It's better used as clothing, owned and operated by individuals, rather than as uniforms, which are turned in at the end of the day." Mann sees wearable computers as assistants for the visually impaired or for people with memory disabilities. Starner and Mann are developing software that helps people keep track of and remember items that they have previously entered into their wearable computers. To learn more about wearable-computing research at MIT Media Labs, visit its World Wide Web site (<http://www.media.mit.edu>).

Wearable computers could change our lives in a wide variety of areas, ranging from business to recreational. Imagine one day when, instead of buying a postcard and sending it during your vacation, you transmit over the Internet an electronic postcard taken by your wearable video camera. An application for crime enforcement could let police match a live video image of a suspect with a record from a database of convicted criminals. Or, instead of relying on filtered news from major broadcast networks, users could access video feeds on the Internet to get another viewpoint. Perhaps one day Salvation Army collection boxes will even have a bin for obsolete wearable computers.

—Nick Baran

CorelDRAW™ 6 SWEEPS COMDEX GRAPHICS AWARDS!




"Corel has established and maintained a leadership role as the result of a savvy combination of technical innovation, generous software bundling and aggressive pricing."

Windows Magazine
September 1995

"Corel continues to lead the pack with native Windows® 95 applications and will usher in the age of the graphics suite... Corel has made significant Windows 95-related feature enhancements and additions to CorelDRAW 6, including better interface consistency, across all the applications included in CorelDRAW 6, faster output and redraw, and multithreading."

PC Magazine
September 1995



"CorelDRAW satisfies the productivity hungry... While Draw continues to be the most feature-rich and flexible illustration program for Windows (or perhaps for any platform), as well as the best value, it's good to see Corel delivering a more productive and accurate tool to their professional users."

Windows Sources
August 1995

MVP Award
Business Graphics

PC/Computing
November 1995

Editor's Pick

Home Office Computing
November 1995



This advertisement has been designed exclusively with CorelDRAW 6.

Designed for

Microsoft®
Windows® 95

Enter the Corel \$3,000,000 World Design Contest and win! (September '95 to July '96)
To receive a faxed copy of the rules and an entry form please call:
1-613-728-0826 ext. 3080, Document # 1125.
To leave a message please call: 1-613-728-0826 ext. 81609.

Microsoft, Windows and the Windows logo are either registered trademarks or trademarks of Microsoft in the United States and/or other countries.

CCLP
Corel Corporate Licensing Program
Corel offers a simple, cost-effective software licensing program. For faxed information, please call 1-613-728-0826 ext. 3080 and ask for Document # 1142.

Stream
A merger of Corporate Software and RR Donnelley Software Services
1-800-291-7757

CorelDRAW 5 to CorelDRAW 6
Upgrade
\$223*
CD-ROM Version
CorelDRAW 6 \$484*
CD-ROM Version
CorelDRAW 3/4 to CorelDRAW 6
Upgrade \$395*
CD-ROM Version


Call now for faxed literature!
1-613-728-0826 ext. 3080
Document # 1082

Circle 75 on Inquiry Card.

*US\$ plus applicable taxes. Prices subject to change.

KUP-0191

Users Like SmartSuite's Team Computing

Although Microsoft's 32-bit version of Office was the first integrated business suite to ship for Windows 95, Lotus's SmartSuite 96, which is now available, leapfrogs the competition with impressive team-computing capabilities. BYTE interviewed seven beta testers of Lotus's new suite to find out what their favorite features were. We also learned what users would like to see in future versions of SmartSuite.

In general, users liked the suite's workgroup-collaboration features. They were also looking forward to using the new BASIC-like Lotus Script programming language, but most hadn't fully evaluated that yet. Users were disappointed in the lack of full 32-bit versions of 1-2-3 and Organizer. What follows is a detailed list of what they liked.

1 Team-review capabilities. Users like team-computing features that allow you to share documents and gather comments in an automated process. For example, in Word Pro, you can assign editing rights for specific people, as well as markup options for each reviewer. When you get back all the different edits and consolidate them into one file, you can quickly see who made which edit.

2 Tight integration of 1-2-3 with Lotus Notes. Most of the SmartSuite beta testers use Notes, including some users who were evaluating the beta version of Notes 4.0, which was slated to ship in January. Users mentioned they like other applications' (e.g., the Approach database) tight links to Notes, but 1-2-3 was mentioned the most. For example, one company that raises investment funds uses 1-2-3 as a front end to a Notes database. Data is first entered in 1-2-3, where employees can do instant what-if analysis and then route the data throughout the company in Notes.

3 Tight integration of Approach with Lotus Notes. This integration enables Approach users to generate mailing labels and reports that are based on Notes data, among other things.

4 Remote presentations using Team Show in Freelance. Many users commented that it's getting harder to gather many people at one time for a group presentation. Free-

lance allows you to give a presentation to other users over a network. It also allows you to save a presentation as a self-running presentation, send it over E-mail, and then let the audience members review it at their leisure.

5 Tight integration with E-mail. You can access E-mail menus for engines such as cc:Mail or Notes Mail from within a SmartSuite application. You can route a message through a sequence of people using Team Mail, which provides a mechanism for basic workflow applications without requiring Notes.

6 Tight integration among SmartSuite applications. For example, if you want to create a mailing label in 1-2-3, you are automatically brought into Approach.

7 Support for the Internet. Users liked the ability to open up a document in Word Pro over the Internet, as well as Freelance's ability to allow you to convert a presentation into Hypertext Markup Language (HTML) format for display on the World Wide Web.

8 Support for Notes F/X 2.0. Notes Field Exchange lets you send information from applications into Notes and vice versa. Notes F/X 2.0 allows users to access Notes action menus from within SmartSuite applications, providing a more seamless integration with Notes than previous versions of Notes F/X.

—D. A.




CODE TALK

RICK GREHAN



Symantec Pours Java into Its Development Environment

From the outside, Symantec Cafe (called Espresso in its formative stages) appears indistinguishable from the company's C++ 7.2 IDE (integrated development and debugging environment). However, once you get inside the IDE, you find that Symantec Cafe is a Java development system.



Users who've found other Java development environments a little too Spartan should investigate Symantec Cafe, which wraps the company's C++ 7.2 IDE around a Java compiler.

In what resembles an organ implant, Symantec has inserted a Java compiler into its development system. It has also added a Java browser and "Java-aware" editor (i.e., Java source code is displayed in different colors, depending on the syntax and the key-

word). Because Symantec is using the same IDE it used in C++ 7.2, Cafe acquires piles of features for free.

For example, the IDE's class editor and hierarchy editor function within Cafe just as they do within C++ 7.2. The former is a three-pane Smalltalk-like browser/editor that lets you rapidly navigate through Java classes and class members, such as functions and variables, down to the source code. The latter is a graphical viewer/editor into the inheritance hierarchy of a Java application's classes. It bears the distinction of "editor" because you can, by grabbing and dragging the connections between displayed classes, alter the inheritance relationship between a subclass and its parent class. Such alterations are automatically reflected in the source code.

Symantec Cafe also comes with its own Express helpers, the Symantec equivalent to wizards. AppExpress guides you through the creation of Java skeleton source code for bootstrapping your Java project—be it a console (i.e., command line) or Single Document Interface (SDI) application or a Java applet. For example, if you step through the AppExpress-led build of a Java SDI project and enter nothing more than the name of the application, Cafe will pour out enough code to build a working window with an operative file/edit/help menu.

The weak link in the package is the debugger. Cafe includes Sun's Java debugger, which, compared to debuggers such as Symantec's own within C++ 7.2, is a step back in time. The debugger is command-line-oriented, amounting to a text window into which you type your commands. In a sense it's a remote debugger, since it controls the Java application under test via TCP/IP (which you must install to run the debugger). You can suspend and resume threads, peek into source code, examine an individual thread's stack and local memory, and more. Still, I hope Symantec works on a visual debugger for the package.

At the time of this writing, Cafe was available in demo form from Symantec's Web page at <http://www.symantec.com>; you can also get more information by calling (800) 441-7234 or (541) 334-6054. It's actually a patch to the Symantec C++ 7.2 compiler, so you'll need that before you can use Cafe. Although Symantec plans to provide Cafe separately, the company did not yet have pricing information available.

Some people think it costs
\$30,000 to get a complete
Indy Modeler workstation.

(It does. If you want three of them.)



Yes, the Indy Modeler™ workstation goes for less than ten grand. No, it's not a stripped-down version. It's the one that supports network standards like NFS™ and NetWare®. The one that runs all major CAD/CAM/CAE software. The one that comes with SoftWindows™ and innovative web collaboration



software. And the one that uses the 133 MHz R4600™ chip for rapid and superb 3D solids modeling. Which means you can create better products and get them to market sooner than ever before. No wonder it won the AIM Benchmark award for best price/performance workstation in its class for the second year in a row. Ring 1-800-636-8184, dept. 440 for a brochure. Or visit us on the World Wide Web at <http://www.sgi.com/Works>. See, you can afford Indy™ after all. Now will you smile?



see
what's
possible

HAND-HELD DEVICES

Finally, Push-Button PDA-to-PC Integration

Vendors of personal hand-held devices (aka personal digital assistants, or PDAs) are constantly improving the links between these small portable wonders and desktop PCs and Macs. Now Palm Computing (Los Altos, CA), a division of U.S. Robotics, has released a hand-held device that makes synchronizing with a PC ridiculously easy.

Palm's Pilot (\$299, (415) 949-9560; fax (415) 949-0147) weighs 5½ ounces and easily fits into a shirt pocket. It includes a docking station, called the Cradle, that sits atop your desk and connects to your PC via a serial link. The device works with complementary Pilot Desktop software (the Windows version is available now; the Mac version will ship in the first half of this year) that provides contact management, calendar, and other information management functions that you would expect to find in a basic personal information manager (PIM) program.

But what distinguishes the Pilot—and what should appeal to users who split their time between the road and the office—is the

device's HotSync button. When you return to the office, you place the Pilot in the Cradle and press the HotSync button, and your new contacts and action items automatically synchronize with the desktop. In a flash, both the hand-held device and the PC are up to date. You can also HotSync the Pilot over a modem.

The Pilot runs for eight to 12 weeks (depending on use) on two AAA batteries. The 68000 processor is powerful enough to drive the built-in applications with acceptable speed, and other applications should be available this year from third-party developers. For example, Campbell Services, developer of the OnTime group-scheduling application, says it will develop software for the Pilot.


Palm plans on releasing a developer's kit in the second quarter of this year: Applications will be developed on a Mac in C using Metrowerks development tools. Developers will also be able to write data links between existing applications and

Pilot ROM applications using Windows tools, such as Visual C++ and Microsoft Foundation Classes (MFC).

My initial concern about the Pilot, its pen interface, dissipated rapidly as I worked with Graffiti, the device's handwriting-recognition application. After a bit of practice, I found myself entering data as quickly using it as I could using

other hand-held devices' small keyboards. And the excellent links to the desktop further alleviate concerns about using the pen. After all, you don't have to worry as much about entering data using a pen when you can easily transfer data you've input using a full-size keyboard. —D.A.

ing other hand-held devices' small keyboards. And the excellent links to the desktop further alleviate concerns about using the pen. After all, you don't have to worry as much about entering data using a pen when you can easily transfer data you've input using a full-size keyboard. —D.A.



Blasts from the Past

5

Years Ago
in BYTE

A company called Nutek (Cupertino, CA) said it had developed technology for creating a Mac clone without requiring the use of Apple's own Mac ROM chips. The company hoped to sell its chips and software to other companies that wanted to produce Mac clones. In later issues, BYTE editors evaluated prototype systems based on the technology but found that they weren't totally compatible. Ironically, Apple is now sanctioning and encouraging vendors that want to create low-cost Mac systems. And Nutek appears to have closed shop: Our attempts to contact the company were unsuccessful.

10

Years Ago
in BYTE

Raymond Kurzweil, founder and chairman of Kurzweil Applied Intelligence, wrote about speaker-independent, voice-activated word processors that let you write

by talking. Initial price was \$20,000. Now that PCs are powerful enough to tackle the daunting task of speech recognition, such systems are now available for under \$1000. And as Rob Dieterich's article on page 30 indicates, prices will get even lower.



15


Years Ago
in BYTE

BYTE ran the first installment in a series of how-to articles on how to accomplish 3-D programming. Fifteen years later, 3-D is increasingly appearing in mainstream computing through games, business applications, and the Internet. We also reviewed Tandy's Color Computer.

The Future, According to Bill

DAVE ANDREWS

Bill Gates's *The Road Ahead* provides an interesting summary of the oncoming changes that the information highway will have on our lives. However, if you're looking for a detailed accounting of the author's life and times in the world of microcomputers, you will have to look elsewhere. And if you expect the chairman/CEO of Microsoft to provide definitive answers to some of the more difficult questions that face us, such as privacy, censorship, and equal access, you will also be disappointed. Gates admits he doesn't have the answers and—indeed—cannot even foresee all the future problems and opportunities the information highway will bring.



I suspect that the typical BYTE reader won't find anything too new in *The Road Ahead*. Gates speaks in generalities when he discusses important components of the electronic marketplace. But he has penned a good general travel guide for people

who want to know where the information highway may take us. Government officials, educators, business executives, and anyone else who has resisted learning about the information highway and how it may change our lives would be well served by reading *The Road Ahead*.

Dave Andrews edits BYTE's News & Views section. You can reach him on the Internet or BIX at dave.news@bix.com.

THE ROAD AHEAD

Bill Gates, Nathan Myhrvold, and Peter Rinearson
Viking Penguin
ISBN 0-670-77289-5

\$29.95

A MUST FOR MAC PROGRAMMERS

A FRAGMENT OF YOUR IMAGINATION by Joe Zobkiw, Addison-Wesley,
ISBN 0-201-48358-0, \$39.95

This is the best programming book for PowerPC-based Macs I've seen to date. It discusses in great detail how to use code fragments, those basic code resources of the Power Mac OS. The book starts with a description of the various species of code fragments (e.g., private and accelerated) and when you use them. It mentions how they can appear as "fat resources," which are code resources composed of both 680x0 and PowerPC code, and can thus run on any Mac.

Such information demands lots of source code examples to illustrate the concepts, and Joe Zobkiw doesn't disappoint. Sample code is provided that illustrates how to write fragments that are plug-in modules for Adobe Photoshop and others that add functions to HyperCard (XCMDs). Trap patching is explained, along with code that implements a "fat trap," a patch made of 680x0 and PowerPC code. Finally, there are examples of writing resources that implement custom dialog box controls (CDEFs), lists (LDEVs), and windows (WDEFs).

This sort of information is scarce and difficult to find, and it's nice to see it, along with useful source code, under one cover. Best of all, *A Fragment of Your Imagination* fulfills my "no toy programs" requirement. That is, most of the supplied sample code accomplishes practical tasks. The CDEF sample implements a slider, which is one of the most difficult items to program because of the way the code must respond to the user's actions. All in all, this book is a great resource for anyone doing serious programming on a Power Mac. ■

—Tom Thompson



DO IT OFF-LINE

SUPERHIGHWAY ACCESS CYBERSEARCH

Frontier Technologies Corp., 10201 North Port
Washington Rd., Mequon, WI 53092, (414) 241-4555,
Info@frontiertech.com, <http://www.frontiertech.com>;
\$6.95 per monthly issue

Finding it on the Internet is easy—if you already know where to look. Sure, *browsing* will turn up all sorts of interesting things, but 5 hours after you began your search, you may find yourself no closer to answering the question that prompted your leap into cyberspace than you were when you started. That's the problem robot-built catalogs like Lycos are meant to solve.

Frontier Technologies has integrated the "small" Lycos catalog (about 500,000 World Wide Web pages) with its browser to enable you to run searches off-line. The small Lycos catalog consists of Web pages that Lycos has had time to analyze and abstract. The large catalog, the one you search when you access Lycos directly, includes the small catalog and link information for about 9.5 million other uniform resource locators (URLs) for which abstracts have yet to be created.

The centerpiece of the browser is an Internet Organizer with 49 folders, which have interesting pages, and a search folder, into which your own search results appear as bookmarks. You can move bookmarks or deposit them directly into preexisting folders, create new folders for them, and copy or move them from one folder to another. The search form is simple: Type in your search terms and go. You can't do anything fancy, though you can play with the "advanced" options to effect a Boolean AND query. (The default search type is OR.) Once on-line, a double-click of the mouse sends you directly to the site. On-line accesses can run in the background, so you can conduct multiple searches.

By the time you read this, CyberSearch will work with Windows 95 versions of Netscape Navigator, Microsoft's Internet Explorer, NCSA Mosaic, and GNN/GNN Works. Off-line searching won't give you the *feel* of Web surfing, but it might save you time and money.

—Rowland Aertker

PEAK PERFORMANCE IS THE NAME OF THE GAME


The name of the book to get you there is the

BYTE Guide to Optimizing Windows 95

Don't let Windows 95 run your life. With the **BYTE Guide to Optimizing Windows 95**, you're in control. Filled with fresh solutions and optimizing shortcuts, you'll find slick tips and expert advice on

- Installing Windows 95
- The Internet
- Multimedia
- Handling old Windows and DOS applications
- Networking with Windows
- Troubleshooting... and much more

You'll also get the real scoop on hardware issues and third-party products. An ideal guide and handy reference, you'll turn to the **BYTE Guide to Optimizing Windows 95** again and again as you power up Windows 95 to your standards.



BYTE Guide to Optimizing Windows 95


by Lenny Bailes
with Bermant, Menefee, and Heilborn
\$29.95 USA
ISBN: 0-07-882120-7




BYTE Guide to CD-ROM, Second Edition
by Michael Nadeau
Includes One CD-ROM Disc
\$39.95 USA
ISBN: 0-07-882104-5



BYTE Guide to OpenDoc
by Joshua Sussner &
Andrew MacBride
\$29.95 USA
ISBN: 0-07-882118-5



Schildt's Windows 95 Programming in C and C++
by Herbert Schildt
\$29.95 USA
ISBN: 0-07-882081-2



Schildt's Advanced Windows 95 Programming in C and C++
by Herbert Schildt
\$29.95 USA
ISBN: 0-07-882174-6

OSBORNE 
<http://www.osborne.com>

CODE=SF36BYL

Available now at your local book and computer stores
or call 1-800-822-8158 and use your American Express,
VISA, Discover, or MasterCard.

A Division of The McGraw-Hill Companies 

AT NATIONWIDE STORES

BYTE/OSBORNE BOOKS ARE AVAILABLE AT THE FOLLOWING LOCATIONS

BARNES & NOBLE

BEST BUY

BOOKSTAR

BORDERS

COMP USA

ELEK-TEK

MEDIA PLAY

MICRO CENTER

SOFTWARE, ETC.

SUPER CROWN

TAYLORS

WALDENBOOKS

ALABAMA

Madison
Madison Books & Computers
PH: 205-772-9250
FAX: 205-461-8076

ARIZONA

Phoenix
Computer Library
PH: 602-547-0331

CALIFORNIA

Berkeley
Cody's Books Inc.
PH: 800-479-7744 in CA
PH: 800-995-1180
Nationally

Citrus Heights
Tower Books
PH: 916-961-7202

Cupertino
Computer Literacy Bookshops
PH: 408-973-9955

Davis
UCD Bookstore
University of California Davis
PH: 916-752-2944

Los Angeles
ASUCLA Students Store
PH: 310-206-0763

Mountain View
Printer's Inc.
PH: 415-961-8500

Palo Alto
Printer's Inc.
PH: 415-327-6500

Stanford Bookstore
PH: 800-673-2348

Sacramento
Tower Books
1600 Broadway
PH: 916-444-6688

San Francisco
Stacey's Professional Bookstore
PH: 800-926-6511
EMAIL: staceysbk@aol.com

San Luis Obispo
Earthling Bookshop
PH: 805-543-7951
FAX: 805-543-8488

Santa Barbara
Chaucer's Bookstore
PH: 805-563-0010

UCSB Bookstore
The University of California Santa Barbara
PH: 805-893-2082

Sunnyvale
Computer Literacy Bookshops
PH: 408-730-9955

COLORADO

Boulder
University Book Center
CU Boulder
PH: 303-492-6411
FAX: 303-492-0421

Colorado Springs
The Chinook Bookshop
PH: 719-635-1195
FAX: 719-635-0792

Denver
Biblio Tek
PH: 303-534-3460

Longmont
United Techbook Co.
PH: 303-651-3184
FAX: 303-651-3405

CONNECTICUT

New Haven
Yale Co-Op
PH: 800-ELI-YALE
FAX: 203-772-3665

FLORIDA

Gainesville
Construction Bookstore
PH: 904-378-9784
FAX: 904-378-2791

GEORGIA

Atlanta
Oxford Bookstore
PH: 404-262-3333
FAX: 404-364-2729

HAWAII

Honolulu
University of Hawaii Bookstores
PH: 808-956-4338
FAX: 808-956-4323

ILLINOIS

Naperville
Books and Bytes
PH: 708-416-0102
FAX: 708-416-0375

MARYLAND

College Park
Maryland Book Exchange
PH: 301-927-2510
FAX: 301-209-7118

Boston
Charlesbank Bookshops
PH: 617-236-7442
FAX: 617-236-7418

Burlington
SoftPro Books
PH: 617-273-2919
FAX: 617-273-2499
EMAIL: books@softproeast.com

Cambridge
Quantum Books
PH: 617-494-5042
FAX: 617-577-7282
EMAIL: quanbook@world.std.com

Newton Highlands
New England Mobile Bookfair
PH: 617-527-5817
FAX: 617-527-0113

MICHIGAN

Kalamazoo
Western Michigan University Bookstore
Western Michigan University
PH: 616-387-3930
FAX: 616-387-3941

MINNESOTA

Minneapolis
University of MN East Bank Bookstore
PH: 612-625-3005
FAX: 612-625-1861

NEW HAMPSHIRE

Hanover
Dartmouth Bookstore
PH: 800-624-8800 (outside NH)
PH: 800-675-3616 (in NH)
FAX: 603-643-5170

NEW JERSEY

New Brunswick
Rutgers University Bookstore
PH: 908-246-8448

NEW MEXICO

Albuquerque
Page One, Inc.
PH: 505-294-2026

NEW YORK

Buffalo
Village Green Bookstore
PH: 716-884-1200
FAX: 716-884-3007

Huntington
Books Revue
PH: 516-271-1442
FAX: 516-271-5890

New York City
Benjamin Books
PH: 212-432-1103
FAX: 212-432-1104

Coliseum Bookstore
PH: 212-757-8103
FAX: 212-489-0925

J & R Computer World
PH: 212-732-8600

McGraw-Hill Bookstore
PH: 212-512-4100
FAX: 212-512-4105

New York University
Computer Store
PH: 212-998-4591

Rochester
Campus Connections (RIT)
PH: 716-475-2504

Village Green Bookstore
1954 West Ridge Road
PH: 716-723-1600
FAX: 716-723-1669

Village Green Bookstore
716 Monroe Avenue
PH: 716-461-5380
FAX: 716-461-9333

Syracuse
Syracuse University Bookstore
PH: 315-443-1654

OHIO

Cleveland
Business Outreach
PH: 216-348-1744
FAX: 216-348-0375

Dayton
Wilkie's Downtown
PH: 513-223-2541
FAX: 513-223-2869

Fairborn
Wilkie's Fairborn
PH: 513-429-1677

Lima
Readmore
217 Flanders
PH: 419-225-5826
FAX: 419-225-5537

Readmore's Hallmark
3330 W. Elm Street
PH: 419-225-5826

Youngstown
Youngstown State University Bookstore
PH: 216-742-3185
FAX: 216-742-3145

OREGON

Beaverton
Powell's Bookstore at Cascade Plaza
PH: 503-643-3131
FAX: 503-641-1554

Eugene
Book Mark
PH: 503-484-0512
FAX: 503-484-3130

Portland
Powell's Technical Books
PH: 503-228-3906
FAX: 503-228-0505

PENNSYLVANIA

Doylstown
Village Green Bookstore
PH: 215-230-7610
FAX: 215-230-7615

Erie
The Erie Book Store
PH: 800-252-3354
FAX: 814-456-2702

Philadelphia
Bookstore of the University of Pennsylvania
PH: 215-898-4900
FAX: 215-898-6997

Pittsburgh
Book Center
University of Pittsburgh
PH: 412-648-2321
FAX: 412-648-1902

Scranton
Paperback Booksmith
PH: 717-346-9162

RHODE ISLAND

Providence
Brown Bookstore
PH: 401-863-3168
FAX: 401-863-2233

TEXAS
Arlington
Taylor's Technical Books
PH: 817-548-TECH

Austin
University Co-Op
PH: 512-476-7211

Dallas
Taylor's Technical Books
PH: 214-239-TECH

Houston
Brown Book Shop
PH: 713-652-3937
FAX: 713-652-1914

VIRGINIA
Blacksburg
University Bookstore, Virginia Tech
PH: 703-231-5991
FAX: 703-231-3410

Vienna
Computer Literacy Bookshops
PH: 703-734-7771
EMAIL: sales@tc.clbooks.com

WASHINGTON

Bellevue
University Bookstore
PH: 206-646-3300
FAX: 206-646-3340

Pullman
Students Book Corporation
PH: 509-332-2537
FAX: 509-332-8239

Seattle
Tower Books
PH: 206-283-6333
FAX: 206-285-2188

Tacoma
Tower Books
PH: 206-473-3362
FAX: 206-473-9141

WISCONSIN

Madison
University Bookstore
PH: 608-257-3784
FAX: 608-257-9479

Milwaukee
University of Wisconsin Milwaukee
PH: 414-229-4201
FAX: 414-229-6194

INSIDE THE Web PC

Are network computers just another false alarm, like the first personal digital assistants (PDAs)? That's the down-to-earth question you can't help asking when high-profile CEOs such as Oracle's Larry Ellison, Sun Microsystems' Scott McNealy, and IBM's Lou Gerstner describe their utopian vision of a \$500 Internet appliance that could replace today's PCs. It's a question that provokes strong reactions from both the visionaries (network computers are coming soon, and they'll change everything) and the naysayers (network computers are impractical, underpowered throwbacks to dumb terminals).

This much is certain: The idea is sweeping the computer industry like wildfire. Acorn Computer, Apple Computer, Geoworks, IBM, LSI Logic, Oracle, Silicon Graphics, and Sun Microsystems are just a few of the companies that are either developing network computers or licensing their technologies to other vendors.

In late January, Oracle unveiled a prototype of its network computer in Japan (see the photo on page 50). Bandai, a Japanese company, licensed Apple's Pippin architecture and plans to ship a low-cost system this month (see "Inside the Pippin" on page 54). Many sources predict that network computers will be in mass production by the end of the year.

Things are moving so fast that people are still inventing new names for the machine. Network computer (NC), Internet appliance, Web PC, Java terminal, Internet access device, browser box, net-top box—they're all minor variations on the same concept.

The concept is a dirt-cheap computer that discards today's overweight OSes and bloated, platform-specific applications. Instead, it runs a microkernel OS and platform-independent software written in an interpreted language such as Sun's Java. Monolithic, kitchen-sink applications give way to component-based programs and applets that you download from a network or the Internet only when you need them. In theory, you could do almost anything with an NC that you do with a PC, except it will cost you a lot less for the hardware and software. Connectivity costs, however, may be significant.

To transform that theory into reality, NC vendors must capitalize on four key technologies: cheap, speedy microprocessors; lightweight system software and componentware; platform-independent programming languages; and fast, affordable access to networks.

But the biggest question is: Who needs one?

Not Just for Neophytes

NCs aren't just for home users who can't afford or can't comprehend a full-blown PC. In fact, proponents expect the early adopters to be Fortune 500 companies. "The key to [the corporate] market is for people to be able to do what they do today, but with less hassle," says Andrew L. Laursen, vice president of Oracle's Network Computing Division. (Although Oracle says it has no plans to manufacture NCs, it is licensing technology to other vendors and is hoping that NCs will create more demand for server software.)

Corporations are the first target for NCs for two reasons: They already have high-speed networks in place, and their administration costs for conventional PCs are soaring. Ad-

*\$500 network-centric
computers will soon roll off
assembly lines.
Should we take them
seriously?*

Tom R. Halfhill


ministration costs have become so significant, the low purchase costs of NCs won't likely be their main attraction for corporations. According to studies by the Gartner Group (Stamford, CT), the five-year cost to a business of owning a Windows PC is about \$40,000. By moving software maintenance to servers and limiting the ability of users to tinker with their machines, NCs could be easier for MIS departments to maintain and less susceptible to user errors.

So far, no one has predicted the ownership costs of an NC, but X Window System terminals provide a good starting point. The Gartner Group estimates that companies with a 24-user X-terminal and Unix-server network can save more than \$200,000 over five years compared to companies with a PC-based LAN of the same size. The X Business Group—which is a more biased source—estimates that network administration of a 40-seat X-terminal network could be \$270,000 less expensive over five years than a similar PC LAN.


NCs could also save money by slowing the costly spiral of upgrades. Each new release of a behemoth business package,

COMMUNICATIONS

- Send Fax
- Clear Memo
- Redial



B1CAPITOLPCX



such as Microsoft Office, requires more memory, more hard drive space, and more CPU cycles. More powerful computers, in turn, spur developers to create even bigger programs. If programmers broke up those monolithic applications into smaller, dynamically loaded components, the computer could accomplish (in theory) the same tasks more efficiently.

It would be more efficient because you would be loading only the part of the program that you need, when you need it. A simple example: One sample Java applet is a small (27 KB) spreadsheet. It doesn't perform linear regression or offer the extensive graphics of Microsoft Excel. However, the idea of components is that complex mathematics and graphics would be separate modules that you would download when you need them. At 28.8 Kbps, it would take about 7 seconds to download such a spreadsheet—or about the same amount of time it takes to load Excel 7.0 on a 120-MHz Pentium system.

Although componentware was invented for conventional PCs, NCs could benefit from it even more. NC proponents envision hardware designed for a distributed environment in which administrators store and maintain the software components on a network, not on the client. That network could be a corporate LAN, an enterprise WAN, the Internet, or a secure intranet. Once the NC downloads the software from the network, however, the components execute locally on the client. NCs are not dumb terminals, nor are they X terminals, where applications (called clients in X) execute on a central server.

Some analysts aren't convinced that NCs will save corporations significant money. Improved system management tools could wipe out any cost advantage of NCs, and some corporations are turning conventional PCs into virtual NCs by modifying the hardware and software to prevent user tampering.

"This is a race between tools for better desktop manageability and a special appliance that is effectively lobotomized to make manageability easier," says Bill Kerwin, an analyst for the Gartner Group. "While network computers are a much more manageable environment, the bottom-line cost might be about the same."

The second major market for NCs is schools. Schools desperately need more computers to prepare their students for a job market in which PCs are becoming as common as telephones. Yet according to a study by the Arrington Research Group (Monterey, CA), the ratio of students to computers in U.S. public and private schools

Four Key Technologies

NC Enablers

Fast, affordable access to networks

Fast, affordable microprocessors

Platform-independent programming languages

Lightweight OSes

Products to Watch

Cable modems,
ISDN,
ATM

IDT R4640
NEC VR4300
Ultra-64 (Nintendo and SGI)
StrongARM
Superchips (e.g., MicroUnity's
Mediaprocessor)

Java, JavaScript
Visual Basic, VB Script

NCOS (Oracle)
RISCOS (Acorn)
GEOS (Geoworks)

(grades K-12) is nearly 7 to 1. Almost half of those computers are 8-bit Apple IIs, Commodore 64s, Commodore PETs, and TRS-80s.

"School districts have told us that \$500 is an important entry point, a price point that would allow them to buy computers en masse," says analyst Michael Arrington. "It could move computers from the media lab onto the students' desktops."

Finally, there's the consumer market. Nobody knows how many people would be interested in buying a home computer if it cost only \$500 and gave them access to the burgeoning services on the Internet. The potential is so lucrative, however, that at least a dozen companies—including Asian conglomerates that specialize in high-volume manufacturing of consumer-electronics products—are rumored to be hotly pursuing the idea.

The push for NCs is also a rare chance to outflank Microsoft. As the biggest vendor of monolithic, PC-centric applications and system software, Microsoft seems most vulnerable to a paradigm shift that could make its underlying platform obsolete. Some proponents of NCs can barely conceal their glee over Microsoft's recent defensive moves, such as its licensing of Java and its announcement of VB Script. The danger is that wishful thinking could cloud the vision of network computing and lure its supporters over a cliff.

Dream Machines

Microsoft CEO Bill Gates is skeptical about inexpensive NCs. "When someone talks about a terminal at a certain low price, ask them what they dropped from a PC," Gates said at a recent Internet Strategy

Workshop in Seattle. "Did they drop 3-D browsing? Did they drop motion video? Did they drop local storage? PCs have to drop in price, but they also have to advance in capability."

Indeed, some observers scoff at the idea that vendors can build and profitably sell a useful computer for only \$500. Yet the industry sold millions of sub-\$500 computers in the early 1980s, before the IBM PC standard raised expectations and prices. Perhaps the best-selling computer of all time was the Commodore 64, which made its debut in 1982 at \$595 and soon fell to \$200. Today, a 486/33 with a small hard drive and minimal RAM could probably sell for about \$500. Such a system might represent a low-end NC.

Of course, a Commodore 64 isn't powerful enough for the kind of applications users demand today. However, computer technology has come a long way over the past decade, and it's possible to build surprisingly powerful boxes at low prices. Apple designed the Pippin before the current hype over network computing, but the Pippin, which uses the Power Mac architecture, could easily become a \$500 NC. The latest home game machines from Sega, Sony, and Nintendo also come close to the design points for NCs, and they're capable of graphics that would put most PCs to shame. They all cost less than \$500.


The question isn't whether \$500 computers are possible; it's whether a \$500 computer can meet the expectations of users. Those expectations vary widely, depending on the market and the application. A business user who's juggling spreadsheets has different needs than an eighth-grade student who's researching a

Architecture of an NC



In theory, NCs can use a wide variety of microprocessors and OSes, because Java insulates the applications software from the underlying hardware and system software. Everything from the object file format and above is platform-independent and could run on any NC that has a Java run-time engine.

Common object file format



report using the Internet, or an adult who's interested in home shopping. Therefore, it is unlikely that a single machine at a single price will fit the needs of the corporate, education, and home markets.

"Network computers will not replace PCs on the desktop," says John Robb, an analyst with Forrester Research (Cambridge, MA). "They're more of a supplement to PCs. They'll go into places where there are ease-of-use issues or cost issues."

Mobile PCs will prove even more resistant to obsolescence, because it will be a while before wireless networks are ubiquitous and fast enough to make mobile NCs practical. Eventually, however, public NCs could become as widespread as public phones. Instead of toting a notebook and a bag of accessories, all you'll need is a credit card. After you log on to the network from the airport, airliner, or hotel room, the NC will download your working environment and all your files.

Network Catalyst

The four technologies required to make NCs practical are all important, but networking is the keystone that supports the entire structure. The World Wide Web, which didn't even exist five years ago, is the most remarkable networking development for NC proponents.

On the surface, the Web is just a visual,

point-and-click user interface on the Internet. Seemingly overnight, however, it has transformed a bleak, text-based landscape into a colorful cyberworld brimming with opportunities, both artistic and commercial. As Netscape's initial public offering proved, the Web may be sparking the last great gold rush of the millennium.

The Web and the Internet enable network-centric computing on a global scale. However, only a few million users with high-end PCs currently have access to the Web. And few of those users enjoy the kind of bandwidth that's required to fulfill the grander ambitions of Web visionaries.

NCs could get by with the narrowband access provided by analog modems (14.4 to 28.8 Kbps) or basic-rate ISDN (64 to 128 Kbps). However, a device that drinks most or all of its software from a network really needs a bigger straw. That's why the ultimate fate of NCs may depend on the adoption rate of technologies such as asynchronous transfer mode (ATM) and cable data modems.

Cable modems could be the primary catalyst; hundreds of millions of homes, schools, and office buildings throughout the world are already wired for cable. Hewlett-Packard and Motorola have announced contracts to sell more than half a million cable modems this year. A proposed industry standard (IEEE 802.14)

would codify the protocols for data access over cable at a speed of about 10 Mbps. (Theoretically, 25 Mbps is possible, but line noise is a major problem.)

Further out is ATM, which can range from 1.544 to 622 Mbps. If ATM becomes widely available, network-centric computers could become a lot more attractive.

"Once people get access to the Web at broadband speeds, there's no going back—especially if it can happen at a price point that's competitive with narrowband access," says Tony Stelliga, vice president of product marketing for MicroUnity Systems, whose innovative Mediaprocessor could be the CPU in tomorrow's broadband NCs.

One catch: If cable modems take off, can the networks keep up? The Internet may bog down under the strain of millions of new users, and cable TV companies will have to invest in new equipment. To minimize their investment, cable companies may link anywhere from 500 to 2000 customers to a single data network node. If 10 percent of those customers subscribe to cable data services, as many as 50 to 200 users might be sharing the same slice of bandwidth during peak hours.

"It's a nightmare in the making," says Vincent Schmidt, product manager for ADC Telecommunications, which makes T1 modems. "Cable data modems are only the tip of the iceberg. The back end cannot handle that many high-speed users."

Schmidt thinks that phone companies—which have more sophisticated switching networks already in place—will intervene with their own high-speed alternatives to cable modems. Some analysts expect these alternatives to be in place in 1997. "Eventually these problems will be solved," Schmidt says. "If there is a path to money, people will find it."


Cheap Chips

High-speed networking won't save the day if NCs are stripped-down boxes that run like slugs. For NCs to seriously challenge PCs, they must deliver comparable user experience and performance. That's not easy for a product that retails for \$500 or even \$1000. A 120-MHz Pentium chip alone costs about \$350, and some versions of the Pentium Pro cost nearly \$2000.

That's OK, respond NC proponents, because NCs don't need leading-edge microprocessors. Instead, NCs will ride the trailing edge of the price/performance curve, where they can reap the benefits of plunging prices. The industry focuses so much attention on state-of-the-art CPUs that you can forget how much processing

Old PC vs. New NC

Task: You Want to Update Sales Projections in a Spreadsheet



power is available for just a few dollars.

For example, Integrated Device Technology (IDT) and NEC Electronics manufacture a wide range of 64-bit RISC processors based on R4000 cores from Mips Technologies. IDT's R4640 executes 175 MIPS (Dhrystone: 2.1 MIPS)—comparable to a 100-MHz Pentium—and costs only \$28. NEC's new 133-MHz VR4300 executes 120 MIPS (or 80 SPECint92, 60 SPECfp92) and costs only \$35. Versions of the new StrongARM processor, a joint project of Digital Equipment and Advanced RISC Machines (ARM), deliver from 115 to 230 MIPS. The StrongARM is expected to cost about \$30 to \$50 (see "StrongARM Tactics," January BYTE).

This kind of bargain-basement CPU power makes the latest generation of home game machines possible. Nintendo's new Ultra-64, designed in partnership with Silicon Graphics, uses a 100-MHz version of NEC's VR4300.

"When we first showed people what the Ultra-64 could do, some Silicon Graphics engineers were stunned," says John McCrea, the manager of Silicon Graphics' WebForce unit, which is making tools for Web developers. "The Ultra-64 has graphics equal to a \$100,000 Silicon Graphics workstation of five years ago." The company is putting that same graphics-rendering technology into its Cosmo Motion engine, part of a graphics library for Java.

By using modern design tools and standardized modules, today's engineers can integrate fast RISC cores with numerous

other components on a single chip. This saves even more money and results in highly integrated parts that are tailored for specific customers. For instance, Sony's PlayStation, which is a \$299 game console, has a single ASIC that integrates a Mips R3000A CPU core, a specially designed geometry transform engine, a graphics processing unit that can render 1.5 million polygons per second, a sound processor, a JPEG decompressor, and miscellaneous I/O logic.

LSI Logic custom-designed Sony's ASIC in only eight months. LSI has a new fabrication process that can squeeze 49 million transistors on a chip. (By comparison, a Pentium Pro CPU has 5.5 million transistors.) LSI recently announced a superchip that's intended for low-cost NCs. Called the Internet on a Chip, it can include a Mips R4x00 CPU core of the vendor's choice, a graphics processor, a sound processor, a memory controller, and circuitry for a V.34 modem—all for \$50.

Alternatively, LSI can replace the V.34 modem with an ISDN interface for about the same price. And the CPU cores aren't slouches. For midrange NCs, LSI suggests a 40-MHz R4010 that executes 100 MIPS; for higher-end requirements, LSI offers an R4020 core that delivers 200 MIPS.

To make an NC, says LSI, all the vendor needs to add is 4 MB of DRAM (\$110 at current wholesale prices), an analog chip for the V.34 modem (\$2 to \$5), and perhaps some ROM for the OS kernel and Java engine (the price varies according to


how much, but mask ROM is inexpensive).

"There has been a lot of negative reaction in the press because nobody has been able to show a bill of materials that would make a sub-\$500 box possible," says John Daane, who is vice president and general manager of LSI's Communications Products Division. "We designed the Internet on a Chip to prove it could be done at this price point."

The Internet on a Chip is part of a wave of highly integrated superchips coming this year from suppliers like Chromatic Research, MicroUnity, Nvidia, Philips Semiconductors' Trimedia Product Group, and Vadem (see "Chip Fashion," November 1995 BYTE). Intel is less likely to be a player in this market. It prefers to sell cutting-edge microprocessors, which are much more profitable. Those profits pay for the billion-dollar foundries that Intel needs to maintain its leads in production capacity and process technology.

Another company that's a pioneer in low-cost systems is Acorn, which has been making inexpensive computers for years. In 1995, Acorn introduced the A7000, a machine aimed primarily at the U.K. educational market. The A7000 is based on the ARM 7500 microprocessor, which is comparable to a 486DX2/66. Although the A7000 has only 2 MB of RAM, its RISC OS is capable of multitasking several programs in that space, says Peter Bondar, director of Acorn's Applied RISC Technologies Division.


Bondar says Acorn is in "advanced



Introducing the first remote control solution to take full advantage of all the 32-bit power of Windows 95 and Windows NT. The new pcANYWHERE32™ combines remote control, file transfer and general communications so you'll have the fastest access to your remote PC, network servers, printers, applications and files.

You can remotely access your Excel, Word or PowerPoint files 25% faster than you can with any other remote access products. You'll

WITH pcANYWHERE32, YOU GET REMOTE ACCESS THAT'S SO FAST AND EASY YOU MAY NEVER COME BACK TO THE OFFICE.



spend less time staring at your screen's hourglass and you'll spend less on telephone charges.

With ColorScale™, one click lets you dramatically increase the speed of remote control sessions by reducing the total number of colors transmitted. It'll even go down to black and white for optimal performance.



Winner
Designed for



For faster access and quicker transfers, pcANYWHERE32 will automatically disable host wallpaper and screen savers. Our Quick Start Wizards simplify set-up and configuration so you can connect and remotely access applications and data quickly and easily.

Microsoft®
Windows®95

To get pcANYWHERE32, visit your local computer store. Or for the upgrade version, call us at 1-800-240-2279 ext. 9AP15, or click on www.symantec.com for more information. And take the entire office with you wherever you go.

NORTON pcANYWHERE32

SPEEDSEND™
Transfers only the parts of the original file that have changed.

PARALLEL SUPPORT
Free cable for fastest transfer between two PCs.



SYMANTEC.®

Symantec is a registered trademark and pcANYWHERE32 and ColorScale are trademarks of Symantec Corporation. Microsoft, Windows, the Windows logo and PowerPoint are registered trademarks of Microsoft Corporation. All other brand names or trademarks are the property of their respective owners. ©1996 Symantec Corporation. All rights reserved. In Canada, call 1-800-365-8641. In Australia, call 2-879-6577. In Europe, call 31-71-353111.

Circle 78 on Inquiry Card.

stages of discussion" with U.S., Japanese, and Korean companies that want to build NCs with technologies licensed from Acorn and ARM. (Acorn founded ARM and owns 42 percent of the company.) Acorn is offering its efficient RISCOS, its low-cost board manufacturing, and ARM's processors.

"The debate over the \$500 Internet computer is a moot point as far as we're concerned," says Bondar, who adds that his company's low-cost computers prove the NC concept is viable.

Because \$500 computers will be a low-margin business, the market probably won't attract many U.S. manufacturers. More likely, Pacific Rim companies that specialize in high-volume consumer electronics will make NCs.

Where's the Software?

Hardware is only half of the equation—perhaps the easiest half. In a market where many people shun the Mac because it has merely thousands of applications instead of tens of thousands, NCs are at a real disadvantage: They have no software at all.

"A dedicated Java machine can't run one line of code that's currently for sale anywhere, and that's a major obstacle to overcome," says Michael Goulde, an analyst for the Patricia Seybold Group (Boston, MA). "Have you ever seen a football game in which the receiver starts running downfield before he finishes catching the pass? He ends up dropping the ball. I think that's what is happening here."

Everything seems to depend on Java. Other programming languages may have roles to play—Telescript, VB Script, and TCL come to mind—but Java was largely responsible for igniting the mania over NCs, and Java is the critical element that will make NCs from different vendors compatible with each other.

Java is a high-level interpreted language that runs on a virtual machine. In other words, the Java engine is a run-time interpreter that insulates applications from the nitty-gritty details of the OS and hardware. That's why it hardly matters which OS or CPU is inside the NC. Vendors can choose what delivers the best price/performance advantage, and they can even change the OS and CPU when something better comes along—without breaking any applications software. As long as there's a Java engine on the computer, it can run any program written in Java or JavaScript (see "Wired on the Web," January BYTE).

This architecture is crucial to the platform independence and low-cost model of NCs. It's also the next logical step in the



ORACLE'S NETWORK COMPUTER

Here's the first photograph of the prototype Web PC that Oracle CEO Larry Ellison unveiled in January at a trade show in Japan. Designed by Frogdesign, this multimedia version of the Web PC has room for a built-in CD-ROM player and vertical speakers. Oracle has trademarked the name Network Computer and is negotiating with several Asian companies to manufacture variations of this reference design. Oracle also has a prototype for a laptop Network Computer.

evolution of software development. In the 1970s and early 1980s, programmers wrote software in assembly language because it was fast and memory-efficient.

As PCs grew more powerful and the pressure for new features became more urgent, programmers began working with high-level compiled languages such as Pascal, C, and C++. Compiled code runs slower and requires more memory than hand-tooled assembly language code, but it's easier to write. It runs acceptably fast on today's systems. Interpreted languages such as Java are even easier to work with than compiled languages, and developers don't have to port their code to different platforms.

The flip side of interpreted programs is that they're even slower than compiled programs. This could be the Achilles' heel of NCs, whose low prices will preclude the fastest microprocessors.

If performance becomes a major problem, full native compilation could be the fallback position. Java programs are compiled into a *bytecode* format that's interpreted by the run-time engine. It's possible to create a compiler that turns Java bytecode into native machine code. To preserve software portability, the compilation could happen automatically when the NC downloads Java objects from the network. In a business environment, the server could store precompiled objects. Some NCs may cache the compiled binaries of frequently used objects on a local hard drive. (Caching would also help compensate for slow network connections.)

To attract developers to Java, Sun and Oracle are sponsoring a Java Cup contest with \$1 million in prizes. According to Geoff Baehr, Sun's chief networking officer, there will be no shortage of entries. "People are actually writing this stuff," he says. "This isn't one of those things where people will be saying, 'Whatever happened to Java?' in a few years."

Proponents claim that Java will unleash a wellspring of entrepreneurial spirit that dominant software companies and a restrictive distribution system currently stifle. NCs could alter that balance of power in two ways.

First, a shift toward components and applets could make room for smaller developers. Second, because NCs by definition live on a network, they will encourage new models for merchandising software. Instead of buying an unlimited-use license, as you do now, you may pay a small fee every time you download an object. Or you'll pay a small monthly fee for unlimited use. Or perhaps you'll pay nothing at all—just as most people today don't pay for Netscape Navigator.

"We're on the brink of having someone with a good idea being able to deliver that good idea to literally millions of people overnight," says Oracle's Laursen.

Microsoft Fights Back

The debate over NCs has led to much loose talk about the destruction of Microsoft. Can a company with enough programmers to populate an infantry division compete in this brave new world? At the Internet Strategy Workshop, Gates said he isn't worried. "We've always competed with free software. For about \$10, you can buy 10 CD-ROMs with lots of free software, and that software will be available on the Internet, just as it's been everywhere else."

"We think most companies would rather pay \$100 per module to make sure their employees have the best spreadsheet or the best word processor," Gates continued. "We think they'd rather pay 0.1 percent of the employee's salary to make sure they can use that software all they want instead of leasing it on a per-use basis."

Still, Microsoft was compelled to license Java from Sun. This isn't the cataclysmic event some observers think it is, however. Microsoft needed Java to keep its Web browser competitive with Netscape's. There are no indications that Microsoft is shifting emphasis away from Visual C++ and Visual Basic.

In fact, Microsoft announced VB Script, a subset of Visual Basic that's intended to compete with JavaScript, the Java-based

Our engineers blew out a few pocket protectors on this one.

(909) 859-7976 Fax: (909) 859-7958 • Call FreeSonic at (909) 859-7318 (24-hour fax-on-demand) • Request Doc. 163 • Internet: <http://www.viewsonic.com> • Requires DDC-compatible video card. © 1996 ViewSonic Corporation. Corporate names and trademarks are the property of their respective companies.



Sam "Guru" Miller,
Manager, New Product Development

To say that ViewSonic's new PT810 SonicTron™ 21" (19.5" viewable) monitor has a great picture hardly does it justice.



Actually, it's better than great. Even the most particular CAD/CAM/CAE users and desktop publishers are staring in wide-eyed amazement.

Our engineers went back to the drawing boards to create a monitor that delivers high contrast images with clarity and chromatic color far more intense than anything close to its price range.

**"It's as easy to adjust
as it is to look at."**

OnView™ screen controls let you easily make adjustments right on the screen, no guesswork.

If you've got a question, just call and one of our engineers will answer it. Other SonicTron pluses include **Plug & Play+*** for automatic configuration of the graphics controller and both PC and MAC® compatibility.

Call (800) 888-8583 (Dept. 478) for a dealer where you can see for yourself. It'll blow your mind.



ViewSonic®



scripting language in Netscape Navigator. Because VB Script is an interpreted language—and because Microsoft will freely distribute the run-time engine—it, too, has the potential to become a platform-independent standard for Web developers. It's likely that all Web browsers and NCs will support both JavaScript and VB Script.

In theory, the regular version of Visual Basic could have been Java. Both are high-level interpreted languages whose programs are compiled into an intermediate bytecode or p-code that in turn executes on top of a run-time engine. But Microsoft has not ported Visual Basic to other platforms, except for the abbreviated version in Microsoft Office.

Until now, Microsoft's idea of "cross-platform" has been Windows 3.1, Windows 95, and Windows NT. However, we hear rumors that Java delivered the jolt that Microsoft needed to rethink this strategy. Don't be surprised if Microsoft ports the full Visual Basic run-time engine—though probably not the development environment—to the Mac later this year.

Paradoxically, Microsoft's greatest strengths are the very things that opponents claim are its greatest weaknesses: Windows and Office. Although both are behemoths, there's undeniable value in those megabytes of code. Writing a collection of Java components and applets that duplicate the functionality of Word,

NCs could make it possible for us to carry around smart cards instead of a notebook. We would use the card to log on to the network from a remote office, the airport, or a hotel room, and an NC would call up all our personal files and applications.

Excel, PowerPoint, and Access is what's known in the industry as a "nontrivial task." So don't hold your breath. Yet if NCs are to make inroads into the corporate market, the industry must measure their worthiness against the prevailing standard, and the standard is Microsoft Office.

Similar reasons motivated Apple to base Pippin on the Power Mac architecture. "Ultimately, the success of these machines will depend on the applications that are available for them," says Mark Orr, Apple's manager of business development for Pippin. "Anytime you launch a new platform, you've got the classic chicken-and-egg problem. You need content to attract an installed base, but you need an installed base to attract developers to create content."

Of course, NCs don't necessarily have to battle PCs head-to-head for the same kinds of applications. Some observers think corporations will dedicate NCs to other tasks: presentations, self-guided training, on-line documentation, Internet research, E-mail, database access, and light-duty spreadsheet functions. "There may still be many employees in the world who don't have a computer because their job

doesn't revolve around Microsoft Office," says Silicon Graphics' McCrea.

In Search of a Kernel

One of the most crucial technical challenges will be finding a lightweight OS that will let NCs compete against Microsoft Windows. Although the OS doesn't matter in the sense that Java programs will run on any system that supports the Java engine, the OS must be small and fast enough to run within the reduced resources of a low-cost machine.

There are many memory-stingy micro-kernels around, but they're generally designed for embedded applications and lack such luxuries as high-level graphics libraries. The OS in an NC must satisfy the needs of programmers, who have grown accustomed to the rich APIs of Windows, the Mac OS, and the various flavors of Unix. Also, to make the basic concept of an NC feasible, the OS must have some mechanism for dynamically loading distributed objects over a network.

Fortunately, this problem has attracted a great deal of attention in recent years from companies that are working on technologies for interactive TV set-top boxes. The futuristic TV networks appear to be a little further in the future than experts once predicted, so set-top-box designers are eager to adapt their technologies to NCs. (A skeptic might wonder if the whole push

Microsoft
Office

Microsoft Office with
ABC Graphics Suite

**USE ABC GRAPHICS SUITE™ WITH YOUR MICROSOFT® OFFICE™ SO
YOU AND YOUR DOCUMENTS WILL BE MORE IMPRESSIVE THAN EVER.**

Designed for use in the "drag and drop" environment of Windows®95, ABC Graphics Suite is the perfect graphics extension to Microsoft Office 95. It arms you with market-proven, award-winning applications for diagramming, image editing, drawing, 3D text and graphics and media management of over 30,000 clipart images. You'll get the new "6.0" versions of ABC FlowCharter®, Picture Publisher®, Micrografx Designer®, and the revolutionary ABC Media Manager™ plus Instant 3D.® For only \$149.95*, it's one of the most cost-effective ways to improve your business.

Only \$149.95*

*Upgrade price for owners of Micrografx or competitive graphics software and/or Microsoft Office 95. E.P.R. for first time buyers is \$299.95.


MICROGRAFX®

Call **1-800-376-5119** for a free**
30-day trial CD, for more information or
to use our automated fax back system.
<http://www.micrografx.com>

In Canada, call 1-800-360-8464. Canadian E.P.R. \$199. **There is a \$9.95 charge for shipping and handling. ©1995 Micrografx, Inc. All rights reserved. All product names are trademarks of their respective companies.

Circle 81 on Inquiry Card (RESELLERS: 82).

Designed for

Microsoft
Windows 95

Microsoft®

OFFICE
Compatible


MICROGRAFX
CALL FOR
CHILDREN

A BOOK FOR HOME

Inside the Pippin

Alexander Graham Bell set out to invent a multiplex telegraph and hearing aids for the deaf, but he found lasting fame by inventing the telephone. Apple Computer set out to design an interactive media appliance for homes and schools, but it may have created the first network computer (NC) instead.

Strictly speaking, Apple's Pippin is not a product—it's a low-cost system architecture based on the Power Mac. Apple has no plans to manufacture Pippin devices. Instead, it is licensing the architecture to other companies.

The first Pippin device is a low-cost multimedia system, manufactured by Bandai, the Tokyo-based corporation best known for introducing the Power Rangers into the world. Code-named the Power Player (but marketed in Japan as the @t Mark), the system is intended for home entertainment, education, and on-line communications. Bandai hopes to ship the Power Player to Japanese stores this month and introduce it to other world markets later this year.

At the time we went to press, Bandai had not determined the retail price for the Power Player, but estimates it will be about \$500. Bandai plans to bundle a

modem in the package and launch a new information service that provides Internet access.

Although Apple didn't design the Pippin to be the kind of NC envisioned by Oracle, Sun Microsystems, IBM, and others, the architecture has the flexibility, horsepower, and economy to meet all the requirements. Last December, Apple and Bandai demonstrated a Power Player browsing the World Wide Web with Netscape Navigator.

The Pippin's biggest advantage is that it's not an entirely new platform. Developers can port thousands of existing Mac applications to the Pippin with relatively little effort.

Essentially, developers have to modify their software to work with a system for which a key-

board, a hard drive, and a floppy drive are optional. On the Power Player, for instance, the primary input device is a hand-held game controller with a trackball. Developers also have to put some elements of the Pippin OS on their CD-ROMs.

After an application is ported to the Pippin, it's upward-compatible with the Power Mac. It's even possible to produce a hybrid CD-ROM that runs on the Pippin, the Mac, and Windows PCs.

In place of the familiar Mac Finder is whatever user interface developers choose for their applications. For example, if you're using a multimedia encyclopedia, the first screen you'll see is the encyclopedia's title screen. All Pippin titles run entirely from CD-ROM. All you'd have to do is supply a CD with a Java-enabled browser to turn the Pippin into a functional NC, and there would never be any software to install or maintain.

The Bandai Power Player is more powerful than many desktop PCs. It contains a 66-MHz PowerPC 603 microprocessor; 6 MB of RAM (expandable to 38 MB; 2 MB are re-

served for the OS and video); 4 MB of ROM (which contains the Mac OS Toolbox); a quad-speed CD-ROM drive; 640- by 480-pixel video with 8- and 16-bit color depths; NTSC, PAL, and VGA video outputs; 16-bit, 44-kHz audio output; two Mac-standard serial ports (one supports AppleTalk; the other is a GeoPort); two Apple Desktop Bus (ADB) ports; a Peripheral Component Interconnect (PCI)-compatible expansion slot for adding a hard drive or a floppy drive; and a stereo headphone jack.

What's missing, compared to a Power Mac? There's no external SCSI port, no Ethernet port, no writable storage devices, and not as many expansion slots. The Pippin version of the Mac OS is also missing a few elements, such as the PowerTalk and QuickDraw GX extensions. "Fundamentally, in terms of architecture, the Pippin is a Power Mac," says Mark Orr, manager of business development for Pippin.

It wouldn't take much to turn the Pippin into a formidable NC. However, Orr insists that hardware isn't the issue. "The talk about \$500 is the wrong way to look at the problem," he says. "The biggest challenge will be to create content that is compelling enough to attract users to the Internet so they'll want to buy these boxes."



What does \$500 buy you? Bandai's NC offers a 66-MHz PowerPC 603 processor, a quad-speed CD-ROM drive, and two serial connectors.

for NCs is merely an attempt to amortize the R&D expended on set-top boxes.)

Oracle is developing an OS called NCOS for its NC reference design. The company has released little information about this OS, except that it's based on a microkernel that supposedly runs in "considerably less" than 1 MB of memory. One reason NCOS is so small is that it dispenses with the big APIs of conventional OSes. Instead, separate subsystems and class libraries of Java objects will handle high-level functions. For example, Oracle claims it has a subsystem for remote-method access that runs in about 64 KB, and a graphics subsystem that needs only 300 KB. "And it's just as rich as the Mac OS and the graphics subsystems in Windows," says Oracle's Laursen.

"There's going to be an ultralightweight version of CORBA [Common Object Request Broker Architecture] that lets me communicate between my Java objects

across the network," Laursen says. "The name services are pretty straightforward. They just have to cache the set of objects I've been communicating with, so I don't have to do a name lookup every time I access some remote object. So through a hierarchical caching architecture and a lightweight distributed-object environment, I can do everything I do with PCs."

Laursen points out that today's OSes and applications are memory hogs. They load the bulk of their code into RAM at start-up, and that code stays in RAM whether you need it or not. With an NC, the OS and applications could be more object-oriented, and the objects won't load into memory until the OS summons them.

Two other OSes that seem particularly well suited for NCs are Acorn's RISCOS and Geoworks' GEOS. Both run well on one-generation-old CPUs with as little as 1 MB of RAM, yet both are rich OSes that offer much to developers and users.

Introduced in 1987, RISCOS is a 32-bit OS with cooperative and preemptive multitasking. It can reside and execute in 4 MB of ROM, and multiple applications can run in as little as 2 MB of RAM. RISCOS supports a general-purpose desktop GUI and more than 2000 applications. It also has the advantage of running on inexpensive ARM processors.

GEOS traces its ancestry back to the Commodore 64 but currently runs on x86-compatible CPUs. Geoworks says it is porting GEOS to multiple RISC chips, partly because some of its licensees want to introduce NCs later this year. (Geoworks won't name the customers who are planning NCs, but GEOS licensees include Brother, Canon, HP, Nokia, and Toshiba.) GEOS, like RISCOS, can reside and execute in 4 MB of ROM, and that includes some built-in applications. It can get by with as little as 1 MB of RAM.

Geoworks CEO Gordon Mayer notes

Ah, what a day it was.

You visited the cash machine. It worked.

You made a plane reservation. It worked.

You filed an insurance claim. It worked.

You made a mortgage payment. It worked.

And it's all because OS/2 has a rather attractive feature. It works.



Can your software do this?

Computer operating systems may not be your life's passion. But even if you've never sat down in front of a computer before, you're probably a certified user of OS/2.*

That's because all around you, businesses that can't afford to interrupt their service for even a second depend on OS/2 to run many of their computer systems.

Chances are, you're using OS/2 when you step up to the cash machine or make a payment on your mortgage. You're using it when you file a claim with Fireman's Fund Insurance Company, use Amtrak's self-ticketing kiosks or enjoy home delivery from select KFC restaurants.

Across every industry, OS/2 (along with its latest

release, OS/2 Warp Connect) provides a reliable, 32-bit foundation for advanced distributed information systems. It also allows companies to standardize on one common system across all their diverse computing platforms, from notebooks and desktops to servers of every size.

To learn more about how you can use OS/2 to help run your company more efficiently, call 1 800 IBM-3333, ext. EA110, or visit us at <http://www.software.ibm.com>. You'll see how OS/2 can make a difference in your business. And in your life.



Solutions for a small planet™

that Canon and Brother already sell GEOS-based dedicated word processors that are really thinly disguised PCs. They include a full suite of applications plus a floppy drive, an ink-jet printer, and a color monitor—all for about \$500. "If you add a modem or a cable modem, you've got a network computer," says Mayer.

In other words, packaging may define an NC as much as technology. Conceivably, someone could turn a warehouse of old 486-based PCs into trendy new NCs by stripping the systems down to their essentials. Simply replace Windows with a smaller OS, install the Java run-time engine, and bundle them with a cable modem or a network card.

Nintendo, Sega, and Sony could likewise turn their home game consoles into consumer browser boxes with little effort. Nintendo has already demonstrated a Web browser on its Ultra-64. Microsoft has shown a Web browser running on a set-top box designed with NEC. Especially for the consumer market, there's a fine line between a game machine, a set-top box, and a scratch-built NC.

Reality Check

Before hailing the birth of a new era, consider two disturbing facts. First, as we go to press, nobody is willing or able to demonstrate a functional system that was designed from the start to be an NC. That's rare for a technology that's supposedly a few months away from mass production. IBM, which made a big fanfare about NCs at Comdex, refused to discuss the subject.

Second, there seems to be an attitude that "If we build it, they will come." The assumption is that a \$500 NC will uncork pent-up demand that's currently frustrated by the high prices and intimidating complexity of PCs. But easy to afford doesn't



PHOTO: ERIC MILLETTE © 1996

"The talk about \$500 is the wrong way to look at the problem. The biggest challenge will be to create content that is compelling enough to attract users."—Mark Orr, Apple

necessarily mean easy to use. Businesspeople who are already familiar with PCs will adapt quickly to NCs, but the holy grail is to lure millions of new users.

"I don't want to have to buy a book that's called *\$500 Network Computers for Dummies*," says Apple's Orr. "Too many people are assuming that the biggest barrier to personal computing is price, when in fact there's all kinds of research that shows most people simply see no relevance in personal computing."

The corporate applications for computers are well established, but where are the breakthroughs that will make NCs both compelling and accessible to the 65 percent of U.S. households that don't own a PC? Will NCs simply reinvent the wheel at a lower price?

Possible answers: The Web will supply

the compelling applications, and the point-and-shoot user interfaces developed for set-top boxes will mollify computerphobes.

Neither answer is farfetched. The Web is evolving rapidly, and the killer application seems within reach. It could be home shopping, if Web browsers become as easy to use as mail-order catalogs. It could be home banking, especially if cashless debit cards catch on, turning NCs into automatic teller machines that dispense electronic cash. It could be something nobody has thought of yet.

Even then, NCs—like Apple's Newton—might be a little too far ahead of the curve. Years may pass before the Web becomes a secure place for commerce. Nathan Myhrvold, group vice president of Microsoft's Application and Content Group, thinks that PCs will drive the Web's growth in the foreseeable future.

Myhrvold estimates that 100 million people in the world who have PCs aren't on the Internet, despite so many free browsers. "It's actually more expensive for [these people] to get on the Internet by buying a \$500 terminal," he says. "So where are the next 100 million users of the Internet going to come from? The people with PCs, or some small percentage of people who buy \$500 terminals?"

Oracle's Laursen acknowledges that NCs probably won't be an overnight success, but he predicts they will be a major force by the turn of the century. "I think it's a 10-year play," he says. "If you look at the changes that happened over the last 10 years with PCs, I think these changes are equally fundamental. Except I don't think it will be as hard."

It's Inevitable

The concept of a \$500-or-thereabouts computer is undeniably appealing—just as it was 15 years ago, when low-priced computers were commonplace. But two things have changed since then. First, the Web is creating a giant electronic library that globalizes information. Second, millions of people will need access to that library to keep up with a world that's fueled on information. Computers aren't luxury items anymore; they're survival tools, but they're still priced like luxury items.

Without question, the technology exists to produce a low-priced folkscomputer that could serve those millions of workers, students, and consumers. By year's end, we'll have one. ■

Tom R. Halfhill is a BYTE senior editor based in San Mateo, California. You can reach him on the Internet or BIX at thalfhill@bix.com.

Where to Find

Acorn Computer
Cambridge, U.K.
+44 1223 254254
<http://www.acorn.co.uk>
<http://www.ant.co.uk>
sales@applied-risc-tech.co.uk

Advanced RISC Machines
Cambridge, U.K.
+44 1223 400400
<http://www.arm.com>

Apple Computer, Inc.
Cupertino, CA
(408) 996-1010
<http://www.pippin.apple.com>
pippindev@apple.com

Geoworks, Inc.
Alameda, CA
(510) 814-4266
<http://www.geoworks.com>

Integrated Device Technology, Inc.
Santa Clara, CA
(408) 727-6116
<http://www.idt.com>

LSI Logic Corp.
Milpitas, CA
(408) 433-8000
<http://www.lsillogic.com>

Microsoft Corp.
Redmond, WA
(206) 882-8080
<http://www.microsoft.com>


Mips Technologies
Mountain View, CA
(415) 933-6477
<http://www.mips.com>

NEC Electronics, Inc.
Mountain View, CA
(415) 965-6000
<http://www.nec.com>


Oracle Corp.
Redwood Shores, CA
(415) 506-7000
<http://www.oracle.com>

Silicon Graphics, Inc.
Mountain View, CA
(415) 960-1980
<http://www.sgi.com>

Sun Microsystems, Inc.
Mountain View, CA
(415) 960-1300
<http://www.sun.com>

A woman in a white, long-sleeved, ruffled gown and a tiara stands on a balcony, smiling and holding a red rose. She is surrounded by red curtains and a decorative wicker basket. The scene is set in a grand, ornate room with a high ceiling and a balcony railing. The text "You Know It's A Great Performance..." is overlaid on the right side of the image.

You
Know
It's A
Great
Performance...



intel
inside

pentium
PROCESSOR

It
Must
Be A
Gateway!



8 0 0 - 4 2 4 - 3 0 8 1

If The Sound
Blows You Away...



And if it belts out power performance and sound like no other, then it's gotta be a Gateway 2000® computer! Gateway's high-end P5-166XL professional multimedia system gives you extraordinary performance, even for your most robust computing needs. Top it off with the Gateway-exclusive Altec™ Lansing ACS-400 speakers, and the P5-166XL ushers you into first-rate stereo sound! And our new P5-150 Professional system delivers the performance your heavy-duty business applications require — for just \$2,899! The Intel® 166MHz and 150MHz Pentium® processors, included on these systems, are the fastest Pentium processors available today. These systems also include the new ATX motherboard, giving you enhanced functionality, usability and reliability.

An Encore 166MHz Performance

Bravo! Gateway's P5-166XL is "*the fastest Windows 95 PC ever*," per *Windows Sources*, February 1996. You'll leap to your feet when you experience all the powered-up features of the P5-166XL. This impressive system is built with 16MB EDO performance DRAM, 512K pipelined burst cache and 2GB hard drive for unbeatable performance.

Maestro of Multimedia

Spine-tingling, heart-thumping stereo sound resonates from your Altec Lansing ACS-400 speakers, standard on the P5-166XL and exclusively from Gateway 2000. Including the Altec ACS-250 subwoofer, these speakers give you thunderous bass and extraordinary Dolby® Surround Sound, breathing new life into all your multimedia applications and music CDs! And you'll be amazed by the ultra-realistic sound achieved with the included Ensoniq® Wavetable sound card. Add these performance features to a Matrox® 2MB WRAM graphics accelerator with MPEG video scaler and your 3-D graphics and multimedia applications will run with incredibly smooth video playback.

The Speedy 6X CD-ROM Drive!

Now standard on all Gateway Professional systems is the 6X CD-ROM drive. This super-fast CD-ROM drive accelerates all your computing experiences to the next level of CD-ROM technology and performance so your applications run ultra fast, *and* you'll be more than ready for tomorrow's complex software applications.

The Right System For All Your Hit Applications

All Gateway Pentium processor-based PCs include Microsoft® Windows® 95, and our Professional models also include MS Office 95, Professional Edition, compatible with 32-bit applications and with backward compatibility for 16-bit applications. If you prefer a different operating system, Gateway gives you a choice of MS-DOS® and Windows for Workgroups, Windows NT™, or Windows 95, and we'll preload your operating system so your PC is ready to run!

Software Diva

The grand finale: The P5-166XL has one of the *best* software bundles found *anywhere* with MS Office 95, Professional Edition and Gateway's Generations II Software Collection for use with the Windows 95 operating system. It's just what you need for business applications in the Windows 95 environment, *and* for the most complete updated versions of the latest and greatest multimedia applications, most optimized for Windows 95. A gaming pad is included for use with all your entertainment software.

And Introducing Gateway's P5-150 Professional PC!

For extraordinary levels of performance, Gateway introduces our P5-150 Professional system! It includes the ultra-fast 150MHz Pentium processor, 16MB EDO performance DRAM and 256K pipelined burst cache. All Gateway Professional Pentium processor-based systems have 16MB EDO performance DRAM, and most are standard with pipelined burst cache, adding up to the ultimate in system performance. These features also give you a faster, more cost-effective means to great performance. The P5-150 comes in a new "mini" tower case with similar expansion space found in a desktop case. Because the mini tower case is so compact, you can put it just about anywhere. Call Gateway 2000 today and find out about all our legendary performance machines!

If You're In Awe Of Your High-Flying *Multitasking* Machine...

The Gateway 2000® G6-200: A Legendary Performance

And if you just can't function without jet-set workstation power and performance — we're talking the top-flight machinery available today — then a new Gateway 2000 G6-200 is definitely for you! This new generation of workstations combines a 150MHz or 200MHz Intel® Pentium® Pro processor with Windows NT™ Workstation operating system and a configuration that'll send you soaring into the wild blue computing yonder!

Pilot Your 200MHz Pentium Pro

The Pentium Pro processor is Intel's latest generation processor designed to provide workstation users with ultra-high performance in true 32-bit environments. The Gateway G6-200 is classified as a value workstation, perfect for CAD applications, intense desktop publishing, and graphics and design applications. If you require a load of memory and storage space to run your heavy-duty network applications, you won't find a better value from any other workstation manufacturer.

High-Flying Performance Features

To achieve the high throughput and superior performance your intense applications require, we've included a 2GB Fast SCSI-2 hard drive on the Gateway G6-200. SCSI technology offers better performance in workstation environments. And the SCSI interface allows you to connect up to seven internal SCSI devices, so you can expand like never before. The G6-200 also includes an Adaptec® 2940 32-bit PCI Ultra SCSI Fast-20 controller. Combine all this with 64MB DRAM and your workstation applications will fly!

Gearing Up for Great Graphics!

With the Matrox® 4MB WRAM video card standard on our G6-200, you'll get incredible graphics support at higher resolutions, along with hardware accelerated 3-D support and increased color depth.


Workstation Wonderland with Windows NT Workstation

All right, Windows NT Workstation customers, you know who you are. And we want to get to know you! Gateway 2000 now proudly offers you the best value on the Windows NT Workstation 3.51 operating system in the industry, and standard on Gateway's G6 models. This is one of the most powerful operating systems for any organization that depends on a computer for today's most demanding data-intensive business applications. And if you value the reliability and security of privacy in large workstation environments, Windows NT Workstation is perfect for you.


Great news Windows NT 3.51 users! Your Gateway 2000 G6 system will arrive preloaded with Windows NT Workstation ready to run! Simply determine and enter your individual security codes and passwords during initial setup. We'll configure all G6 systems with the appropriate Windows NT 3.51 drivers, loaded and optimized for compatibility with Gateway hardware and software.

Along with Windows NT, you get MS Office 95, Professional Edition for the best 32-bit business software applications available. And you can upgrade Pentium processor-based and Pentium Pro processor-based PCs to Windows NT for a value that can't be beat!

Call today for more information
on our new G6 computers.







It
Must
Be A
Gateway!

 **GATEWAY2000**

8 0 0 - 4 2 4 - 3 0 8 1



If You've Found The Ultimate Communications Device ...

And if your family has a penchant for the latest (and coolest) in multimedia, then it's just got to be a Gateway! All Gateway 2000® Family PC™ multimedia systems provide everything your family needs for education, entertainment and for your home office. And our TelePath® fax/modem with a Telephone Answering Device lets you reach out to neighbors next door or across the globe!

Out Of This World Performance and Features For Your Family!

Along with great multimedia features, the Gateway P5-120 Family PC system includes 16MB EDO performance DRAM and a 1.2GB EIDE hard drive. A 6X CD-ROM drive, standard on all Family PC systems, gives your family the power and performance to get down to serious business or to play thrilling multimedia games.

Holy amplifiers PC buyers! It's Gateway 2000's super stereo sound system: our exclusive Altec™ Lansing ACS-40 speakers and 16-bit Gateway sound card on Family PC systems. Your multimedia applications will blast off with realistic sound, and music CDs will be like *super* music to your ears!

Get Hooked Into MPEG Technology

We wouldn't lead you up an outdated technology tree. No way! Now all Gateway 2000 Family PC multimedia systems include MPEG (Moving Picture Experts Group) data compression technology. MPEG provides superior stereo sound, along with incomparable full-screen, full-motion video right from your CD-ROM drive. Video from MPEG multimedia applications will be smoother. And your multimedia images come to life when combined with the MPEG video scaler, standard on Family PC systems.

Reaching Out To New Worlds With The Gateway 2000 TelePath 28.8

Your communication needs are satisfied with the TelePath 28.8 fax/modem standard on most Gateway Family PC systems! The TelePath fax/modem state-of-the-art with the ability to fax, transfer files and access online services. But there's more! It's also a complete communications tool with a Telephone Answering Device (TAD) for answering machine capabilities. It also includes Gateway's exclusive Information Highway communications CD, with a user-friendly interface and easy-to-use tutorial of included trial memberships to CompuServe®, Prodigy®, America Online® and Reuters Money Network. You also get GNN (Global Network Navigator) for easy Internet access.

Gateway's Generations II Software Collection!

There's virtually no end to your family's educational and entertainment opportunities with the Gateway Generations II Software Collection, for use with the Windows® 95 operating system. Standard on Family PC systems and the P5-166XL, Generations II includes 45 of the latest versions of the world's most popular software applications such as MS Encarta® 96 and MS Cinemania® 96!


Industry-Wide, Prize-Winning Service and Support!

All Gateway systems come with our superb Gateway Gold™ service program for award-winning support, including toll-free technical support for the life of your Gateway computer. When surveyed, *Computer Shopper* readers answered "Gateway 2000!" unequivocally and bestowed us with *Computer Shopper's* 1995 Best Overall Hardware Service and Support award.





It
Must
Be A
Gateway!



8 0 0 - 4 2 4 - 3 0 8 1



intel
inside

pentium
PROCESSOR

P5-100 FAMILY PC™

- Intel® 100MHz Pentium® Processor
- 8MB EDO Performance DRAM
- 1.2GB 9ms EIDE Hard Drive
- 2MB DRAM, 64-Bit PCI Graphics Accelerator with MPEG Video Scaler
- 6X EIDE CD-ROM Drive
- 16-Bit Gateway Sound Card
- Altec™ Lansing ACS-40 Speakers
- TelePath® 28.8 Fax/Modem with TAD*
- Gateway Information Highway CD
- 3.5" Diskette Drive
- CrystalScan®15 .28dp Color Monitor (13.9" viewable)
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- Microsoft® Windows® 95
- Generations II Software Collection
- Gateway Gold™ Service & Support

P5-100 \$2099

P5-75 \$1749

(75MHz Pentium processor, 1MB DRAM, 850MB HD, TelePath 14.4 fax/modem, CrystalScan14 w/ 13.4" viewable screen)

Professional Systems

P5-75

- Intel 75MHz Pentium Processor
- 16MB EDO Performance DRAM
- 850MB 10ms EIDE Hard Drive
- 1MB DRAM, 64-Bit PCI Graphics Accelerator
- 6X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- CrystalScan15 .28dp Color Monitor (13.9" viewable)
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Office 95, Professional Edition**
- Gateway Gold Service & Support

\$1899


Workstations


G6-150

- Intel 150MHz Pentium Pro Processor
- 32MB DRAM
- 256K Internal Cache
- 2GB 10ms EIDE hard drive
- Matrox 2MB WRAM Graphics Accelerator w/ Video Scaler
- 6X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- Vivitron17 .26dp Color Monitor (15.9" viewable)
- 12-Bay Tower Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows NT Workstation 3.51
- MS Office 95, Professional Edition**
- Gateway Gold Service & Support

\$4299

 Toll free from Canada 800-846-3609

 Toll free from Puerto Rico 800-846-3613

 Printed on recycled paper with soy inks.

P5-120 FAMILY PC

- Intel 120MHz Pentium Processor
- 16MB EDO Performance DRAM
- 1.2GB 9ms EIDE Hard Drive
- 2MB DRAM, 64-Bit PCI Graphics Accelerator with MPEG Video Scaler
- 6X EIDE CD-ROM Drive
- 16-Bit Gateway Sound Card
- Altec Lansing ACS-40 Speakers
- TelePath 28.8 Fax/Modem with TAD*
- Gateway Information Highway CD
- 3.5" Diskette Drive
- Vivitron™15 .26dp Color Monitor (13.9" viewable)
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- Generations II Software Collection
- Gateway Gold Service & Support

\$2499

* Telephone Answering Device (TAD) gives you complete voice messaging capabilities.

P5-120

- Intel 120MHz Pentium Processor
- 16MB EDO Performance DRAM
- 256K Pipelined Burst Cache
- 1.2GB 9ms EIDE Hard Drive
- 2MB DRAM, 64-Bit PCI Graphics Accelerator
- 6X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- Vivitron15 .26dp Color Monitor (13.9" viewable)
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Office 95, Professional Edition**
- Gateway Gold Service & Support

\$2299

G6-200

- Intel 200MHz Pentium Pro Processor
- 64MB DRAM
- 256K Internal Cache
- 2GB Fast SCSI-2 9ms Hard Drive
- Adaptec® 2940 32-bit PCI Ultra SCSI Fast-20 Controller
- Matrox 4MB WRAM Graphics Accelerator w/ Video Scaler
- 4X SCSI-2 CD-ROM Drive
- 3.5" Diskette Drive
- Vivitron21 Color Monitor (19.9" viewable)
- 12-Bay Tower Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows NT Workstation 3.51
- MS Office 95, Professional Edition**
- Gateway Gold Service & Support

\$6999

P5-133 FAMILY PC

- Intel 133MHz Pentium Processor
- 16MB EDO Performance DRAM
- 1.62GB 9ms EIDE Hard Drive
- 2MB DRAM, 64-Bit PCI Graphics Accelerator with MPEG Video Scaler
- 6X EIDE CD-ROM Drive
- 16-Bit Gateway Sound Card
- Altec Lansing ACS-40 Speakers with ACS-250 Subwoofer
- TelePath 28.8 Fax/Modem with TAD*
- Gateway Information Highway CD
- 3.5" Diskette Drive
- CrystalScan17 .28dp Color Monitor (15.7" viewable)
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- Generations II Software Collection
- Gateway Gold Service & Support

\$2899

P5-133

- Intel 133MHz Pentium Processor
- 16MB EDO Performance DRAM
- 256K Pipelined Burst Cache
- 1.2GB 9ms EIDE Hard Drive
- 2MB DRAM, 64-Bit PCI Graphics Accelerator
- 6X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- Vivitron15 .26dp Color Monitor (13.9" viewable)
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Office 95, Professional Edition**
- Gateway Gold Service & Support

\$2399

**MS Office 95, Professional Edition includes Word, Excel, PowerPoint® presentation graphics program, Schedule+, Access database and Bookshelf® 95.

Gateway 2000 Manufacturing, North Sioux City, South Dakota, is ISO 9002 certified.



GSA Schedule # GS-00K-94-AGS-5150-PS01

<http://www.gw2k.com>



8 0 0 - 4 2 4 - 3 0 8 1

P5-166XL

- Intel 166MHz Pentium Processor
- 16MB EDO Performance DRAM
- 512K Pipelined Burst Cache
- 2GB EIDE 10ms Hard Drive
- Matrox® 2MB WRAM Graphics Accelerator w/ MPEG Video Scaler
- 6X EIDE CD-ROM Drive
- 16-Bit Ensoniq® Wavetable Sound Card
- Altec Lansing ACS-400 Speakers with ACS-250 Subwoofer
- TelePath 28.8 Fax/Modem with TAD*
- Gateway Information Highway CD
- 3.5" Diskette Drive
- Vivitron17 .26dp Color Monitor (15.9" viewable)
- 12-Bay Tower Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Office 95, Professional Edition*
- Generations II Software Collection with Gaming Pad
- Gateway Gold Premium Service

\$3899

P5-150

- Intel 150MHz Pentium Processor
- 16MB EDO Performance DRAM
- 256K Pipelined Burst Cache
- 1.62GB 9ms EIDE Hard Drive
- 2MB DRAM, 64-Bit PCI Graphics Accelerator
- 6X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- Vivitron17 .26dp Color Monitor (15.9" viewable)
- 7-Bay Mini Tower Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Office 95, Professional Edition
- Gateway Gold Service & Support

\$2899



■ Microsoft Encarta® 96 ■ MS Cinemania® 96 ■ MS Julia Child: Home Cooking with Master Chefs ■ MS Bob For Gateway 2000 ■ MS Works 95 ■ Publisher 95 ■ MS Money 4.0 ■ MS 2.0 ■ MS Music Central™ 96 ■ MS CD Sampler ■ MS Entertainment Packs 1-4 (31 fun games!) ■ Ca\$h Graf Home Of Plus™ ■ Mayo Clinic® Family Health ■ Mediomatics Arcade™ MPEG Player ■ The Masters®: Interactive Journey Through Its 60-Year History, for MPEG

Designed for



Microsoft Windows 95



610 Gateway Drive • P.O. Box 2000 • N. Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 800-846-4526 • International

FaxBack Access 605-232-2561 • Component Add-On Sales 800-846-2080 • Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (CST)

© 1996 Gateway 2000, Inc. Gateway 2000, CrystalScan, TelePath, black-and-white spot design, "G" logo, Gateway 2000 DuoLine and "You've got a friend in the business" slogan are registered trademarks, and Family PC, Gateway Gold, Kid's BackPack and Vivitron are trademarks of Gateway 2000, Inc. The Intel Inside Logo, Intel, Pentium and OverDrive are registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies. All prices and configurations are subject to change without notice or obligation. Prices do not include shipping or applicable sales tax.

Industry-leading values from Gateway 2000®

Multimedia (Sold only with the purchase of a system)

Audio Multimedia Kits

Choose a Gateway 16-bit CD-quality sound card or an Ensoniq® Soundscape™ 16-bit wavetable sound card. Both are Sound Blaster™ compatible and include two Altec™ Lansing ACS-40 speakers.

\$95 (Gateway 16-bit sound card and Altec ACS-40 speakers)

\$155 (Ensoniq Soundscape 16-bit wavetable and Altec ACS-40 speakers)

Multimedia Speaker Upgrades

Add the all-new Altec ACS-250 subwoofer for up to 40 watts of additional bass.

\$75 (upgrade from systems which include Altec ACS-40 speakers)

The Dolby® Surround Sound Gateway-exclusive ACS-400 speaker system will make your multimedia applications come alive with true theater-like surround sound. Complete with two Altec ACS-400 satellites and ACS-250 subwoofer.

\$120 (upgrade from systems which include Altec ACS-40 speakers)

4X Three-CD Changer

Enhance the value and usefulness of your PC with a 4X three-CD changer. You'll have access to three times the amount of information of a single CD-ROM drive.

\$40 (upgrade from systems with 6X CD-ROM drive)

Communications & Storage

(Sold only with the purchase of a system)

TelePath® 28.8 Fax/Modem with TAD

Internal fax/modem, 28,800bps modem, V.34, with 28,800bps fax capability. Sends and receives data and faxes, and includes Telephone Answering Device (TAD) for full voice mail capabilities. Includes trial memberships to CompuServe®, AOL and Prodigy® and more! **\$149** (TelePath 14.4 Fax/Modem \$79)

Colorado Memory System Jumbo 1400 TBU

CMS Jumbo 1400 internal tape backup unit with up to 1.36GB compressed (680MB native) storage capacity per tape. Comes with MS Windows and DOS® software, one tape and cable. **\$199**

Monitors (Sold only with the purchase of a system)

Gateway Vivitron™ Color Monitors

Non-interlaced color monitor using Sony® Trinitron® tube technology, capable of 1280 x 1024 resolution.

Gateway Vivitron15 Color Monitor, 26 dot pitch (13.9" viewable)
Upgrade from a CrystalScan®14 (13.4" viewable) to Vivitron15 **\$150**

Upgrade from a CrystalScan15 (13.9" viewable) to Vivitron15 **\$65**

Gateway Vivitron17 Color Monitor, 26 dot pitch (15.9" viewable)
Upgrade from a CrystalScan15 (13.9" viewable) to Vivitron17 **\$355**

Upgrade from a Vivitron15 (13.9" viewable) to Vivitron17 **\$290**

(Upgrade prices good only at time of system purchase.)

Networking (Sold only with the purchase of a system)

3Com® Ethernet Adapters

High-performance 16-bit Ethernet cards.

16-bit Triple Media Card with BNC, AUI and RJ-45 connectors **\$99**

16-bit Card with only RJ-45 connector **\$79**

SMC® ISA Ethernet Adapters

■ 16-bit Triple Media Card with BNC, AUI and RJ-45 connectors **\$79**

■ 16-bit Card with only RJ-45 connector **\$59**

Software (Available to both existing and new Gateway customers)

MS Windows® 95 Upgrade

Only available to our valued customers! Windows 95 will make your system faster and easier to use. Order your copy today! **\$79** (On diskettes \$89)

10th Anniversary Software Bundle

Includes BioForge™; Wing Commander® III: Heart of the Tiger™; Magic Carpet™ II: The Netherworlds; and a Gateway 2000 10th Anniversary T-shirt. **\$49**

(BioForge may not be suitable for younger children.)

Kid's Backpack™ II

Includes What is a Bellybutton?; The Tales of Peter Rabbit; Cinderella, The Original Fairy Tale; Freddi Fish™ and the Case of the Missing Kelp Seeds™; Pocahontas Reading Adventure, and a Gateway cow-spotted backpack. **\$59**

New

Gateway Gamer's Pack

Includes Command & Conquer™, Virtual Pool™, Straight/8, The Journeyman Project 2®: Buried in Time™, Terminal Velocity™, Primal Rage™, and a Gravis™ GamePad™. **\$79**

Finance Pack

Includes Quicken Deluxe 5, Quicken® Financial Planner™, Quicken Family Lawyer™, Quicken Parents' Guide To Money™, and a coupon to receive TurboTax® Deluxe upon release at no extra charge. **\$79**

Starter Pack: the Sequel

A new twist on our favorite software bundle! Includes Tuneland™; Cyberia™; Rand McNally TripMaker™; 70 Million Households Phone Book, Hometown® Weekend Home Projects, SimCity™, Consumer Survival Kit, and The 7th Guest™. **\$99**
Call and ask about our other value-priced software bundles!

Printers (Available to both existing and new Gateway customers)

Epson® Stylus™ Color IIs Ink Jet Printer

Photo-quality printing in color and black-and-white. Easy-to-use drivers are compatible with virtually all MS applications. **\$259** (plus \$30 rebate)

Epson Stylus Color II Ink Jet Printer

Perfect for the small business or home office, providing vivid color and crisp black-and-white printing at 720dpi. Plus it's quiet and compact! **\$399**

Hewlett® Packard DeskJet 600C Inkjet Printer

The HP 600C ColorSmart technology produces clear, vibrant color with 16.7 million colors to choose from! Black 600dpi printing on plain paper or up to 600 x 300dpi color printing. Includes 34 scalable typefaces. **\$259**

Hewlett Packard LaserJet 5L Printer

Add a professional edge to your outputs with 600dpi and HP Resolution Enhancement technology. Fast laser printing at four pages per minute. **\$479**

Hewlett Packard LaserJet 5P Printer

Full-featured HP LaserJet printer for your business printing needs. Provides up to 600dpi resolution at six pages per minute. **\$849**

All printers include parallel cable. Call for more printer options!

Service & Support

Gateway Gold™ Premium

- Extended Three-Year On-Site Agreement
 - Priority 800 Number For Access To Technical Experts
- \$99** at point of system sale
\$129 upgrade within current on-site service agreement



Gateway accepts most major credit cards and C.O.D. terms, with net 30-day terms and leasing options available to qualified commercial customers. You can also apply for the Gateway 2000 DuoLine™ MasterCard® card, issued by Dial National Bank, Des Moines, Iowa.



Ask About Our "90 Days No Payment" Program!



8 0 0 - 4 2 4 - 3 0 8 1

Call the Gateway 2000 special component add-ons division at 800-846-2080 for our complete line of extras for Gateway customers. Sales hours: 7am-10pm Weekdays.



Introducing IQ/Objects.™

The Only True Object-Based Query and Reporting Tool.

You already know that object technology is revolutionizing application development. Now you can put the power of objects in the hands of every business user.

A New Paradigm. With IQ/Objects, users create queries and reports with prefabricated building blocks called SmartObjects.™ SmartObjects are intelligent. They communicate with each other. And they're reusable. Users simply assemble these SmartObjects to create a limitless array of sophisticated queries and reports.

Simple and Sophisticated. IQ/Objects integrates and correlates information with unprecedented ease. With no more effort or expertise than it takes to use a word processor, any user can...query data from heterogeneous data sources...combine charts, multidimensional cross-tabs, and free form layouts on a single page...use parent/child reports to pass results from one query object to another...make any query object conditional...add watermarks, bitmaps, even audio and video clips!

See Query and Reporting In A Brilliant New Light.

"A breakthrough technology for query and reporting tools. A must on every enterprise's short list for data access solutions."

*Bob Moran
Aberdeen Group*

"IQ Software has brought the power of objects to mainstream business intelligence."

*John Rymer
Patricia Seybold Group*

"We looked at them all. IQ/Objects is indeed the best."

*Mitch Kaufman
Finova*

Usability and Scalability. A Microsoft Office look and feel makes IQ/Objects instantly usable. And, by combining IQ/Objects with IQ SmartServer for UNIX or NT, you get a highly scalable, three-tier architecture solution – ready for everything from workgroup decision support to enterprise-wide data warehouses.

Contact us today for your **FREE** evaluation copy of IQ/Objects. Compare its breakthrough technology against any other query and reporting tool. The difference is night and day.



800-458-0386

sales@iqsc.com

<http://www.iqsc.com>

For distributors in other countries, call IQ Software's U.S. headquarters. © 1995 IQ Software Corporation. The IQ Software logo is a registered trademark and IQ, IQ/Objects and IQ SmartServer are trademarks of IQ Software Corporation. All rights reserved. All other product names are trademarks or registered trademarks of their respective companies.

Circle 236 on Inquiry Card (RESELLERS: 237).

Highest performance PC X Server.
Fully X11R6 compliant and the fastest on the market today.

Common Desktop Environment (CDE).
Gives you the same look and feel across UNIX platforms as endorsed by SUN, HP, IBM, Novell, DEC, SGI, TriTeal, and other vendors.

Xtrace Protocol Tracer.
Captures X network protocol for greatly simplified troubleshooting and application debugging.

Support for up to VT 320 Emulation.
Including font resizing and scripting capabilities.

Exceed Basic Scripting Language.
For customizing applications and automating repetitive tasks.

Unique Launch Pad and Virtual Desktop.
User-programmable menuing facility with graphical interface simplifies window management and application launching.

Enhanced Xpress Serial Line Access.
Takes advantage of modem compression capabilities.

Unique full-featured X Development Kit.
Lets you port, design and run X clients right on the PC.

Graphical Keyboard Configurator.
Enables simple remapping of keys and key sequences.

RConfig and SConfig.
Even more powerful centralized network administration, configuration and installation facilities.

NFS.
New Hummingbird client for seamless sharing of network resources.

Xsession Drag-and-Drop Multiple Program Starter.
For concurrent startup of X, non-X, and Windows applications.

E-Mail.
Supports MIME standards for file attachments.

News Reader.
Provides simple access to USENET newsgroups.

PPP and SLIP support.
Provides IP over serial line connectivity.

XIE support.
Offers high performance image handling.

Also available in CD-ROM.

New Hummingbird VxD TCP/IP stack, plus Microsoft's TCP/IP stack.
Both support NFS and associated utilities.

TN3270.
Provides IBM terminal emulation.



We Just Exceeded eXceed.

Introducing Exceed 5 — the leading PC X server with a new suite of internetworking tools.

X It wasn't easy. But Hummingbird just topped its own world standard PC X server, the one that outsells the closest competitor by more than three to one. We did it by giving Exceed 5 even higher performance. Plus an extensive new set of internetworking tools. And ended up with a package that goes even further to meet your connectivity needs.

Exceed 5 still features everything you need for robust PC-to-UNIX integration, including an upgraded TCP/IP stack, Exceed/Xpress dial-up connectivity, powerful network administration facilities, and Hummingbird's exclusive

X Development programming tools. And now you also get numerous additional TCP/IP applications. Including the highest performance NFS client available today. And Exceed is the only family of PC X servers available for Windows, Windows NT, Windows 95, OS/2, and DOS.

So for the internetworking solution that keeps exceeding your expectations, turn to Exceed. It's the world's leading PC X server and a whole lot more. For more information or the name of the reseller serving you, call (416) 496-2200 or visit our web site at www.hummingbird.com

Now available for Windows, Windows NT & Windows 95.



HUMMINGBIRD®
COMMUNICATIONS LTD.

1 Sparks Avenue, North York, Ontario, Canada M2H 2W1 Tel: (416) 496-2200 Fax: (416) 496-2207 • Offices in: Washington DC, Mountain View CA & Raleigh NC, USA • Geneva, Switzerland • Paris, France • Munich, Germany • Maidenhead, UK
Exceed is a registered trademark of Hummingbird Communications Ltd. All other brand or product names are trademarks or registered trademarks of their respective companies. © 1995, Hummingbird Communications Ltd. Applications included may vary depending on the PC platform.

Circle 84 on Inquiry Card.

Put the Space in Cyberspace

UDO FLOHR

The world isn't flat, so why should the World Wide Web be? The Virtual Reality Markup Language (VRML) enables you to create and navigate through 3-D worlds on the Web.


What's it good for? Try this: Imagine a travel agency's home page. Instead of a boring list of choices or photos of destinations, you find yourself in a 3-D scene—a virtual travel agency. While waiting for the "agent," you step up to a poster of a resort. A mouse-click takes you into the scene in the poster, complete with trees, mountains, and a country club. Ordinary, flat Web pages will seem snore-inducing by comparison. In addition, the "no-interface" interface will appeal to the neophyte net surfer.

VRML (it rhymes with thermal) is a specification for defining 3-D environments—worlds—on the Web. It aims to create a Web environment requiring no training, no metaphor, and no interface. In Mark Pesce's groundbreaking book *VRML—Browsing and Building Cyberspace* (New Riders Publishing), Web creator Tim Berners-Lee reasons that navigating 3-D space is more natural than clicking through hyperlinked text pages. You can explore virtual cities or museums and view 3-D representations of data. Like hot-linking through the Web, you can jump from one 3-D VRML world to another.

A Language of Space

VRML's designers (Pesce, Gavin Bell, and Tony Parisi) had three requirements for VRML 1.0: It had to be platform-independent, suited for low-bandwidth network connections, and extensible. They sacrificed other features, including interactivity. You can see that virtual basketball and move around it, but you can't dribble it—not yet, anyway.

They postponed interactivity to avoid a language war. People don't get excited about the syntax of a language for describing polygonal objects, says the VRML specification, but they do get excited about syntax for manipulating "real" objects. They know they can't avoid the issue of adding "real" language features to



DOUGLAS FRASER © 1996

Create and explore 3-D Web worlds with the Virtual Reality Markup Language

VRML forever—arbitrary interactive behavior is critical to VRML's long-term success. Therefore, the plan is to include it in version 2.0.

Although it's not an extension to the Hypertext Markup Language (HTML)—and HTML browsers cannot interpret it—VRML is similar to HTML in a few ways.

Like HTML, VRML is a platform-independent, document-centered ASCII language. Unlike HTML, it tells the computer how to create 3-D worlds. Developers construct complex objects—nodes in VRML parlance—from polygons and solids. However, VRML is more than geometry: You can specify light sources, the object materials, and effects such as fog.

Besides polygons and 3-D items, a node can contain a JPEG image or even MIDI sound data. A VRML page can also include links (which are called anchors) to other VRML documents, HTML documents—whatever. A VRML object (or part of an object) can link to any other item on the Internet. All this information goes into an ASCII text file that typically has the extension .wrl. When you point your VRML-enabled browser at a

A World with a View

Not all Virtual Reality Markup Language (VRML) viewers are the same, or even equivalent. Distinguishing features include the speed and quality of the rendering software that displays VRML worlds on different platforms. Here are some of the most notable viewers:

- **WebSpace.** Not surprisingly, Silicon Graphics, whose Open Inventor graphics library provided the basis for VRML, announced the first VRML browser, WebSpace. Template Graphics developed WebSpace, and it's available (<http://webpace.sgi.com/>) for multiple platforms, including Silicon Graphics' workstations and Windows NT.
- **WebFX.** Paper Software's viewer for Windows is a helper application within popular World Wide Web browsers (including Quarterdeck's Mosaic and Netscape). According to Paper Software's president Michael McCue, the company's Web site (<http://www.paperinc.com/worlds.html>) registered 13,000 hits on the first day that WebFX became available.
- **WorldView.** Intervista is a company that involves VRML originators Mark Pesce and Tony Parisi. Its WorldView viewer is compatible with all flavors of Windows. WorldView (<http://www.intervista.com/worldview.html>) uses RenderMorphics' RealityLab, which Microsoft acquired, for rendering.
- **Fountain.** Caligari's stand-alone browser (for Windows) supports both the Hypertext Markup Language (HTML) and VRML. It was a

finalist in BYTE's Best of Comdex Awards. Fountain (<http://www.caligari.com/ws/fount.html>) can also build and edit worlds.

- **Whirlwind.** For a while, there was a shortage of viewers for the Mac, but then came Whirlwind (http://www.info.apple.com/qd3d/Panel/page1_3_1.html). Created by Bill Enright and John Louch, it requires Apple's QuickDraw 3D, which doesn't fly short of a Power Mac with 16 MB of memory.
- **Voyager.** Virtus (<http://www.virtus.com/virtuspro.html>), maker of the 3-D modeling package WalkThrough Pro, created this Mac browser. It works without QuickDraw 3D.
- **VRweb.** The Hyper-G team at the University of Graz (Austria), cooperating with the National Center for Supercomputing Applications (NCSA) and the University of Minnesota, has developed VRweb, a VRML viewer for Unix and the three Windows platforms.
- **Internet Explorer.** At press time, Microsoft was offering a beta VRML add-in for its browser at <http://www.microsoft.com/windows/ie/ie.htm>.

To find information on VRML browsers, builders, tools, documentation, and sample VRML worlds, check out San Diego Supercomputer Center's VRML Repository at <http://www.sdsc.edu/vrml>.

A VRML programming library, with source code for virtual-reality rendering tools, is freely available in the public domain at <http://www.eit.com/vrml/qv.html>.

VRML page, you enter the world that's described by the file.

As the World Downloads

VRML operates within the basic Web browser-server paradigm. Servers interpret browser requests and, with any luck, return the requested document, preceded by the document's tag, or Multipurpose Internet Mail Extensions (MIME) type. The MIME type for VRML documents is x-world/x-vrml. You can view them with a VRML viewer and a browser configured to use that viewer. It's simple.

On the server side, you may distribute a VRML world across several servers. Part of a scene may come from one place, and links may connect to a different server at a different location. VRML files use a nested-object representation, sending the overall picture information first and the details later. In practice, this means scenes and

objects first display as a rectangle (the bounding box) and the detail increases as more information arrives. Consequently, you can start navigating with your VRML viewer while not-yet-visible details and objects load. This makes VRML more bearable on slow connections and machines.

The viewer's navigation interface typically includes directional buttons or a joystick or handlebar. It can also use just mouse-clicks and drags. As the mouse pointer passes over a link (e.g., an elevator button in the scene), that object changes color. If you click on a link, a new document loads: another VRML world, an audio or video document, or a dull, old 2-D Web page. If the VRML viewer comes across a link to a non-VRML data type, it brings up a helper application.

Hunger for World Power

VRML is definitely not for the fainthearted CPU. Animated 3-D scenes are heavy computing applications, even if you're not fussy about photo-realistic rendering. If you have insufficient computing power, you should expect to see sluggish navigation, stuttering

frames, and artifacts (e.g., jagged edges).


Developers can use a few VRML features to lessen these performance horrors.

continued

World Processing

You probably don't want to plan on writing the Virtual Reality Markup Language (VRML) in your text editor. Even though VRML's designers wanted to let nonprogrammers create their own virtual spaces quickly and painlessly, it's not quite as simple to describe a 3-D scene as it is to describe a page in the Hypertext Markup Language (HTML). Fortunately, many existing modeling and CAD tools now offer VRML export, and VRML-centered tools are arriving. Animation, texturing, and photo-realistic rendering are among the qualities that distinguish VRML authoring tools from one another. Here are some of the top tools:

- **Open Inventor (Silicon Graphics):** This object-oriented 3-D toolkit for Silicon Graphics workstations provided the basis for much of VRML. Think of it as the original.
- **Virtual Home Space Builder (ParaGraph International):** Based on the Virtual Home Museum System for children, this Windows VRML modeler is less complex than others, but it's easy to use, inexpensive, and less demanding on the hardware.
- **Genesis World Builder and G Web (Virtual Presence):** These tools are used for building worlds and VRML publishing, respectively, for Windows and various Unix workstations.
- **WalkThrough Pro (Virtus):** A high-end Mac and Windows 3-D scene designer with VRML export, WalkThrough Pro even supports stereo glasses. It creates stand-alone models to distribute with the freeware Virtus Player.
- **StudioPro (Strata):** A high-end modeling and rendering application, it provides output for both VRML and QuickTime VR. StudioPro makes full use of QuickDraw 3D and requires a Power Mac.



ParaGraph International's Virtual Home Space Builder lets you build, view, and navigate 3-D scenes in VRML.

E T
E A D Y
O R A N
P L O S I V E
I S U A L
P E R I E N C E !

BOOM!
BOOM!




LET THE EXPERIENCE BEGIN : 1-800-827-3998

MAG INNOVISION PROUDLY PRESENTS THE TECHNITRON™ SERIES OF HIGH PERFORMANCE MONITORS WITH COLORS SO BRILLIANT, THEY PROMISE TO GIVE THE MONITOR MARKET A JOLT.

AS ONE OF THE LEADING MANUFACTURERS OF HIGH RESOLUTION MONITORS, MAG INNOVISION HAS WON NUMEROUS INDUSTRY AWARDS FOR ITS INNOVATIVE DESIGN, STATE-OF-THE-ART ENGINEERING AND UNCOMPROMISING QUALITY. OUR NEW TECHNITRON SERIES IS NO EXCEPTION.

THE TECHNITRON SERIES FEATURES TRINITRON® CRTs FOR UNMATCHED COLORS, DIGITAL USER CONTROLS FOR SUPERIOR COMPATIBILITY AND FLEXIBILITY, AND CROSS PLATFORM CAPABILITY TO FIT EVERY APPLICATION.

TO ASSURE THAT YOUR MAG INNOVISION MONITOR WILL SERVE YOU FOR YEARS TO COME, EVERY MONITOR COMES WITH A 3-YEAR LIMITED WARRANTY, WITH OPTIONAL EXTENDED SERVICE PLANS AVAILABLE. BACKED BY OUR AWARD WINNING SERVICE AND SUPPORT, MAG MONITORS ARE BUILT TO LAST.



AS AN INTRODUCTORY OFFER**, EACH MONITOR IN THE TECHNITRON SERIES ALSO COMES WITH FREE COLORIFIC COLOR MANAGEMENT SOFTWARE SO THAT COLORS CAN BE ACCURATELY TRANSLATED TO THE PRINTED PAGE.

WHETHER YOUR PLATFORM OF CHOICE IS WINDOWS®, UNIX OR MAC™ OS BASED, A MAG INNOVISION MONITOR WILL MEET YOUR REQUIREMENTS. FOR COMPLETE SPECIFICATIONS AND MORE INFORMATION ON OUR PRODUCTS AND PROGRAMS CALL 1-800-827-3998 EXT. 5. OR VISIT OUR HOME PAGE AT [HTTP://WWW.MAGINNOVISION.COM](http://www.maginnovision.com). WE'LL BE HAPPY TO PROVIDE YOU WITH THE INFORMATION YOU NEED TO MAKE THE RIGHT CHOICE.

TECHNITRON. IT'S THE WAY COLORS ARE MEANT TO BE SEEN.

2801 SOUTH YALE STREET, SANTA ANA, CA 92704 • TEL 1-800-827-3998
OR 1-714-751-2008 • FAX 1-714-751-5522 • MAGICFAX 1-714-751-0166

© MAG INNOVISION CO., INC. ALL RIGHTS RESERVED. THE FOLLOWING ARE TRADEMARKS OF THEIR RESPECTIVE COMPANIES: COLORIFIC OF SONNETECH, LTD.; KODAK COLOR MANAGEMENT SOFTWARE OF EASTMAN KODAK COMPANY; TRINITRON OF SONY; WINDOWS OF MICROSOFT; MAC OS OF APPLE. ALL OTHER TRADEMARKS ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



Circle 609 on Inquiry Card.



DX15T

(14" VIEWABLE) TRINITRON® CRT
SCREEN DISPLAY
OR CONTROL
9 MSRP*
E COLORIFIC SOFTWARE**



DX17T

(16.1" VIEWABLE) TRINITRON® CRT
AMIC FOCUS
EN GEOMETRY CONTROLS
9 MSRP*
E COLORIFIC SOFTWARE**

Manufacturer's Suggested Retail Price. Actual end price may vary.
d-time FREE Colorific Color Management
Offer valid through April 30 1996.

PUT THE SPACE IN CYBERSPACE

For example, VRML's point of view is a camera. Normally, as you navigate through a VRML scene, you move the camera around—which is a compute- and bandwidth-intensive process. So, often a world's creator will define vista points—predefined viewpoints that you can jump to directly—to speed motion to important points of view.

Another trick is to vary the level of detail. If you're far away from an object, you don't need the same level of detail as you would if you're close to it. The VRML definition cleverly uses this opportunity for optimization by employing a nested format for objects. The level of detail (LOD) feature switches between different representations of an object automatically, from low to high detail, depending on how close the object is.

Even with these tricks, it makes sense that Silicon Graphics is big on VRML: Virtual reality and 3-D rendering still work best on high-end graphics workstations. For the rest of us, a 100-MHz Pentium machine with 32 MB of memory and Windows acceleration hardware or a Power Mac will do.

Ample bandwidth is a necessity. Even though VRML describes 3-D objects efficiently, a complex scene has many polygons, and textures require much data. Some experts suggest that ISDN is the minimum to explore the 3-D Web seriously. Unless you enjoy watching virtual grass grow, a 28.8-Kbps modem is the minimum.

Worlds to Come

Future VRML objects will know about physics, for animation and user interaction. You will be able to rearrange the furniture or bounce a ball. Apparently, VRML developers are contemplating using Sun

Exploring the Worlds

With your hardware and software in order, it's time to explore the brave new worlds of the Virtual Reality Markup Language (VRML). As is usual on the Internet, there's a tremendous variety of material. Here are some of the most interesting sites:

- <http://bug.village.virginia.edu>
Filmmaker David Blair, with artists and virtual-reality gurus, is turning his movie WAX: or the Discovery of Television Among the Bees into a 9000-virtual-room 3-D experience, with a soundtrack in English, Japanese, French, or German.
- http://www.addict.com/ATN/Sonic_Lodge/register.html
The Internet Underground Music Archive (IUMA), a popular site to download off-mainstream tunes, is now working with Mark Pesce. It contains a Sonic Lodge living room with a virtual

sofa, virtual magazines (that tap into existing IUMA World Wide Web pages), and a virtual CD player to play music.

- <http://www.hyperion.com/planet9/vrsoma.htm>
Virtual SoMa links the Web pages of businesses in the South of Market neighborhood of San Francisco in a 3-D street scene.
- gopher://boombox.micro.umn.edu:70/11/gopher/Macintosh-TurboGopher
The University of Minneapolis gopher team offers TurboGopher VR, a client application that shows "Gopherspace" as virtual buildings representing files and directories, and advertising their content on billboards.
- <http://www.sgi.com/products/webforce/stock1.wrl>
A Web-server script can generate VRML images on the fly. For example, Clay Graham of Silicon Graphics has a script to display the company's current stock price as a financial thermometer.

Microsystems' Java programming language, which downloads small applets, to execute functions. Future VRML will also support video and sound data streams, both ambient and tied to specific objects.


After all that comes user-user interaction. Researchers at the German National Research Center for Information Technology are developing a multiuser extension to VRML. It will control how and when users appear to others in a virtual environment.

IBM is also getting involved, although it's been vague in its statements. In August 1995, IBM announced a VRML extension called VRML+. According to IBM multimedia director Willie Chiu, it will make "a lot more services available." So far, the impact of IBM's initiative has not been apparent.

Where To?

It's not as if VRML viewers are going to replace existing HTML-based Web browsers. HTML will remain the standard for text pages with hyperlinked graphics and text. Is it true then that VRML brings us the Web without the interface? Not exactly. Walking or flying through a scene might be more natural than scrolling through a Web page, but you still have to learn how. Also, authoring tools are complex to use.

So what is it good for? As a new medium within a new medium, it's difficult to predict. Initially, Web sites will probably use it as they use RealAudio and ShockWave—for extra glitz. But it can do far more. Already, architecture and industrial-



This code provides a test for level of detail (LOD) for a very strange, imaginary object. From far away, it looks like a cone (LODCONE.PCX). From the middle distance, it looks like a bumpy sphere (LODSPHER.PCX). From close up, it looks like a cube (LODCUBE.PCX).

VRML Sample Code

```
#VRML V1.0 ascii
# test file for LOD (level of detail)

Material { diffuseColor 0 1 0 }
LOD {
  center 0 0 0 # center of children
  range [ 5, 10 ] # increasing ranges
  # for n ranges there should be n+1 children
  # too few children: use last one
  # too many children: ignored
  Cube { } # for [0, 3)
  Sphere { } # for [3, 5)
  Cone { } # for [5, inf)
  # Cylinder { }
}
```

design firms are using VRML to construct static models to display to customers and the general public. Some companies are experimenting with using 3-D effects to aid in navigation around their Web sites. And it won't be long before we see sites using moving 3-D representations of dynamic data. ■

Udo Flohr is a BYTE contributing editor based in Hannover, Germany. To reach him on the Internet, send E-mail to flohr@dfn.de.

Caligari Corp.
Mountain View, CA
(800) 351-7620
(415) 390-9600
fax: (415) 390-9755
<http://www.caligari.com>

Intervista Software
San Francisco, CA
(415) 648-2749

Paper Software
Woodstock, NY
(914) 679-2440
fax: (914) 679-4123

ParaGraph International
Campbell, CA
(408) 364-7700
fax: (408) 374-5466
<http://www.us.paragraph.com>

Silicon Graphics, Inc.
Mountain View, CA
(800) 800-7441
(415) 960-1980
fax: (415) 961-0595
<http://www.sgi.com>

Strata, Inc.
St. George, UT
(800) 869-6855
(801) 628-5218
fax: (801) 628-9756
<http://www.strata3d.com>

Virtual Presence, Ltd.
London, U.K.
+44 171 252 2922
fax: +44 171 237 1360

Virtus Corp.
Cary, NC
(800) 847-8871
(919) 467-9700
fax: (919) 460-4530
<http://www.virtus.com>

Opening PBX Doors

SALVATORE SALAMONE


I'm going to conference-in Bob now. If I lose you, I'll call you right back." An excuse to hang up on you? Or is setting up a conference call really that confusing? Probably the latter, considering that a typical office phone has a few dozen features and maybe 20 keys. You might complain about computer user interfaces, but nothing tops a telephone. Imagine if your banker said, "I'm going to try to withdraw the money for you now, but I may just stop halfway through and leave you standing there."

Conference calls may seem like small potatoes, but they're part of the larger issue of getting PBXes to talk to computers. There is hope. We're starting to see the first of many data-friendly PBXes. Major players in the PBX market, including AT&T, Fujitsu, Mitel, NEC, Nortel (formerly known as Northern Telecom), and Siemens ROLM, are offering better connectivity between the PBX and the LAN. They're also opening up the architecture of the PBX so it's easier to tap a PBX's functions and services. And they're making the PBX a better network citizen by adding support for traditional data network management.

How It Works

Before you start plugging cards into your server and installing software on your PBX, you should probably know what's going on in there. A PBX is easy to understand, at least from a high level: it's a switch. It has a bus into which you plug cards that provide various functions, such as ISDN and Switched 56 service, or for plugging telephones (or other devices) into the outside world.

These devices, which all have their own unique addresses, set up virtual circuits with other devices. When you pick up your telephone and dial an internal extension, the PBX basically hands your phone's address to a memory location that's reserved by the other extension's telephone, and vice versa, then sends a ring signal to the other phone. Easy enough. The switch part of the PBX keeps track of all the exchanged memory locations and routes signals to the appropriate ones. A central processor and a



DOUGLAS FRASER © 1996

Once the mainframes of telephony, PBXes are making their way onto PC networks

real-time operating system control the switch.

Recently, PBX vendors have added the capability to handle data directly from PCs and LANs. There are two approaches to handling data traffic in a PBX. One is to dedicate PBX channels to data traffic and circuit-switch that traffic; basically, the PBX handles voice and data the same way (see the figure "Dialing for

Data" on page 64NA 2). The other approach is to switch voice traffic through the PBX but use LAN-based packet switching for the data, essentially creating a hybrid PBX/LAN hub (see the figure "Bringing It Together" on page 64NA 2).

Today it makes sense that you could run data and voice over a PBX. It's just a digital signal, after all. PBX vendors even created digital PBXes that could handle both voice and data as many as 10 years ago. But it's not that simple. The problem lies in the PBX's closed architecture.

The first PBXes had closed hardware and software architectures that were tightly integrated. Hardware was usually proprietary—the processors were often designed specifically for a vendor's

OPENING PBX DOORS


PBX. Since the hardware was proprietary, so was the OS. And since the OS was proprietary, all the applications were, too. Consequently, PBX functions like call processing were closely tied to a specific PBX model (or, if you were lucky, to a PBX family). With all this proprietary design, software vendors were a little concerned about developing for a PBX that would become extinct. Consequently, they didn't develop the software that would have facilitated the joining of PBX and computer or network.

Today, most vendors build their PBXes around commonly available processors running common operating systems (typically Unix) and use common programming languages (C and C++). Modular architectures have replaced monolithic, and all functional aspects, such as systems management, applications, and applications management, are decoupled from each other (see "Building Blocks Stack Up" on page 64NA 6).

This architectural change makes it much easier to develop, troubleshoot, and add new applications to a PBX. Granted, you probably won't go off and develop a quick telephony app, but you're no longer stuck waiting for the PBX vendor to modify its software for a new service or function. You can now choose from many telephone VARs and systems integrators to write applications for you.

The modular software approach also makes it easier to take advantage of new telecommunication services, such as wireless networks, as they become available. A PBX manufacturer would have to provide only wireless network interfaces and wireless call-management software in order

Dialing for Data



for you to connect to a wireless service.

Additionally, the modular approach decouples the call-processing functions of a PBX from the actual switching fabric. That means the same administrative and management functions can be applied to different switch fabrics. In essence, you can upgrade a PBX's switching fabric to a new technology, such as asynchronous transfer mode (ATM), without having to redo all the software.

PBX Glasnost

Thanks to open hardware and software architectures, PBX vendors can now offer more features and newer WAN services faster than they could in the past. Suddenly, PBXes look pretty attractive to data networking folks. And additional modifications will enhance the PBX's status as a data network element.

For example, it's now easier to connect a PC or a LAN to a PBX. Older PBXes have low-speed, proprietary connections between the PBX and any data device—64 Kbps was typical.


Much has changed. PBX vendors have added higher-speed data interfaces and embraced standard approaches to connect the networking environment with the PBX. These approaches include TCP/IP connections and support for new APIs.

A Uniform Language

Probably the most important development in the last two years is the near universal support by PBX vendors of two programming interfaces: AT&T and Novell's Telephony Services API (TSAPI) and Intel and Microsoft's Telephone API (TAPI). These two APIs provide standard ways for PCs to give PBXes orders and receive information back. Historically, integrating computers and PBXes was expensive—it was something you did with several hundred-thousand dollars' worth of hardware and software. Today you can buy VBXes and OLE Controls that you can plug into any Visual Basic application. You can generate a telephony-enabled application for about a hundred dollars, and ready-to-roll applications would cost you only a few hundred dollars per seat.

TSAPI creates a logical connection over a LAN between the computer and the telephone on a person's desk (see "Logical Links" on page 64NA 8). It defines the function calls the client and server applications use to manage and execute telephony services. This has been possible for a while, but older systems used a physical connection between the computer and

Bringing It Together



Now Everyone Can Have The Superior Monitor.



If you've always wanted a top performing monitor, now is the time.

Professionals everywhere are warming up to the new Nanao monitors. From the frozen tundra to sun-drenched beach towns, Nanao is becoming a familiar name. And CAD/CAM, document imaging and graphics professionals are finding it hard to resist our high-powered 21" models under any conditions. Our innovative new FlexScan F2-21 and FX2-21 monitors are designed to support today's high-end graphics applications, and feature the highest flicker free 1600 x 1200 resolutions, wide bandwidth and built-in

on-screen display control. Both models also include Nanao's innovative 256 (16 x 16) grid Digital Convergence, a new technology that eliminates convergence errors to produce a precise screen image. Both models now ship with ScreenManager™ Pro software,* a mouse-driven collection of powerful image controls that allow you to set up your display with point-and-click ease. Spec for spec – and feature for feature – the F2-21 and FX2-21 are setting new industry standards. Isn't it time to get the high quality 21" monitor you've always wanted? The F2-21 and FX2-21 are available now from Nanao.

F2-21

Dot Pitch	0.28mm
Actual Viewing Diag.	19.8"
Scan Freq.	H:30-90kHz, V:55-160Hz
Rec. Resol.	1280 x 1024 @ up to 85Hz
Max Resol.	1600 x 1200 @ up to 72Hz
Bandwidth	130MHz
On Screen Control	ScreenManager™ and MPRII, TCO optional

FX2-21

Dot Pitch	0.26mm
Actual Viewing Diag.	19.8"
Scan Freq.	H:31.5-102kHz, V:55-160Hz
Rec. Resol.	1600 x 1200 @ up to 82Hz
Max Resol.	1600 x 1280 @ up to 80Hz
Bandwidth	200MHz
On Screen Control	ScreenManager™ and ScreenManager™ Pro
Standards	MPRII, TCO

3-year warranty**



CALL OUR FLEXFAX FAX ON DEMAND 1-800-416-FLEX

*Expires 12/31/95 while supplies last. **3 year on P & L and CRT. Superior In Every Detail is a registered trademark of Nanao Corporation. All product names are trademarks of their respective companies. ©1995 Nanao USA Corporation.


NANAO®

Superior In Every Detail

NANAO USA CORPORATION
23535 Telo Avenue, Torrance, CA 90505
(310) 325-5202 Fax: (310) 530-1679

1-800-800-5202

Circle 605 on Inquiry Card (RESELLERS: 606).

A full-page background image showing a daredevil in mid-air, jumping off a cliff. The scene is set against a warm, orange-hued sky at sunset or sunrise. The daredevil's legs and feet are visible as they fall away from the cliff edge.

**You go swimming only minutes
after eating.**

You walk under ladders.

**You use a butter knife to remove
toast from the toaster.**

**Then you go and test your
client/server design at an IBM
Open Systems Center.**

So much for your daredevil image.

Even those who live on the edge know they shouldn't take chances when designing a client/server system for their business. With so much to be gained, you have to be sure that everything goes just right.

Think of an IBM Open Systems Center (actually, there are 42 of them around the world) as a proving ground for client/server applications. Here, no stone is left unturned.

For starters, skilled consultants will help you design and test your system before you build it. From developing proof-of-concept prototypes to integrating new technologies to anticipating long-term performance, they'll help make sure the system you design today is flexible enough to meet your needs tomorrow.

Does your current system use hardware and software from a variety of vendors? At an IBM Open Systems Center you'll find a wealth of experience in designing multivendor environments. And, just as important, a willingness to look for solutions wherever they might exist. So you can design a system that lives up to everyone's expectations.

Of course, you'll also find the skills you need to better evaluate technology alternatives, explore interoperability options, address

**Can your
computer
company
do this?**

security concerns, even identify ways to expand your system down the road.


All to make sure your investment remains secure and your system intact.

To find out how your company can realize the rewards of client/server, call us at 1 800 IBM-3333, ext. JA005. Or visit us on the Net at <http://www.csc.ibm.com>

And please, be careful out there.



Solutions for a small planet™



OPENING PBX DOORS

the telephone—a computer with an adapter card that incorporates a jack for a phone handset, for example.

A common use of TSAPI is automatic call distribution (ACD), where a call can be routed based on the time of day, day of the week, information the caller enters in an interactive voice response system, or the caller's telephone number. Most ACD systems link calls to data that they make available on someone's PC. For example, in a bank's customer-service department, the ACD system would display the caller's account information on the PC screen as the bank employee picked up the phone.

To achieve such integration requires that the PBX and the LAN server (to which the PCs are connected) work closely together. The PBX must support the NetWare Telephone Services (NTS). Most major PBXes, such as those from AT&T, Fujitsu, Mitel, and NEC, do.

TSAPI also requires several software components on the server. Specifically, a NetWare file server must run a set of NetWare loadable modules (NLMs) that establish and maintain the logical connection between each phone and desktop computer. These NLMs include Novell's TServer, a PBX driver, and a PBX link driver. TServer is the TSAPI NLM. It defines how a PBX and a computer communicate. It's through this interface that a client sends requests to a PBX to do things like dial a telephone number.

The PBX driver takes client requests and translates them into the proprietary command language the PBX understands. It then passes the instructions to the PBX through the PBX link driver, which simply passes the commands across the link connecting the PBX and the server. The PBX vendor supplies these two drivers.

When you put it all together, it works like this: The client sends its requests for telephony services over the LAN to the TServer NLM using the SPX protocol. The TServer NLM talks to the PBX driver, which routes the TSAPI request to the PBX via the link driver. When the PBX receives a request, it carries out the action.

In the case of the customer-service department, for example, a TSAPI-enabled ACD application would direct an incoming call to the appropriate associate, ring that person's phone, and pop the caller's account information up on the associate's computer screen.

There are many third-party developers writing TSAPI-enabled applications. CallWare Technologies, for instance, offers several telephony NLMs that provide features such as voice mail, auto attendant, and audiotext (which allows a user to

record frequently requested information). One NLM, VoiceView, allows users to manage all their voice messages through a simple PC-based graphical interface.

Another CallWare NLM supports NetWare Directory Services. It lets a network manager administer both the data network and the CallWare voice-messaging system from one point. For example, from a single NDS user object, an administrator can set access rights to all network files, enable CallWare to notify your pager when you receive voice mail, and add or change CallWare voice-mailbox assignments.

Applied Voice Technology offers a TSAPI-enabled interactive voice-response product called CallXpress3 Automated Agent. The system can use either caller ID or automatic number identification (ANI) to direct a call to a customer-service associate or order-entry agent. If caller ID or ANI are not available, Call-Xpress enables you to write automated agent scripts to ask the caller who they are and why they are calling. Regardless of the way it identifies a caller, CallXpress routes the call to an appropriate person and brings up the caller's files on that person's computer screen.

Aurora Systems offers TSAPI-based middleware tools to endow any Windows application, such as a database management or contact management program, with telephony capabilities. The tools let you route incoming calls based on caller ID or ANI and open an application screen dis-

playing the calling customer's information. Users could transfer the call to another person, who would receive the customer's records along with the call. For outgoing calls, Aurora's software enables a user to access any telephone function with the computer's keyboard instead; for example, a user could set up conference calls by clicking on names in a database.


The TAPI Alternative

PBX vendors and developers of computer telephony integration (CTI) applications are also considering TAPI. TAPI's strength is its tight integration with Windows. A user can dial, forward, and transfer calls from any TAPI-enabled application. And any off-the-shelf application running on a Windows PC can access TAPI services. That means, for example, you can place calls from your existing customer database by double-clicking on a customer's phone number displayed on your screen.

Last year, many leading PBX vendors, such as Mitel, NEC, and Nortel, announced they'd support TAPI in their PBXes. However, unlike the case with TSAPI, most of the TAPI activity by third-party developers has focused on desktop applications and not on LAN-based TAPI-enabled applications. The reason is simple: The server part of TAPI is not available. (Sources at Microsoft tell us it should be by the time this issue is out.)

Last March, Microsoft announced it would port TAPI to Windows NT. And

Building Blocks Add Up



Architecturally, PBXes use a modular hardware and software approach that allows you to quickly add support for new telephone services as they become available.

CALL NOW FOR
YOUR FREE DEMO!

The people have spoken.

 **Attachmate**

"KEA!™ FOR VAX®/UNIX: CONNECTIVITY PRODUCT OF THE YEAR."

AGAIN, FOR THE THIRD STRAIGHT YEAR, THE READERS OF DEC USER CAST THEIR VOTES FOR KEA! FROM ATTACHMATE® AS THE BEST PC-TO-VAX CONNECTIVITY PRODUCT.

THOSE CUSTOMERS ARE NOT ALONE. AFTER EXTENSIVE COMPETITIVE TESTING, DIGITAL® CAME TO THE SAME CONCLUSION WHEN THEY DECIDED TO BUNDLE KEA! 340 FOR WINDOWS NT™ WITH THEIR NEW MULTIA PRODUCT. AND MAKE IT THEIR OWN INTERNAL CONNECTIVITY STANDARD.

ACCLAIMED FOR ITS POWER, SIMPLICITY, VERSATILITY AND SECURITY, KEA! USERS THE WORLD OVER CAN HAVE CUSTOM COLORS, KEYBOARD MAPPING, MENUS AND DIALOG BOXES FOR EACH HOST APPLICATION THEY USE, ALL IN A WINDOWS® ENVIRONMENT.

WHEN IT COMES TO EMPOWERING YOUR WORKSTATIONS, NOTHING IN THE VAX/UNIX ARENA CAN MATCH KEA!. TO DEVELOP CUSTOM CLIENT/SERVER APPLICATIONS, ONLY KEA! INCLUDES INTEGRATED SUPPORT FOR VISUAL BASIC®, POWERBUILDER™ AS WELL AS QUICKAPP®, THE POINT-AND-CLICK CODE WRITER.


YEAR AFTER YEAR THE PROFESSIONALS KEEP COMING BACK TO KEA! 340/420 FOR WINDOWS, WINDOWS 95 AND WINDOWS NT.

FOR YOUR FREE DEMO DISK OR TO QUALIFY FOR A FREE EVALUATION COPY, CALL 800-426-6283 OR 206-644-4010 AND MENTION RESPONSE CODE 322.01. OR VISIT OUR WEB SITE.
URL: [HTTP://WWW.ATTACHMATE.COM](http://WWW.ATTACHMATE.COM)


Circle 604 on Inquiry Card.

**NOW
INCLUDES
TCP/IP!**


KEA!
for
VAX/UNIX




Users get trained very, very quickly.




*Terrific tech support:
a great bunch of people.*




*The best connectivity
I've ever seen.*



*It's a snap to
customize my sessions.*



*Our developers find the
tool support unmatched.*



Wow man... I love the colors!

OPENING PBX DOORS


last fall, Microsoft said it would give vendors the necessary code to develop TAPI drivers. Such drivers, like the TSAPI drivers, would translate the TAPI commands and requests for services into the proprietary command language of each PBX vendor's switching system.

The anticipation of TAPI-enabled servers and PBXes has primed the CTI application pump. At last fall's Comdex, several vendors showed or announced LAN-based CTI applications built around TAPI. Nortel demonstrated its TAPI toolkit that offers many call-processing and routing utilities from which you can build LAN CTI applications. Dialogic late last year introduced a TAPI-based version of its CT-Connect software, which hooks a PBX to a LAN, providing applications with call-status information.

Faster Links

TSAPI and TAPI help open the software that talks to a PBX. PBX vendors are also adding support for standard interfaces, such as ISDN and Ethernet, to address the physical openness, and they're adding open network protocols to get PBXes talking to LANs. About two years ago, InteCom offered TCP/IP connectivity for its PBXes. Last year, AT&T and Mitel did, too.

Having TCP/IP is great, but enterprise network managers are not likely to add



any device to their networks that doesn't appear on their management consoles. Easily done: Vendors are making PBXes so they can be managed by SNMP. PBXes have always had extensive diagnostic and management systems, but they've been proprietary: All the information about the system and call status has not been accessible from your standard network management platforms, such as HP OpenView or SunNet Manager.

SNMP changes that. AT&T's OneVision Definity Fault Management system, for example, employs SNMP to pass PBX

status information to a network administrator. The system uses hardware and a software proxy agent to convert Definity's proprietary management data protocol into SNMP Management Information Base II (MIB II) data that is accessible through HP OpenView.

Bright Future

The efforts by PBX vendors in the last two years to make their products more data-friendly are starting to show results. We're seeing the first wave of standards-based CTI applications and a tighter integration between LANs and voice networks. The PBX is now a communications server in a LAN environment.

Some PBX vendors are adding server functions to their products. Basically, they're taking a processor in

the PBX and running NT or NetWare on it. PBX features, such as call-forwarding, become available to data applications. With the tight integration of PBX services and network operating systems, standard telecom functions can more easily be made available to LAN applications.

But the real buzz has to do with the future of the PBX. ATM is a key part of most PBX vendor's strategy. By opening up the architecture of their PBXes, many vendors are poised to move quickly. In the process of modularizing software and hardware within PBXes, many vendors decoupled the switching functions from all other functions. That means today's circuit-switched PBX could, in theory, easily be modified by swapping in an ATM switching matrix. Of course, there's call-processing software that needs to be developed, but the point is this: Vendors do not have to start from ground zero.

Once ATM-based PBXes start to appear later this year or early next, it will be hard to tell the difference between a PBX and a switching hub. That's when the voice and data worlds will truly become one.

In the meantime, remember: Press the Conference button, then dial the new person's number, then press Conference again. ■

Salvatore Salamone is a BYTE editor based in New York City. You can reach him at ssalamone@bix.com.

PBX Vendors

AT&T (Business Communications Services Division)

Basking Ridge, NJ
(800) 242-6005
(908) 221-2000
<http://www.att.com>

Fujitsu Business Communication Systems

Anaheim, CA
(800) 553-3263
(714) 630-7721
fax: (714) 764-2527
<http://www.fujitsu.com/FBCS/>

Mitel Corp.

Kanata, Ontario, Canada
(800) 267-6244
(613) 592-2122
fax: (613) 592-4784

NEC America

Irving, TX
(800) 222-4NEC

(214) 518-5000
fax: (214) 518-5572
<http://www.nec.com>

Nortel

(formerly Northern Telecom)
Richardson, TX
(800) NORTHERN
(214) 684-1000
fax: (214) 684-3907

Siemens Rolm Communications

Santa Clara, CA
(800) ROLM-123
(408) 492-2000
fax: (408) 492-3430
<http://www.siemensrolm.com>

TAPI Software Vendors

Dialogic Corp.

Parsippany, NJ
(800) 755-4444
(201) 993-3000
<http://www.dialogic.com>

TSAPI Software Vendors

Applied Voice Technology

Kirkland, WA
(800) 443-0806
(206) 820-6000
fax: (206) 820-4040

Aurora Systems

Acton, MA
(508) 263-4141
fax: (508) 635-9756

CallWare Technologies

Salt Lake City, UT
(800) 888-4226
(801) 486-9922
fax: (801) 486-8294

**All-New Course Includes 486DX4/
100 MHz PC and Windows NT!**

MAKE MONEY IN NETWORKING, TODAY'S HOTTEST NEW COMPUTER TECHNOLOGY



GET IN ON THE GROUND FLOOR OF THE NEW REVOLUTION IN COMPUTING

The U.S. Department of Labor projects phenomenal growth in the computer networking field, as more and more employers seek the increased productivity and performance made possible by networking technology.

Data processing, data storage, data retrieval, information sharing — the daily tasks of business can be accomplished in less time and for less money with a Local Area Network and access to a Wide Area Network.

Now you can be the one called in to evaluate network needs, purchase and install equipment, and train staff on the effective use of networked systems. Best of all, you'll have first-hand experience with Windows NT, today's fastest-growing networking software.

Whether you choose to work full- or part-time in this in-demand field, you'll earn top dollar!

**Train with and keep
the most impressive computer
system available through home
study today!**

- ✓ Super-fast 486DX4/100 MHz CPU
- ✓ 16 meg RAM
- ✓ 128K cache memory
- ✓ 540 meg hard drive
- ✓ Super VGA color monitor with 1 meg video memory
- ✓ 14,400 baud fax/modem, plus 10 free hours of *America OnLine*
- ✓ Quad-speed CD-ROM drive
- ✓ 16-bit sound card
- ✓ Windows 95
- ✓ Windows NT
- ✓ And more!

TRAIN WITH THE LEADER IN AT-HOME EDUCATION

As a division of The McGraw-Hill Companies and a leader in at-home education for over 80 years, NRI knows how to build your skills and confidence quickly.

Step-by-step lessons explain networking hardware, software, and procedures in careful detail. Even better, you LEARN BY DOING. Each time you complete an NRI hands-on training project, you receive helpful feedback from your experienced NRI instructor.

By the time you complete your course, you'll know the strengths and weaknesses of major vendors, access methods, wiring standards, server technology, operating systems, and management techniques. Plus, you'll have acquired practical experience working with Windows NT, the server acclaimed for its power, usability, and integration.

SEND FOR YOUR FREE CATALOG TODAY!

Send in the postage-paid card below for your FREE CATALOG describing NRI's newest course. You'll get full details on NRI's innovative training, services, and hands-on equipment. You'll even find out how NRI students can communicate with their instructors on-line and get their tests graded over the phone in a matter of minutes. And you'll discover why NRI is the best value in career training today!

**See other side
for course highlights →**

**CALL 1-800-321-4634,
Ext. 1491**

SEND TODAY FOR FREE CATALOG!

NRI Schools

4401 Connecticut Avenue, NW, Washington, DC 20008

**YES! Send me the FREE
career catalog I've checked!**

- ☒ Check one FREE catalog only:
- ☐ Networking with Windows NT
 - ☐ Computer Programming
 - ☐ Microcomputer Servicing
 - ☐ Multimedia Programming

OR GET YOUR DEGREE!

- ☐ New! Associate Degree in Accounting
- ☐ New! Associate Degree in Business Management
- ☐ PC Applications Specialist
- ☐ Visual Programming in C++
- ☐ Desktop Publishing with PageMaker
- ☐ Electronic Music Technology

Name

(please print)

Age

Address

City

State

Zip

A Division of The McGraw-Hill Companies

Accredited Member, Distance
Education and Training Council

4536-0396

NAVIGATE THE FASCINATING WORLD OF TODAY'S COMPUTER NETWORKS

Get in on the ground floor of today's fastest-growing computer specialty. Now you can master networking quickly and easily with NRI's hands-on course, the only course of its kind to include a 486DX4/100 MHz system with 16 meg RAM, 14,400 baud fax/modem, Windows 95, Windows NT, and much, much more!

NRI's innovative Networking With Windows NT course gives you the complete information, first-hand experience, and top-notch equipment you need to:


- ✓ start a new career as a network specialist
- ✓ save your current company money as you improve worker productivity
- ✓ make money in your spare time as a freelance consultant
- ✓ open a full-time business setting up computer networks
- ✓ work for a popular vendor of networking systems
- ✓ make yourself a more valuable, knowledgeable employee

You'll be in touch with the technology that's changed forever the way people work

and communicate. And you'll have the know-how that will give you a competitive edge in this opportunity-rich field.

EVERY NEED-TO-KNOW TOPIC COVERED

What are the advantages and disadvantages of Ethernet, Token Ring, and FDDI interfaces? What ethics govern program copying and modification? How do digital subsystems "talk" to each other? What does setting up a server and gateway entail? Is remote access possible when networking with Windows NT? NRI answers all these questions and many more in eight comprehensive study modules, all developed by field experts.



KNOWLEDGE REINFORCED WITH REAL-WORLD APPLICATIONS

As an NRI student, you do everything from preliminary analysis to eleventh-hour troubleshooting, so you graduate with confidence in your abilities.



No other program gives you a full-featured 486DX4/100 MHz system to train with and keep. You get to know why a computer's power and speed are so important in the networking industry. You master Windows 95 and Windows NT for an instant resume boost. You take advantage of the speed of your 14,400 baud fax/modem as you compare on-line services and browse the Internet. You even get 16 meg RAM and a 540 meg hard drive, plenty of space to store applications and files.

TRAINING THAT FITS EVERY LIFESTYLE AND BUDGET

NRI understands that most people have family and work responsibilities that make continuing education a challenge. That's why NRI allows you to work entirely at your own pace. No commuting, no scheduling hassles, no classroom competition ... just training the way it works best for you.

Send for FREE information today! If the card is missing, write to NRI Schools, 4401 Connecticut Avenue, NW, Washington, DC 20008. Or...

Call 1-800-321-4634, Ext. 1491

Or contact us through our World Wide Web Home Page at:
<http://www.nri-schools.com>

Card 352

SEND TODAY FOR YOUR FREE CATALOG!



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 10008 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY ADDRESSEE

NRI Schools

4401 Connecticut Avenue, NW
Washington, DC 20078-3543

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



MAKE MULTIMEDIA HAPPEN



From storyboard to development tools to network delivery, here's what you should know about multimedia development

Multimedia, long a star of the entertainment industry, is now auditioning as a supporting actor in the corporate world. Many companies see it as a way to increase revenues by delivering stronger messages about goods and services. Or they look to it to cut their training costs with interactive computer-based training programs.

The process of developing a multimedia application falls into five basic stages. The first is program design: The team discusses exactly what the application is going to do and what the user interface will look like. The second is storyboarding, in which you create a blueprint of the application. Third comes script development, in which writers create the words that a narrator will speak or that will appear on the screen. Fourth is production, when artists, directors, and actors take the storyboard and fill in its blanks, creating backgrounds and scenes. Finally comes authoring, when programmers put everything together.

Robert A. DelRossi explores the subject of multimedia authoring in "Learn the Lingo." In Salvatore Salamone's "What's the Story?," we look at the second stage, storyboarding, and some of the methods and tools you can use to ensure things run smoothly. In "Multimedia over the Network," Nathan J. Muller examines what it takes to run multimedia applications over existing networks and what networks you should be thinking about for your multimedia future.

Is It Worth It?

If you see multimedia development as a cost center, you may be right. The major issue isn't usually programmers; rather, it's the cost of licensing different forms of media to incorporate into presentations.

Companies seeking to add music and video clips to a multimedia presentation find that print, music, and film industries

have vastly different ideas about selling the rights to their property. For example, there's no going price for a 1970s Top 10 song. The most common solution is extensive negotiation.

If you don't want to spend the time or effort in such negotiations, there's a solution: licensing-rights clearinghouses. One of the first firms to offer licensing services specifically for multimedia material is Total Clearance (Mill Valley, CA), a company with expertise garnered from the entertainment industry.

With the right contacts and experience, you might even be able to leverage your well-developed multimedia group into a profit center. That's what happened to the World Tutor Group (WTG), the multimedia training division of the AMR Training Group, itself a part of AMR, which operates American Airlines and the Sabre airline-reservation system. About six years ago, WTG turned to computer-based training and has since spun its talents into a service organization used by outside clients. ■

—Salvatore Salamone, News Editor

What's the Story?

Storyboarding: Getting from a concept to the final program **67**

Multimedia over the Network

Isochronous Ethernet, PACE, ATM, or all of the above? **73**

Learn the Lingo

Applications development tools bring life to corporate presentations and training **85**



Windows[®] 3.1x

Windows[®] 95

Windows[®] NT

Fast, Easy and Amazing 32-bit Graphics!



COREL Xara!

Incredible Value!

- 10,000+ clipart images
- 500+ photos
- 500 TrueType[®] and Type 1 fonts
- 250 textures

Imagine a program that combines the power and flexibility of vector and bitmap illustration software in one ultra-fast and easy-to-use package. CorelXARA offers a whole world of creative possibilities for the beginner and professional artist alike. The perfect complement to CorelDRAW[™], Corel VENTURA[™] and all other DTP and graphics software, CorelXARA is the ideal solution for all your Internet and on-screen presentation graphics.

Features:

- Anti-aliasing for Internet graphics
- Interactive graduated transparency
- Stepless graduated fills for photo-realistic images
- Change colors of artwork in one easy step
- 32-bit speed and performance
- Drag-and-drop ease of use

DIRECT WARE[™]
HARDWARE & SOFTWARE SHIPPED ANYWHERE

1-800-590-9273
<http://www.directware.com>

\$197⁹⁹

KUP-0200

Enter the Corel \$3,000,000 World Design Contest and win! (September '95 to July '96)
To receive a faxed copy of the rules and an entry form please call: 1-613-728-0826 ext. 3080. Document # 1125.
To leave a message please call: 1-613-728-0826 ext. 81609.

Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.



<http://www.corel.com>
Call now for faxed literature!
1-613-728-0826 ext. 3080
Document # 1114

*US\$ plus applicable taxes

Circle 85 on Inquiry Card

WHAT'S THE STORY?

Storyboarding speeds development by organizing everything from concept to finished product

SALVATORE SALAMONE

Every multimedia project is like a miniature United Nations summit. You have artists, actors, writers, directors, producers, and programmers. They all speak their own languages and have their own priorities. And somehow you need to get them all working together.

Take a hint from the motion picture industry: use a storyboard. Artists sketch every scene of a movie, and the director, costume designers, set designers, and cinematographer use the storyboards to set camera angles, figure out what costumes they need, design scenery, and make decisions about sound and lighting.


But there's a difference between a multimedia application and a movie: linearity. Movies are linear—one scene flows into another, the same way, every time you play the movie. Multimedia apps are often nonlinear—users may choose the path they take through the application. You could storyboard with pencil and paper, but charting multiple paths through an application will probably result in paper glut.

Multimedia developers use basically three types of tools to overcome paper's limitations: flow-charting and presentation software, simple storyboarding software, and tools that combine storyboarding with CASE-like functions.

Flowcharts and Presentations

The very simplest solution is a flowcharting tool (such as the one in CorelDraw). A flowchart enables you to lay out processes, decisions, and endpoints. The main problem is that there's no link between the flowchart and the content you're putting together. The flowchart can represent what's going to happen, but not how it's going to look. Therefore, it's most useful for the project manager and the programmer who are trying to keep track of what the application is supposed to do when. By itself, a flowchart doesn't give an artist any sense of what graphics to create, nor does it give

GIACOMO MARCHESI © 1996



the writers or actors any sense of what to do.

You can solve some of these deficiencies with multimedia presentation tools, which enable you to not only organize the flow of the application but to start creating the application's look and feel. For example, Adobe Persuasion lets you create relationships between multimedia objects by assigning them to different layers of a single presentation slide. With Persuasion, you bring text files, graphical elements (e.g., TIFFs or BMPs), audio tracks (e.g., MIDI files or WAV files), and animation clips (e.g., MPEG or AVI files) together in a single slide. The slide consists of views overlaid on each other. When you run the presentation, Persuasion fires up the various media players—a QuickTime viewer or a MIDI synthesizer, for instance—to play all these elements simultaneously.

Once you have thumbnails of what the main screens in your application are to look like, you can organize the content. You can even run a simple demo of the application. But there are two basic issues with this approach. First, presentation tools are usually best at *presenting*, not storyboarding. Consequently, they use templates and rules that work wonderfully for a presenter who drives the content, perhaps with occasional branches. A storyboard you create in a presentation tool will probably look more like a presentation than a storyboard. Second, you have little control over the individual elements in a presentation. For example, you typically cannot adjust the volume of an audio clip from within the presentation application. You'll have to adjust these functions in the individual players or content-building programs themselves.

Storyboard Software

You can use flowcharts and presentation tools to develop your storyboard, but they aren't specifically designed for that. You should consider some of the new programs that vendors have developed specifically for multimedia storyboarding.

"All the storyboarding tools came out of linear thinking," says Paul Clatworthy, a partner at PowerProduction Software. "We developed StoryBoard Artist to handle a nonlinear format." StoryBoard Artist for the Mac uses clip art and stock characters that you place into a storyboard frame, then manipulate, for example, by rotating them to represent a certain camera angle. You set the flow of the application by linking each frame to its destination frames. "We designed a tool for directors

Two Views Are Better than One

Design Flexibility

Quest Title Design

File Edit View Execute Help

Untitled

Intro

Main Menu

Concept 1

QuickFrames

WYSIWYG

Frontal Lobe

Parietal Lobe

Occipital

Cerebellum

Brain Stem

Hypothalamus

Corpus Callosum

Exit

The human brain controls both conscious behavior and most involuntary behavior (heartbeat and breathing, etc.). It has several parts, each with an associated function.

Allen Communication's Quest software lets you toggle between views so you can see the associations between various frames as well as all the elements in a particular frame.

who can't draw," quips Clatworthy.

Storyboard Artist's stock-item construction methods are unique, but the idea of combining and flowing images together isn't. Programs such as Media Commander for Windows, HiJaak 95, and Image'N'Bits let you create thumbnails of each element and assign an appropriate label to each thumbnail.

These tools make it easier to track the different data types that go into a multimedia application. Additionally, they allow you to create storyboard frames by dragging and dropping the thumbnail into a frame. Such tools typically use OLE and

let you create OLE links from the presentation program to the data associated with the thumbnails. In that way, you might link a button on the screen with the playing of a video stream.

Tools for Authors

More sophisticated tools blur the line between storyboarding and development. Storyboarding with such programs often results directly in an application. These products are also authoring tools and typically rely on an icon-based design language or a scripting language. For example, PowerProduction's Digital BoxOffice

STATISTICA

Windows 3.1
and WINDOWS 95

STATISTICA™ (automatically configures itself for Windows 3.1 or WINDOWS 95) ■ A complete data analysis system with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Comprehensive Windows™ support, OLE (client and server), DDE, customizable *Auto Task* toolbars, pop-up menus ■ Multiple data-, results-, and graph-windows with *data-graph* links ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques with advanced brushing; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; epwise discriminant analysis; log-linear analysis; confirmatory/ exploratory factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; a large selection of time series modeling/forecasting techniques; structural equation modeling with *Monte Carlo* simulations; and much more ■ On-line *Electronic Manual* with comprehensive introductions to each procedure and examples ■ Hypertext-based *Stat Advisor* expert system ■ Workbooks with multiple *AutoOpen* documents (e.g., graphs, reports) ■ Extensive data management facilities (fast spreadsheet of unlimited capacity with long formulas, *Drag-and-Drop*, *AutoFill*, *Autocalculate*, split-screen/variable-speed scrolling, advanced Clipboard support, DDE links, hot links to graphs, relational merge, data verification/cleanup) ■ Powerful *STATISTICA BASIC* language (professional development environment) with matrix operations, full graphics support, and interface to external programs (*DLLs*) ■ Batch command language and editable macros, flexible "turn-key" and automation options, custom-designed procedures can be added floating *Auto Task* toolbars ■ All output displayed in *Scrollsheets™* (dynamic, customizable, presentation-quality tables with instant 2D, 3D, and multiple graphs) or word processor-style report editor (of unlimited capacity) that combines text and graphs ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megafile Manager (up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE, OLE, or an extensive selection of file import/export facilities (incl. *ODBC* access to virtually all data bases and mainframe files) ■ Hundreds of types of graphs, incl. categorized multiple 2D and 3D graphs, ternary 2D/3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom-design new graph types and add them permanently to menus or toolbars ■ On-screen graph customization with advanced drawing tools (e.g., scrolling and editing of complex objects in 32x zoom mode), compound (nested) OLE documents, *Multiple-Graph AutoLayout Wizard*, templates, special effects, icons, page layout control for desktop and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of 3D displays ■ Large selection of tools for graphical exploration of data: extensive brushing tools with animation, fitting, smoothing, overlaying, spectral planes, projections, layered compressions, stacked subsets ■ Price \$995.

Quick STATISTICA (for Windows) ■ A subset of *STATISTICA*; comprehensive selection of basic statistics and the full analytic and presentation-quality graphics capabilities of *STATISTICA* ■ Price \$495.

STATISTICA/QC - Industrial statistics add-on package (requires *STATISTICA* or *Quick STATISTICA* for Windows) ■ The largest selection of industrial statistics in a single package; quality control charts (compatible with real-time data acquisition systems), process capability analysis, R&R, sampling plans, and an extremely comprehensive selection of experimental design (DOE) methods ■ Flexible tools to customize and automate all analyses and reports incl. "turn-key" system options, and tools to add custom procedures) ■ Price \$995.

STATISTICA/Mac (for Macintosh) ■ Price \$695 (Quick - \$395).


domestic sh/h \$12 per product; 30-day money back guarantee.



StatSoft®

100 E. 14th Street • Tulsa, OK 74104 • (918) 749-1119
Fax: (918) 749-2217 • WEB: <http://www.statsoftinc.com>

Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/ 4200347, fax: 49/11310; StatSoft UK (London), ph: 01462/482822, fax: 01462/482855; StatSoft Pacific (Bourne, Australia), ph: (03) 663 6580, fax: (03) 663 6117; StatSoft France ph: (1) 45 66 00, fax: (1) 45 66 06 51; Available from other Authorized Representatives worldwide: Sweden: AkademiData Scientific ph: 018-210035, fax: 018-210039; Finland: Statcon Oy ph: 0334678, fax: 24-333867; Belgium: Texma NewTech ph: 010 61 16 28, fax 010 61 69 57; South Africa: Osiris ph: 12-663-4500, fax 12-663-6114; Japan (Macintosh): Three's Company, ph: 03-3770-7600, fax 03-3770-7784; Japan (Windows): Design Technologies, Inc., ph: 3667-1110, fax: 03-3668-3110; Italy: Prompt SRL ph: 49-893-3227, fax: 49-893-2897; and Companion Oprogramowanie ph: 12-369680, fax: 12-360791; Taiwan: Intelligent Integration Corp. ph: 2-759-1791, fax: 2-759-1790. StatSoft, the StatSoft logo, STATISTICA, Scrollsheet are trademarks of StatSoft, Inc.



Circle 86 on Inquiry Card.

is a storyboard-to-code tool—CASE for producers and artists. BoxOffice enables you to create a storyboard, then use menus to make English-syntax scripts to link frames. When you're done storyboarding, you have a multimedia application.

Allen Communication's Quest for Windows also has strong tools for developing individual frames and associating frames. For example, you can toggle between a view showing the relationship between frames and a view showing all the elements of a particular frame. Quest is particularly good for developing computer-based training (CBT) applications, especially when you couple it with the company's Designer's Edge program. This \$2995 package includes a comprehensive checklist that helps you analyze your project's needs, identify your audience, develop an overview, assemble your instructional elements, and put together your storyboard. Designer's Edge borders on CASE: As you work through the checklist, the program creates your app's structure—all you need to do is add the content.

Other high-end authoring-and-more programs include Avid's editing tools within its Real Impact program and AimTech's CBT Express for Windows. One of Real Impact's key features is Dial-a-Quality, which changes the quality of images by balancing your distribution medium and system performance. It comes with a media library. CBT Express is frame-based and template-driven, and it enables you to create training applications quickly by using prefab backgrounds, buttons, and templates for just about every common CBT task (e.g., glossaries and tests). CBT Express has a big sibling called IconAuthor, which offers transition effects, sample applications, and database integration.

Database integration may seem an odd feature to add, but using a database as a central information repository can really


ease development, especially when working on large projects. MicroMentor, a company that develops instructional multimedia applications, uses tools like the ones we've discussed but sometimes takes a different approach. Rather than pulling the multimedia pieces together in the application, developers, writers, and artists put them in a database, then write a Visual Basic application that pulls the files from the database.

During design, you use the database's forms to enter descriptions of the kinds of information you're going to need as well as how it's linked together. Then you can just generate reports for the different members of the project—for example, artists get a list of the graphics they need to produce. The team members go off and generate the content they need, and that, too, goes into the database. Then the programmer has to write a program to put it all together.

The Hierarchy of Storyboarding Tools

FUNCTION OF STORYBOARDING TOOL	ADVANTAGES	DISADVANTAGES	TYPE OF APPLICATION THIS TOOL IS GOOD FOR
Associates different multimedia elements in one frame	Easy to use	Limited control over elements	Simple multimedia presentations
Creates thumbnails and helps organize different multimedia data types	Visual depiction of various elements	A particular tool may support only a limited set of data types or formats	Simple and interactive multimedia presentations; some simple interactive training programs
Integrates with other tools including editing and authoring programs	Full control of content	Often requires high skill level to use	Interactive training programs

Storyboarding Takes Time



Source: U.S. Department of Defense

There are several reasons for creating an application this way. First, the database can generate reports tailored to each team member. Second, more programmers know Visual Basic than know scripting languages. Third, if you are creating a series of similar products, you can build one database and easily update the application to pull out slightly different material.

Looking for a Match

You can still do storyboarding with pencil and paper, but a computer-based tool will make the job much easier. If you simply need a way to quickly pull together different multimedia elements, a lower-end storyboarding tool might be all you need.

If you have to keep track of many data files, a tool that provides thumbnails and a way to archive the elements would be a good bet. If you're working on an interactive training presentation that requires handling lots of conditional branches and juggling many forms of multimedia data, a storyboarding tool that integrates tightly with the authoring software is essential. ■

Salvatore Salamone (ssalamone@bix.com) is a BYTE news editor based in New York.

Where to Find

Adobe Systems

(Persuasion)
1585 Charleston Rd.
Mountain View, CA 94039
(800) 833-6687
(415) 961-4400

AimTech Corp.

(CBT Express, IconAuthor)
20 Trafalgar Sq., Suite 300
Nashua, NH 03063
(800) 289-2884
(603) 883-0220
<http://www.aimtech.com>

Allen Communication

(Designer's Edge, Quest)
5225 Wiley Post Way
Lakeside Plaza II, Suite 140
Salt Lake City, UT 84116
(800) 325-7850
(801) 537-7800
<http://www.allencomm.com>

Avid Technology


(Real Impact)
Metropolitan Technology Park
One Park West
Tewksbury, MA 01876

(800) 949-AVID
(508) 640-6789

PowerProduction Software

(Digital BoxOffice)
1233 Hermosa Ave.,
Suite 302
Hermosa Beach, CA 90254
(310) 937-4411

Our storage devices can endure long hours, natural disasters, and other forms of abuse.




[Not unlike a day at the office.]

The DE100™ is a removable disk/tape subsystem that allows you to easily remove, transfer, and store data. It's compatible with an extensive variety of standard SCSI or IDE/EIDE drives.



With room for three 1" SCSI disk or tape drives, the DS300 model is the most compact removable storage subsystem available on the market today.



The DS500™ is an external rack mount that houses nine half-height bays, allows users to integrate any SCSI peripheral combination, and includes up to two 300-watt power supplies.



An ideal storage chassis for workstations, network servers, and PCs, the DS100 provides flexibility for users to mix and match up to four SCSI peripherals.



When it comes to protecting valuable data, only Kingston's rugged storage devices have shown they can brave the elements. Though they were designed to perform in the most demanding commercial environments, they're also tough enough to survive in army bunkers, submarines, and even in spacecraft. Our Data Silo® enclosures and Data Express™ removables are constructed of rugged steel with a carefully designed and tested



ventilation system for cooling today's high-performance drives. Used in computer rooms, workstations, and network servers, they support more SCSI connections and have more options than any other storage subsystem on the market. If that doesn't impress you, our unbeatable five-year warranty will. So call Kingston or your nearest dealer for more information. Because in the world of storage systems, only the strong survive.

Kingston
TECHNOLOGY CORPORATION

Call (800) 435-0670 or find us at <http://www.kingston.com>

Kingston Technology Corporation, 17600 Newhope Street, Fountain Valley, CA 92708 USA, (714) 438-1850, Fax (714) 438-1847.
© 1995 Kingston Technology Corporation. Kingston Technology is a registered trademark of Kingston Technology Corporation. All rights reserved.

Circle 87 on Inquiry Card (RESELLERS: 88).

Software Developers:

Software Piracy Burns Your Profits.

Each year, the illegal use of software consumes nearly 50% of your potential revenues. With the flames of piracy eating away at your profits, can you afford not to protect your software?

Software Obtained Illegally, by region, 1993 vs. 1994

Africa/Middle East	\$666,440,105 392,687,055
Asia	\$3,963,527,364 4,350,981,640
Europe	\$4,900,882,960 6,002,681,255
Latin America	\$821,992,751 1,334,894,665
U.S./Canada	\$2,467,360,944 3,131,455,600
Total for 1993:	\$12,840,204,124
Total for 1994:	\$15,212,700,215

Source: BSA

HASP® is widely acclaimed as the world's most advanced software protection solution. Since 1984, thousands of leading developers have used nearly two million HASP keys to protect billions of dollars worth of software. Why? Because HASP's security, reliability, and ease-of-use led them to a simple conclusion: HASP is the most effective software protection system available.



Today, more developers are choosing HASP than any other software protection method. To learn why, and to see how easily you can increase your revenues, call now to order your HASP Developer's Kit.

NSTL Study Rates HASP As Number One!

A recent test conducted by the National Software Testing Labs compared the flagship products of four leading software protection vendors. The result? HASP was rated the clear overall winner - and number one in all the major comparison categories. And if the world's leading independent testing lab says HASP is the best, who are we to disagree?

NSTL TEST RESULTS, OCTOBER 1995†

Scoring Category	Aladdin HASP	Rainbow Sentinel	Glenco/FAST Hardlock	Software Security Activator/M
Security	9.3	6.3	6.9	6.2
Ease of Learning	9.1	7.1	8.8	7.7
Ease of Use	8.3	7.2	6.8	6.3
Versatility/Features	10	8.7	8.8	8.6
Compatibility/Power Consumption	6.7	6.5	6.6	7.4
Speed of API Calls	0.9	1.2	10	4.1
Final Score	8.5	6.5	7.5	6.6

*For a full copy of the NSTL report, contact your local HASP distributor.

See us at

CeBIT'96
HANNOVER
14. — 20. 03. 1996
Hall 3 Stand D45, Hall 23 Stand C42

1-800-223-4277

<http://www.aks.com>



ALADDIN

The Professional's Choice

North America

Aladdin Software Security Inc.
Tel: (800) 223 4277, 212-564 5678
Fax: 212-564 3377
E-mail: sales@hasp.com

Intl Office

Aladdin Knowledge Systems Ltd.
Tel: 972-3-537 5795, Fax: 972-3-537 5796
E-mail: sales@aks.com

United Kingdom

Aladdin Knowledge Systems UK Ltd.
Tel: 01753-622266, Fax: 01753-622262
E-mail: sales@aldn.co.uk

© Aladdin Knowledge Systems Ltd. 1985-1995. (1.06) HASP® is a registered trademark of Aladdin Knowledge Systems Ltd. All other product names are trademarks of their respective owners. Mac & the Mac OS logo are trademarks of Apple Computer, Inc., used under license. NSTL makes no recommendation or endorsement of any product. †The NSTL report was commissioned by Aladdin.



■ Aladdin Benelux 024 6419777 ■ Aladdin France 1 40859885 ■ Aladdin Japan 0426 60 7191 ■ Aladdin Russia 095 9230588 ■ Australia Conlab 3 98985685 ■ China Shanghai LFI 021 4372070 ■ Chile Micrologica 2 222 1388 ■ Czech Atlas 2 766085 ■ Denmark Berendsen 39 577316 ■ Egypt Zeineldin 2 3604632 ■ Finland ID-Systems 0 870 3520 ■ Germany CSS 201 278804 ■ Greece Unibrain 1 6856320 ■ Hong Kong Hastings 02 8571339 ■ India Solution 11 2218254 ■ Italy Partner Data 2 26147380 ■ Korea Dae-A 2 848 4481 ■ Mexico SiSoft 5 5439770 ■ New Zealand Training 4 5666014 ■ Poland System 61 480273 ■ Portugal Futurmatika 1 4116269 ■ Romania Interactiv 64 153112 ■ South Africa D Le Roux 11 886 4704 ■ Spain PC Hardware 3 4493193 ■ Switzerland Opag 61 7169222 ■ Taiwan Tecc 2 555 9676 ■ Turkey Mikrobeta 312 467 0653

Circle 90 on Inquiry Card (RESELLERS: 91).

MULTIMEDIA OVER THE NETWORK

Isochronous Ethernet, PACE, ATM, or all of the above?

NATHAN J. MULLER

Distance learning. Video interactive collaboration. Distributed simulations. Computer telephony integration (CTI). Under the rubric of multimedia, applications like these can propel us into a new way of working.

But before we can realize the potential of multimedia, we first have to address a more mundane challenge: how to effectively deliver multimedia applications over LANs and WANs.

Multimedia traffic has one distinguishing characteristic: It's time-sensitive. Different data types, especially voice, must arrive at their destination at the right time or the multimedia application loses its effectiveness. For example, if the audio portion of a videoconference is out of sync with the video components, you get "dubs disease," the illness that afflicts foreign actors when a producer decides to use dubbing instead of subtitles.


Vendors are addressing the problem of synchronization by assigning a quality of service (QoS) to a multimedia application. QoS identifies an application as time-sensitive and requiring priority over other, less time-sensitive ones. But where is the best place to handle QoS? The network (i.e., routers, hubs, and switches)? The OS? Or some combination of hardware and OS working together?

Leveraging Today's Infrastructure

If you already have an Ethernet LAN, it's impractical and expensive to replace it. Instead, you need an economical method of extending your network to accommodate multimedia applications. Enter isochronous Ethernet (aka IEEE 802.9a, ISLAN-16T, or isoEthernet).

The premise behind isochronous Ethernet is that voice—not audio or video—is the critical component in multimedia communications. During a conversation, even the slightest delay creates a major disruption. Echoes caused by delays can confuse

GIACOMO MARCHESI © 1996



even the most articulate speakers. A split-second delay can disrupt a simple two-way conversation by causing one participant to repeat a question, only to interrupt the other's answer. If you've ever experienced a telephone conversation via a round-trip satellite link, you know the annoyance of delay.

Isochronous Ethernet adds multirate ISDN to standard Ethernet. The marriage of Ethernet and ISDN guarantees QoS for voice in networked multimedia applications. In addition, isochronous Ethernet works with H.320, T.120, and MPEG videoconferencing, document conferencing, and video-distribution standards.


A network is isochronous when it operates in real time, with *time* defined by the worldwide-standard 8-kHz clock used for nearly all voice communications. Today's Ethernet networks are asynchronous and do not provide the 8-kHz clocking signal that the voice component of a multimedia application—delivered through an H.320 codec, for instance—requires.

The IEEE 802.9a standard is the only LAN technology that extends 8-kHz clocking to the desktop. All others, including 25-Mbps asynchronous transfer mode (ATM), require buffering to smooth out traffic bursts and adaptation techniques to transmit and receive synchronous traffic, such as H.320 voice and video.

Isochronous Ethernet is a hybrid network that integrates standard 10-Mbps Ethernet (IEEE 802.3 10Base-T) LAN technology with 6.144 Mbps of isochronous (ISDN) bandwidth, for a total of 16 Mbps available to any user (hence the IEEE designation of Integrated Services Local Area Network, or ISLAN 16-T). Isochronous Ethernet uses an encoding scheme, called 4B:5B, that enables the total bandwidth to be 16 Mbps using the same 20-MHz clock that provides only 10 Mbps with the Manchester encoding scheme of traditional Ethernet (see the figure "Ethernet + ISDN = IsoEthernet").

Isochronous Ethernet provides 96 64-Kbps ISDN B channels over the same ubiquitous Category 3, unshielded-twisted-pair wire that 10Base-T uses. That's enough bandwidth for a multipoint video-conference with six participants, each using 384-Kbps speeds, with room to spare for interactive whiteboarding and presentation graphics. And there's still enough bandwidth left over for the participants to receive Group 4 fax, E-mail, and voice-mail messages over separate channels.

If isochronous Ethernet is a power user's



dream come true, it's an MIS manager's delight. It's also one of the most attractive and affordable multimedia network solutions currently available. For starters, it's easy to integrate into an existing 10Base-T environment: All you have to do is put an isochronous Ethernet hub into your wiring closet. Multimedia workstations, outfitted with isochronous Ethernet adapter cards, connect to the hub. An attachment unit interface (AUI) provides connectivity between the isochronous Ethernet hub and existing 10Base-T hubs.

According to the Isochronous Network Communication Alliance (or incAlliance), a loosely organized group of vendors that promotes the adoption and use of isochronous network technologies and products, about two dozen companies offer products that take advantage of isochronous Ethernet. National Semiconductor, the original developer of isochronous Ethernet, provides chip-level components and board-level subsystems for inclusion in products from such companies as Ascom Nexion, Ericsson Business Networks, Incite, and Luxcom.

A Proprietary Solution

3Com offers an alternative solution for networking multimedia applications over existing Ethernet networks. The company's Priority Access Control Enabled (PACE) technology is simple and inexpensive to implement: You just add a workgroup switch to connect the workstations running multimedia applications. You don't need to make any changes to existing cabling or Ethernet adapters, nor do you need to have any knowledge about any technology except Ethernet. Among the companies supporting PACE are Apple, Dell, Novell, Oracle, Silicon Graphics,

Starlight Networks, and Sun Microsystems.

While isochronous Ethernet adds a timed channel to Ethernet, PACE addresses Ethernet's delivery timing and priority. To produce integrated, high-quality graphics and sound, multimedia applications need regular, predictable data delivery. But Ethernet delivery timing is unpredictable; under a full load, it experiences latency and jitter. *Latency* is the delay between the time transmission and reception of data. *Jitter* is the uncertainty in the arrival time of a packet.

PACE overcomes excess packet delay by using star-wired switching configurations and enhancements to Ethernet—which are all backward-compatible with existing Ethernet adapters. The technology uses traffic-control algorithms that enable each Ethernet segment to operate at more than 98 percent efficiency. These algorithms provide predictable LAN transmission by regulating the flow of traffic, thereby minimizing jitter. Best of all, because IEEE 802.3 Ethernet is essentially speed independent, the same enhancements work at Fast Ethernet speed (i.e., 100Base-T), which allows you to migrate from 10 Mbps to 100 Mbps.

Currently, however, PACE stops short of applying true QoS to multimedia traffic. In other words, Ethernet isn't perfect for multimedia transmission because it offers no priority-access scheme. All traffic must contend for access on a best-effort basis, which can cause delays in getting data onto the network in the first place.

PACE defines a method of prioritizing traffic over Ethernet to deliver true QoS. Although this technology is already built into a 3Com workgroup switch—the Link-Switch 1000—as this article went to press, it was not yet in use. By the time you read



**TO ALL THE
COMPETITORS
IN PURSUIT OF OUR
OPEN STORAGE UNIT'S
UNMATCHED SPEED,
A WORD OF ADVICE:**

**PROCEED
WITH CAUTION.**

*Other storage makers just can't keep up with the StorageWorks™
multivendor RAID Array 410. And no wonder.*

*At 4,700 I/O per second, it gives UNIX® users speed to burn, whether they're on AIX, Solaris,
SunOs, HP-UX or Digital UNIX. The 410's read/writeback cache helps make it the highest
performing open data storage around. Likewise, automatic failover, hot swappable drives and
redundant components offer dependability you might not associate with such a speed demon.*

digital™

WHATEVER IT TAKES™

*And what would any high-performance machine be without exceptional warranties
and service? To get in the storage fast lane, call 1-800-STORWORK or wire*

<http://www.storage.digital.com>. As for that advice we promised our competition, it's simple. Eat our dust.

Circle 619 on Inquiry Card.

RAID Array 410 Subsystem



StorageWorks™

©1995 Digital Equipment Corporation. Digital, the DIGITAL logo, StorageWorks and the StorageWorks logo are trademarks and Whatever It Takes is a service mark of Digital Equipment Corp. UNIX is a registered trademark in the U.S. and other countries, licensed exclusively through X/Open Company, Ltd. Digital UNIX V3.2 on Alpha is an X/Open UNIX93 branded product. All other products are trademarks or registered trademarks of their respective companies.

STATE OF THE ART Multimedia over the Network

this, 3Com should be implementing PACE, but it won't include a standard prioritization method.

The IEEE 802.1 working group has only recently agreed to begin addressing QoS issues—specifically, the handling of prioritization in bridges—and it isn't expected to have anything for another 12 to 18 months. Meanwhile, 3Com will use—and publish—its own prioritization scheme, which offers two levels of service: high and low.

Multimedia over the Internet

Isochronous Ethernet and PACE deal with plumbing. That's fine if you have control over the hardware. But what if you don't? What if you're dealing with all sorts of physical media located all over the globe? In other words, what if you're dealing with multimedia applications running on the Internet, where the only thing you know for sure is TCP/IP?

One stumbling block for running multimedia applications over TCP/IP is the problem of delay. IP doesn't allocate a specific path or amount of bandwidth to a particular session. The resulting delay can vary wildly and unpredictably, wreaking havoc with real-time applications.

There are several proposed solutions to perform resource-setup functions similar to that of Q.93x signaling in a circuit-switched network. The most promising of these is the Resource Reservation Protocol, or RSVP, developed by the Internet Engineering Task Force (IETF).

RSVP runs on top of IP to provide receiver-initiated setup of resource reservations on behalf of an application data stream. In other words, when an application requests a specific QoS for its data

Come Together

With AT&T's Multimedia Communications Exchange Server (MMCX), team members can get together in a virtual "meeting room." Along with providing a visual representation of the virtual meeting, MMCX combines multimedia calling features with collaboration tools to allow users to add or drop services and media as they choose.

stream, RSVP delivers the request to each router along the path(s) of the data stream and maintains router and host states to support the requested level of service. In sum, RSVP essentially allows a router-based network to mimic a circuit-switched network on a best-effort basis. It even pro-

vides transparent operation through routers that do not support it.

At each router, the RSVP program applies a local decision procedure, called *admission control*, to determine if it can supply the requested QoS. If it can, the RSVP program in each router passes incoming

data packets to a packet classifier that determines the route and QoS class for each packet. The router then queues the packets in a packet scheduler that allocates resources for transmission on the link. If admission control fails at any node, the RSVP program returns an error to the application that originated the request.

The advantage of RSVP is that it works with *any* physical network architecture. It runs over Ethernet, token ring, ARCnet, or Fiber Distributed Data Interface (FDDI), as long as IP is the underlying network protocol. This makes RSVP suitable for use with compa-

ATM's Touch of Class

CLASS OF SERVICE	APPLICATION	BANDWIDTH GUARANTEE	DELAY VARIATION	THROUGHPUT GUARANTEE	CONGESTION FEEDBACK
Constant bit rate (CBR)	Provides a fixed virtual circuit for applications that require a steady supply of bandwidth, such as voice and video traffic.	✓	✓	✓	—
Variable bit rate (VBR)	Provides enough bandwidth for bursty traffic, such as transaction processing and LAN interconnection, as long as rates do not exceed a specified average.	✓	✓	✓	—
Unspecified bit rate (UBR)	Uses any available bandwidth but doesn't guarantee when or if data will arrive at its intended destination.	—	—	—	—
Available bit rate (ABR)	Makes use of available bandwidth and minimizes data loss through congestion notification.	✓	—	✓	✓

✓ = yes; — = no.

AnthroCarts!®

nywide networks as well as for the Internet.

RSVP meshes well with IPv6 (previously known as IPng), so users can set up end-to-end connections with a specified amount of flow control for a given time. Time-sensitive services, such as real-time video and voice, get the special handling they require along the route path. How? IPv6 can label packets in traffic patterns, so applications can identify packets that belong to particular traffic flows for which the sender requests special handling.

Although IPv6 standards are nearing completion, it could take a few years for the technology to be widely implemented throughout the Internet. Major networking vendors, including Bay Networks, Cisco, and 3Com, have indicated they will add support for IPv6 to their products in the third or fourth quarter of this year.

Finally: ATM

Although all the resource management and flow-control techniques discussed thus far are implemented on a best-effort basis, if widely deployed they tie up lots of network bandwidth. In other words, we need more bandwidth. Enter ATM.

ATM uses 53-byte cells to carry voice, data, and video signals. By using a standard cell size, it can switch data via hardware, which is more efficient and less expensive than using software, the way X.25 and frame relay do. Hardware-based switching is also faster: ATM speeds are scalable and can exceed 2.5 Gbps over fiber.

In addition, ATM provides the features necessary for successful multimedia applications. Specifically, it has the ability to define different traffic types, with each traffic type delivering a different QoS.

The traffic type that supports multimedia applications (see the table "ATM's Touch of Class" on page 76) is called constant bit rate (CBR) service. CBR supplies a fixed-bandwidth virtual circuit that addresses the special handling needs of delay-sensitive multimedia applications—those that contain real-time video and voice, for example. In ideal circumstances, the application negotiates QoS with the network. Applications do the negotiation through native ATM interfaces. If an application can't do this, interfaces such as ATM LAN emulation and classic IP over ATM (RFC 1577) do it instead.

QoS guarantees a certain level of performance: maximum cell rate, available cell rate, cell-transfer delay, or cell-loss ratio. The network reserves the full bandwidth that the application requested. There



AnthroCarts are so flexible. You have dozens of shapes and sizes to choose, plus over 50 accessories to configure your cart exactly the way *you* want.

And they have a Lifetime Warranty! Made of steel and high density particle board, these AnthroCarts are as tough as nails.



See them all in our catalog, then call us direct to order. We'll ship to you the very next business day!



Call for your
free catalog:

800-325-3841

6:00 AM to 6:00 PM PST, M-F



Anthro Corporation®
Technology Furniture®
10450 SW Manhasset Dr.
Tualatin, OR 97062
Fax: 800-325-0045
E-mail: sales@anthro.com

Since 1984. Prices from \$299. For a lower cost line for the home, ask for our SOHO catalog. GSA contract. Available for OEM applications. Anthro, AnthroCart and Technology Furniture are registered trademarks of Anthro.

AMAZING JUKEMAN



IXOS-JUKEMAN is the leading management system for CD jukeboxes and recorders. It provides simple and effective access to all available optical storage devices. With its unrivalled performance and flexibility, IXOS-JukeBOX redefines the state of the art in high-performance jukebox servers.

- Presents a standard file system: NFS or native file system for NT or both
- Presents CD-Recordable as a standard writable file system
- Access from UNIX, Windows, Windows NT, Macintosh, NextStep, VMS...
- High throughput thanks to sophisticated caching and scheduling strategies
- Configurable access rights for specific user groups

Download your free evaluation copy from:
<http://www.ixos.de/jukeman.html>

IXOS Software Inc.
1070 Sixth Ave Suite 200,
Belmont, CA 94002, USA
Tel: (415) 610 82 40 Fax: (415) 802 95 70
Internet: info@belmont.ixos.com

IXOS Software GmbH
Bretonischer Ring 12
D-85630 Grasbrunn/Munich, Germany
Tel: (49) (89) 460 05-0 Fax: (49) (89) 460 05-199
Internet: office@munich.ixos.de
<http://www.ixos.de/>

MARCH 14 - 20, 1996
CeBIT'96
HANNOVER
HALL 2, BOOTH B16

IXOS-JUKEMAN
READS, WRITES AND
MANAGES UNLIMITED
NUMBERS OF JUKE-
BOXES AND CDs IN
ANY LAN...

SOFTWARE
PROJECTS
PRODUCTS
TRAINING
SUPPORT

IXOS
WE SERVE OUR CLIENTS

STATE OF THE ART

are no data-rate limits for CBR connections, nor is there a limit on how long a connection can transmit at the maximum cell rate (technically called the *peak cell rate*, or PCR). The PCR is the maximum data rate the connection can support without risking data loss. Any traffic above the specified rate risks being dropped.

These and other advantages of ATM—including low latency, high throughput, and scalability—will one day make it the network of choice for supporting new, high-bandwidth multimedia applications, as well as legacy LAN and TCP/IP traffic. This realization has vendors and standards bodies looking to support upward migration to ATM networks.

National Semiconductor, for example, already offers an on-board segmentation and reassembly (SAR) component for isochronous Ethernet cards to support traffic over ATM links. 3Com plans to offer ATM connectivity through high-speed backbone switches—its own, or those of other vendors. However, when PACE traffic hits an ATM network, the advantages of PACE are left behind, leaving just ordinary Ethernet.

Multimedia OS?

With ATM looming as the dominant network architecture in the not-too-distant future, the next logical step is to develop an OS that allows applications to take full advantage of it. This is what First Virtual Corp. (Santa Clara, CA) is advocating.

FVC's Multimedia Operating Software is middleware that enables Windows applications to run over ATM. MOS runs invisibly under the application layer and above the network layer (see the figure "Middleware Simplifies Networked Multimedia" on page 80), bridging the gap between ATM and Microsoft Windows. Unlike other ATM solutions, which rely solely on LAN emulation, MOS brings ATM QoS directly to applications (resulting in high-quality voice, video, text, and images on the desktop) while leveraging the inherent management, security, and authentication features of the existing network OS (NOS).

Users running ATM-attached PCs still run the same applications and access the LAN server as before, except they can also run network multimedia. MOS automatically handles QoS, based on the type of traffic. MOS has predetermined delay and bandwidth parameters for applications according to their bandwidth and delay needs. For example, MPEG traffic gets

OPERATING INSTRUCTIONS,
AS DESIGNED BY NETWORK
PROFESSIONALS.



PC-TO-UNIX
CONNECTIVITY, AS DESIGNED BY
NETWORK PROFESSIONALS.



New
WINDOWS NT
Version Available!

If it were up to you, even the most complicated things would be simplified: tricycle assembly, VCR programming, maybe even your UNIX network.

Not that you'd want to manage it with one button. But with Reflection X from WRQ, it's almost that easy. Reflection provides a powerful X11R6 PC X server and complete PC-to-UNIX connectivity that lets end-users handily access mission-critical applications right from the Windows desktop.

REFLECTION® X/REFLECTION SUITE FOR X

- ▲ **ARCHITECTURE:** 32-BIT WITH WINDOWS ACCELERATED VIDEO ENHANCEMENTS (WAVE); X11R6 COMPLIANCE (XTEST AND MULTI BUFFERING EXTENSION [MBX]), OPTIMIZED FOR WINDOWS 95
- ▲ **INTEGRATION TOOLS:** DIAL-UP X, CONFIGURABLE PANNING, VIRTUAL SCREEN, BACKING STORE AND SAVE UNDERS, 24-BIT COLOR SUPPORT, REMOTE AND LOCAL WINDOW MANAGEMENT, GUI KEYBOARD MAPPING, AND ENHANCED LOCAL PRINTING
- ▲ **TCP/IP AND APPLICATIONS:** VT420, VT320, SCO ANSI, BBS ANSI, LPR/LPD, NFS, FTP CLIENT/SERVER, SNMP MIB II, DHCP, FINGER, PING, NETWORK MANAGEMENT, INTERNET
- ▲ **MANAGEMENT TOOLS:** X TRACE UTILITY WITH CUSTOMIZED FILTERS, QUICK-START CONNECTION TEMPLATES, HOST RESPONSE WINDOW, AUTO-FONT SUBSTITUTION, AND CENTRALIZED SITE ADMINISTRATION
- ▲ **TECHNICAL SUPPORT:** FREE PHONE SUPPORT, BBS, TECH NOTES BY FAX AND WORLD WIDE WEB

WRQ REFLECTION OFFERS COMPLETE SOLUTIONS FOR UNIX, X, HP, DIGITAL, AS/400, 3270, AND TCP/IP CONNECTIVITY.

It has the highest level of application reliability, an award-winning TCP/IP stack, plus 32-bit architecture for faster performance. And best of all, it's everything you need—PC X server, transport, TCP applications, emulation, even an NFS client and Internet access tools—all from one vendor.

To try PC-to-UNIX connectivity designed from your point of view, get yourself in gear and call for a free evaluation copy. Then sit back and watch everything go like clockwork.



For a **FREE** evaluation copy, call
800.926.3896

WRQ Reflection
CONNECTIVITY FOR A CHANGING WORLD

CALL 800.926.3896 IN EUROPE, CALL +31.70.375.11.00
OUTSIDE EUROPE, CALL 206.217.7100
INTERNET: info@wrq.com WEB: <http://www.wrq.com>

STATE OF THE ART Multimedia over the Network

1.5 Mbps of bandwidth, while an audio file gets 5 Mbps. H.320-based videoconferencing gets 384 Kbps, with a delay of 200 to 300 ms. All these services—including applications running over TCP/IP, IPX, and NetBIOS—can be delivered with guaranteed end-to-end quality using the existing desktop wiring infrastructure.

To implement videoconferencing, each PC must be equipped with a 25-Mbps ATM adapter with a direct connection to an H.320-based codec interface board. FVC's H.320-compliant Media Gateway Server (MGS) connects local ATM workgroups to remote sites via ISDN for videoconferencing across the WAN.


MGS is an integrated hardware and software package that upgrades a PC to an ATM/ISDN gateway with Basic Rate Interface (BRI) or Primary Rate Interface (PRI) connections. You make your ISDN connection via MGS, which initiates external calls over the WAN through ISDN's Q.931 call-setup and management-signaling protocol.

Videoconferencing PCs communicate with each other or with the gateway via a 25-Mbps ATM connection to FVC's Media Switch. The ATM adapter and MOS provide ISDN redirection, setting up calls from one computer to another for videoconferencing.

The portion of MOS that resides on the PC sits between the applications and the LAN-emulation software, where it sets up real-time calls for voice, video, and audio. The software redirects Windows applications' real-time data streams from the local drive to a destination across the ATM network. In essence, this redirection spoofs applications into thinking they're executing locally.

When a DOS or Windows program requests a file, MOS consults a map to determine whether the file is stored on the LAN server or on the media server. If it's stored on the LAN server, the request goes through the appropriate protocol stack normally. The LAN-emulation software on

the adapter sets up an ATM call to the LAN server and segments the IP or IPX packets into 53-byte cells and sends them off. At the other end of the connection, the ATM-to-Ethernet adapter located at the remote port of the switch performs cell-



to-packet resassembly and then passes the packets on to the local LAN server.

When the client requests a file that's stored on the media server, MOS sets up an ATM call and passes the request along to it. A component of MOS also resides on the media server, where its primary function is to handle client requests and retrieve data. At the core of this MOS component is a real-time kernel called the ATMOS, which performs call scheduling. This function enables the server to support up to 80 users simultaneously.

Do We Go to ATM from Here?

With the technologies, standards, and products for delivering multimedia solutions rapidly falling into place, ATM looks like the long-term winner. Technologies such as isochronous Ethernet and PACE are viable solutions designed to fulfill emerging requirements for the isochronous bandwidth required by multimedia applications without forcing too much change to existing networks. However, the extent to which ATM is finally accepted—and within what time frame—are topics of continuing debate.

While many industry analysts have

pegged the time frame for widespread deployment of ATM at 3 to 5 years, Mike Sodergren, National Semiconductor's director of strategic marketing, offers a contrary view. Although he is highly supportive of the technology, based on the present course of events, he projects a 10-year scenario for ATM deployment.

According to Sodergren, ATM appears to be technology-focused instead of application-focused, with vendors offering various upgrades of voice, video, and data networks on a stand-alone basis. There doesn't seem to be a concerted effort in the industry to address QoS issues and the convergence of voice and data or to extend the massive investment in existing infrastructure.

"Until these things occur," says Sodergren, "lots of money will be spent without delivering to end users anything tangible in the networked enterprise. This accounts for the emphasis on isoEthernet, which blends wide bandwidth—Nx56/64-Kbps ISDN and Ethernet—in their native forms and offers future support for ATM for an integrated voice/data solution."

Sridhar Krishnaswamy, a senior architect at MCI's Intelligent Network Group,

Where to Find

First Virtual Corp.
Santa Clara, CA
(408) 988-7070
fax: (408) 988-7077

3Com Corp.
Santa Clara, CA
(800) 638-3266
(408) 764-5000
fax: (408) 764-5001
<http://www.3com.com>

TAKE ANY 5 BOOKS FOR ONLY \$4.95

when you join

THE COMPUTER BOOK CLUB®

Values to
\$194.80



As a member of The Computer Book Club®... you'll enjoy receiving Club bulletins every 3-4 weeks containing exciting offers on the latest books in the field at savings of up to 50% off of regular publishers' prices. If you want the Main selection, do nothing and it will be shipped automatically. If you want another book, or no book at all, simply return the reply form to us by the date specified. You'll have at least 10 days to decide. If you ever receive a book you don't want due to late delivery of the bulletin, you can return it at our expense. And you'll be eligible for FREE BOOKS through our Bonus Book Program. Your only obligation is to purchase 3 more books during the next 2 years, after which you may cancel your membership at any time.

If card is missing, write to: The Computer Book Club®, A Division of The McGraw-Hill Companies, P.O. Box 549, Blacklick, OH 43004-9918. All books are softcover unless otherwise noted. Publishers' prices shown. If you select a book that counts as 2 choices, write the book number in one box and XX in the next. A shipping/handling charge & sales tax will be added to all orders. ©1996 CBC

PHONE: 1-614-759-3666 (8:30 a.m. to 5:00 p.m. EST Monday-Friday) • FAX: 1-614-759-3749 (24 hours a day, 7 days a week)

Save Disk Space



PKZIP version 2.0



1992-1995

PKWARE® introduces the next generation of its award winning compression utility. PKZIP 2.0 yields greater performance levels than achieved with previous releases of the software. PKZIP compresses and archives files. This saves disk space and reduces file transfer time.

Software developers! You can significantly reduce product duplication costs by decreasing the number of disks required to distribute your applications. Call for Distribution License information.

Put Your Windows Executables on a Diet

Software developers! Save disk space and media costs with smaller executables. You can distribute your software in a compressed form with PKLITE Professional. PKLITE Professional gives you the ability to compress files so that they cannot be expanded by PKLITE. This discourages reverse engineering of your programs.



PKLITE compresses Windows (.EXE, .DLL and .DRV) and DOS executable (.EXE, .COM, .SYS and .DRV) files by an average of 45%. The operation of PKLITE is transparent, all you will notice is more available disk space!

Compression for YOUR Application



The PKWARE Data Compression Library® products allow you to incorporate data compression technology into your software applications. The application program controls all the input and output of data, allowing data to be compressed or extracted to or from any device or area of memory. Not compatible with files created by PKZIP.

All Purpose Data Compression Algorithm compresses ASCII or binary data quickly. The routines can be used with most popular DOS languages. Separate DOS, Windows, OS/2 32-bit, Win32, UNIX, and DOS 32-bit versions are available!

PKWARE® INC.

The Data Compression Experts®

9025 N. Deerwood Drive Brown Deer, WI 53223-2437
(414) 354-8699 Fax (414) 354-8559
WWW: <http://www.pkware.com>

PKZIP for Windows \$29 until March 15, 1996, regular price \$49

PKZIP for DOS \$47 PKLITE - \$46 PKLITE Professional - \$146

PKWARE Data Compression Library: for DOS - \$275 for Windows - \$350 for OS/2 - \$350 for UNIX (specify version of SCD, Linux, AIX, UnixWare, or Sun Solaris) - \$450 for Win32 (specify for Alpha, Intel or PowerPC) - \$350

Please add \$5.00 S&H per package in the US & Canada, \$11.25 per package overseas.

Wisconsin residents add appropriate state sales tax & county sales tax.

Check or Money Order in US Funds, drawn on a US bank in the US, the American Express Card, VISA and MasterCard accepted, no COD orders.

notes that there are no new requirements that carriers have to meet for isochronous Ethernet. According to Krishnaswamy, "The carriers already support ISDN for high-quality isochronous transmission over digital circuits and employ Q.931 signaling for fast call setup. ATM, on the other hand, requires that major changes and additions be made to the network infrastructure. When it comes to developing and deploying multimedia applications, it would seem that isochronous-Ethernet-based solutions would be easier than those that require ATM end-to-end."

Two other developments support these views. The ATM Forum recently abandoned its plan to develop an API for ATM, making it unlikely that a single, commonly accepted interface for ATM applications will emerge anytime soon. In addition, the IEEE 802.9 working group will be asked in March to take up the development of a standard for a 100-Mbps version of isochronous Ethernet. This would not only elevate isochronous Ethernet into the "long-term solutions" category for multimedia applications but could put a chokehold on ATM.

As you can see, ATM will not be the ultimate solution that satisfies the needs of every organization or situation. In a way, that could be beneficial. It means there's no need to hold off deployment of multimedia applications until something like ATM becomes more widely available.

Of course, it also means that since ATM is not the nirvana that will satisfy all multimedia-delivery problems, managers will still have to use a combination of technologies to ensure the timely delivery of multimedia data streams over their corporate networks.

Fortunately, the combination of data-link and network-layer technologies, such as isochronous Ethernet and PACE, combined with OSes that take advantage of higher-layer services (like the QoS offered with ATM and ISDN), should give most companies enough leeway to design a total system for carrying their multimedia traffic. ■

Nathan J. Muller is a writer and author who lives in Huntsville, Alabama. He has written over 800 technical articles and 11 books on a variety of computer, communications, and management topics. Among his latest books is The Guide to Network Planning, Procurement and Management (McGraw-Hill, 1996). He can be contacted on the Internet at nmuller@ddx.com or on BIX c/o "editors."

BY 3-96

Discover the Source Integrax

SPARC® Compatible solutions to maximize
productivity and accelerate performance

Reliability. Value. Satisfaction.

IGS
Internet
Gateway
Servers

Integrax SPARC Based Workstations and Servers

SWS20E / SWS20 Systems

This true multi-processing platform supports up to four advanced processors, SuperSPARC® or HyperSPARC®, and four SBUS slots. An ideal system for the most intensive applications.

SWS20E / SWS20 Features

- * Super SPARC or Hyper SPARC processors
- * Four SBUS slots
- * Two MBUS slots
- * Hard disks, CD-ROM & floppy all internal
- * 512 MB of memory
- * ISDN interface (SWS20E)
- * 16-bit audio on board (SWS20)
- * 24-bit true color SX graphics (SWS20)

Entry Level SWS5

The Integrax SWS5 delivers low-cost and high-performance MicroSPARC II architecture. Powerful features built-in like 24-bit AFX graphics and five SBUS slots. Plus, its easily upgradable.

SWS5 Features

- * MicroSPARC II architecture
- * Five SBUS slots
- * 24-bit AFX graphics support
- * Hard disks, CD-ROM & floppy all internal
- * Up to 256 MB of memory
- * 16-bit audio
- * One year warranty on all Integrax manufactured products

HA1000 High Availability Server

Customized HA1000s deliver unparalleled value for optimum expansion possibilities. Compact size and low cost make it ideal for integration into database applications and telecom environments. Hot swappable flexibility and fail safe dependability maintain high data integrity.

HA1000 Features

- * Complete system redundancy and modularity
- * Supports quad CPU configurations
- * Ross and Sun modules supported
- * Up to 19 SBUS slots
- * 10 drive bays for storage
- * Two redundant universal 450W power supplies
- * 19" rack mount assembly available

NEW

USW1 / 140

Ultra-compatible system.
Call now.



Corporate Headquarters
1200 Lawrence Drive, Suite 150
Newbury Park, California 91320
Tel: 800-300-8288 / 805-375-1055
Fax: 805-375-2799
Email: sales@integrax.com
<http://www.integrax.com>

Asia
Beijing, P.R.China
Tel: 8610-253-5305
Fax: 8610-253-5306
Seoul, Korea
Tel: 822-515-5303
Fax: 822-515-5302



OEMs and VARs - expand
your horizons with Integrax
peripherals, base systems
and graphics cards.



VideoPort Professional

-the complete video imaging system



VideoPort Professional lets you work in full colour, with no compression, and with a resolution limited only by the video signal itself.

The video capture system consists of a PCMCIA card type I, a video adaptor cable, the VideoPort Professional software package and an easy-to-follow user manual.



The professional imaging system

If you have a portable or desktop PC with a PCMCIA card slot and access to a video source such as a VCR, camcorder, TV, microscope with video output, laser disc etc., - then all you need is the VideoPort Professional from MRT (If your PC have no PCMCIA card slot, ask for the low cost MRT PCMCIA adapter to ISA). A professional tool on hand wherever you need it, in the office, lab, studio or even on the move.

Powerful software inside

You will be amazed at what you can do with the VideoPort Professional Imager software. This is a Windows-based image enhancement tool which allows colour correction and retouching in an amazingly easy-to-use package. You can blend, lighten, darken, sharpen, remove blemishes, change colours and cut-and-paste. All to a full video signal resolution of 800 x 600 pixels and 24-bit true colour. You have complete control over the final result. Best of all! It's quick and easy!

VideoPort Professional hardware specifications

Card type: PCMCIA Type I
Video inputs: PAL or NTSC, S-video, Composite or monochrome
Resolution: Adjustable up to full video signal resolution, true colour, 24-bit, 800 x 600 pixels
Capture time: 1/25 sec. (PAL), 1/30 sec. (NTSC). Complete image in one frame.
Image size: Horizontal: 66-922 pixels (PAL), 54-754 pixels (NTSC). Vertical: 42-576 pixels (PAL), 35-486 pixels (NTSC).



MRT micro as.

Strømsvn. 74, N-2010 Strømmen, Norway

Tel.: +47 63 89 63 00 Fax: +47 63 89 63 01

USA Tel.: +1 603 465 2830 Fax: +1 603 465 2680

Germany Tel.: +49 8092 880 77 Fax: +49 8092 880 76

• Australia Electro Optics Tel.: +61 2654 1873 Fax: +61 2654 1539 •
 Belgium Microlink Tel.: +32 2 521 8650 Fax: +32 2 521 6078 • China
 Beijing Da Heng Image Vision Co. Ltd. Tel.: +86 1 25 42059 Fax: +86
 1 25 42058 • Denmark Tri-Star Tel.: +45 4673 3200 Fax: +45 4673
 3306 • Finland Fuztech Group Oy Tel.: +358 59 432931 Fax: +358 59
 432367 • France Wintech Tel.: +33 1 694 65908 Fax: +33 1 692 50371
 • Germany Cameron Elektronische Tel.: +49 7117 75730 Fax: +49
 7117 73336 • Greece Tecor Tel.: +30 129 25135 Fax: +30 129 15672 •
 Holland Computada Tel.: +31 73 440700 Fax: +31 73 440778 • Italy
 Elcomi Tel.: +39 2 61 95066 Fax: +39 2 61 34836 • Japan Macnica
 Tel.: +81 45 939 6140 Fax: +81 45 939 6141 • Norway Andresen Data
 Tel.: +47 22 08 31 70 Fax: +47 22 19 72 50 • Portugal Bio Data Tel.:
 +3512 388829 Fax: +3512 3711502 • Saudi Arabia OFOQ Tel.: +966
 2669 6187 Fax: +966 2669 6272 • Spain Cibal MultiMedia Tel.:
 +3471 713523 Fax: +3471 722600 • Sweden Amtech AB Tel.: +46 8
 928065 Fax: +46 8 928077 • Switzerland MPI Tel.: +41 5683 5555
 Fax: +41 5683 4860 • Taiwan O'Sted International Hi-tech Corp.
 Tel.: +88 62912 8633/+88 62910 1407 Fax: +88 62 912 8632
 • UK Visimetrics Tel.: +44 1436 677557 Fax: +44 1436
 672131 • USA Belmont Data West Tel.: +1 415 570
 7792 Fax: +1 415 570 4204. I-Cube Tel.: +1 301
 464 7070 Fax: +1 301 464 0650. Itronics Tel.: +1
 818 865 0005 Fax: +1 818 865 1227. Long
 Island Instrument Corp. Tel.: +1 516 781 4373
 Fax: +1 516 781 4105. Microdisc Tel.: +1 609
 486 0330 Fax: +1 609 486 7877.

Complete
PCMCIA
 card with software
 PC
 Card
 TYPE I




Circle 95 on Inquiry Card (RESELLERS: 96)

LEARN THE LINGO

Whether you need a presentation program or an authoring toolkit depends on the type of project

ROBERT A. DELROSSI



You stand poised at the edge of a 10-foot-long flexible board 50 feet above the pool. The water looks cold. And hard. People are behind you on the ladder, yelling for you to get going. You have two choices: Jump or figure out how to climb back down through all those people. You jump.

Now imagine that the water is multimedia development. The situation is still intimidating. The benefits of multimedia to education and recreation are innumerable. Nearly every personal computer sold today is multimedia-capable. Either you jump into the future, or you climb down and fight your way into the past.

Really, the only question is *how* you are going to jump. We're going to make your landing softer by describing the top multimedia-development tools, from simple to super, and some of the financial pitfalls you should watch out for.

From Presentation to Authoring

There are different tools for the different types of multimedia development (see "The Right Tool for the Job" on page 90). Simple, easy-to-learn tools include presentation-graphics programs, such as Adobe's Persuasion, Lotus's Freelance, Microsoft's PowerPoint, Gold Disk's Asound, and Asymetrix's Compel.

Such programs let you incorporate audio tracks and video clips into each frame of a presentation. When a frame displaying the company's logo appears, for example, the appropriate music plays simultaneously in the background.

The nice thing about these programs is that they are fairly easy to use. Typically, they include built-in audio and video players. And they include animation features so you can control when and where on the screen text or images appear.

The downside is that these types of programs are limited when it comes to the type of multimedia presentations they help


STATE OF THE ART Learn the Lingo

you assemble. Basically, you can embed an object, such as an audio or video clip, within a single presentation frame, or you can give the appearance of animation by looping frames one after another. You can have an item in a frame—such as a bar in a graph that represents sales data—grow or shrink by playing successive frames with different-size bars.

Slightly more sophisticated are tools such as Stirling Technologies' DemoShield and HSC Software's InterActive. Like a presentation tool, they don't use a scripting language. Instead, they enable you to achieve much the same effect using menus, buttons, and dialog boxes. The advantage is that you don't have to learn a scripting language. The disadvantage is that the interface to achieve some effects can be obtuse, with references buried under several layers of menus or dialog boxes.

To develop truer animation and interactive presentations, you have to work with more powerful multimedia development tools. The most common higher-end programs include Macromedia's two products, Authorware and Director, and Allen Communication's Quest.

The general approach to constructing multimedia programs using these tools involves dragging content icons from a palette onto a *flowline* (see "Minimal Assembly Required" on page 88). The flowline is basically a timeline of events in your presentation. It determines the sequence in which different events will happen and includes such things as branch-



ing and loops. The icons are objects for text, graphics, sound, and video.

You run the sequence to see if the presentation is working as you planned. You can put empty icons in place when developing the application, which enables you to develop a presentation before all the elements are available. For instance, you may be creating an interactive training program but have not yet filmed all the scenarios. Once you've finished developing the presentation, you generate a run-time version that is a stand-alone program for end-users.

That's the general method. Each of these higher-level tools takes its own approach to actually creating an application.

Macromedia's Authorware is probably

the best-known of these tools. Macromedia originally designed it for creating interactive training and educational programs. The software uses an icon-based design approach that reduces the amount of manual scripting you need to do. The icons link to Authorware flowlines that show how the information moves and how different elements relate to one another.

By dragging different kinds of icons on to the flowline, you can arrange the various pieces of the presentation. You then customize what the icons do by clicking on them and changing their properties. For example, an icon that represents a picture will need the name of the picture file to display. One that plays music needs to know the name of the sound file, along with characteristics such as the speed at which you want the music to play and whether it should run once or continuously. The latest version, Authorware Professional 3.0, has a new framework icon that serves as a template, so you can specify that particular elements appear on every frame.

Asymetrix Multimedia Toolbook's approach is slightly different, relying instead on a book metaphor, where each page represents a slide in the finished product. On to each page you can drop the various objects that make up your presentation. Like Authorware, Multimedia Toolbook provides ways for you to include synchronized music, sound effects, and video. But unlike Authorware, Multimedia Toolbook has a simple programming language. To program in Authorware, you use specialized programming icons that you add to the timeline. Both packages offer a series of adjunct tools for modifying and otherwise refining the various source elements

CBT EXPERIENCE

Perhaps more than any other, it is the world of computer-based training (CBT) that has best seized upon the opportunities offered by multimedia. Just ask Robert Blalock, director of Technologies Research for the World Tutor Group (Fort Worth, TX).

World Tutor Group has an interesting heritage. It is the multimedia training arm of AMR Training Group. AMR, in turn, owns American Airlines. It was at the airline that the Group got its start. Faced with a mandate to train 30 percent more employees each year at no additional cost, WTG turned to CBT for relief. That was six years ago, when the state of the art for multimedia development was primitive compared to the software you can use today.

The development tool WTG used in 1990 was based on a C-like programming language. Creating materials with it, Blalock explains, required not only a specialist who knew the material to teach, but a programmer as well. So WTG set about finding software that could leverage the knowledge of its specialists in a way that empowered them to design some of the training products themselves.

WTG chose Macromedia's Authorware, one of several high-end tools for developing computer-based presentations that mix and match all types of media sources. Tools like Authorware and Asymetrix's Multimedia Toolbook make it possible to design screens that present text or graphics and let you add the punch of synchronized sound, animation, and video.





If you think file transfer is all we do,
you need some time away from the office.



To appreciate how much more LapLink® for Windows® 95 has to offer, all you have to do is hit the road.

Wherever you go—across the hall, across town or across the country—if you've got LapLink, you have everything you need to access anything you want on your desktop or your network.

With this single piece of software, you can read and send e-mail, run databases and custom applications, synchronize data and, yes, even transfer files.

Since there's no need to change apps to do all these things, there's no need to hang up and redial. And since LapLink works the same

way over modems, IPX and TCP/IP networks, serial cables, parallel cables, wireless, even the Internet, there's no need to laboriously reconfigure.

And there's no need to worry about compatibility. Our 16-bit version is built right into LapLink for Windows 95, so connecting to Windows 3.1 systems is no problem at all.

By now, you probably can't wait to get your hands on the latest LapLink. So you'll be glad to know that upgrading—from an earlier LapLink, or from another product altogether—is ridiculously inexpensive. Call 800-224-7704. Better yet, see your reseller. It'll give you an excuse to get away from the office.

TRAVELING
SOFTWARE



©1996 Traveling Software, Inc. LapLink is a registered trademark of Traveling Software. <http://www.travsoft.com>

Circle 97 on Inquiry Card (RESELLERS: 98).

that go into your multimedia presentation.

Allen Communication's Quest Multimedia Authoring System has a slightly different user interface. Like Authorware, it uses a timeline with content icons, but it also provides wizards that prompt you through the design process. An add-on product, Designer's Edge, helps developers who are new to multimedia authoring. Designer's Edge includes a set of wizards and built-in expert advice. Users we spoke with said they've found the Allen software particularly good for developing instructional programs.

Let's stop to consider some authoring tools of a different type. Visual Basic and V-Graph's O-Zone are examples of development environments that enable you to design content with OLE or OpenDoc and multimedia extensions. In other words, component-based multimedia development. With this kind of environment, you'll typically have a separate module for each multimedia function (i.e., video playback and audio playback will be separate modules, like OCXes) and you set the properties of these modules for each multimedia object (e.g., video or audio clip). The advantage to this kind of development, especially with a general-purpose

tool, is versatility: You aren't limited to developing just multimedia applications.

The capability to program—no matter how you do it—is an essential element of multimedia tools and differentiates them from simpler business presentation packages such as Microsoft PowerPoint. Programmability is also the key to computer-based training (CBT) applications, which often must deliver not only course material but testing material, too. Powerful LAN-based CBT applications can present and grade tests right away, giving the user immediate feedback. They can also package the results and send them to a test administrator straightaway. What's more, administrators can monitor how far a student has progressed through the course material.

The Future of Multimedia

Most people in the multimedia business agree with World Tutor Group's Robert Blalock (see "CBT Experience" on page 86) that the multimedia industry still has a

Minimal Assembly Required



Multimedia development tools like Quest let you pull content together by simply dragging icons of the various elements onto a frame.

big future. With increasing acceptance and demand, and better and faster computers, the tools for delivering high-quality multimedia presentations will improve, too.

One area that will change is the way multimedia is distributed. The Internet will be an explosive distribution tool for multimedia presentations, agrees Kevin Ellis, product marketing associate for MacroMedia Director. With Director and an add-

KNOW THE PRICE

Though the tools for building multimedia applications are easier and more powerful to use than ever, prices can still be high. Besides the cost of the necessary software to develop a presentation, there is the issue of the hardware required to run the presentations you make. Fortunately, most multimedia software no longer requires royalties to the vendor, though you should check with the developer of the product you are using.

Since multimedia presentations often include large clips of video or animation, they tend to grow quite large. Distribution on CD-ROM is not uncommon for all but the most trivial applications, meaning development teams will need burners for creating distributable copies. For bulk copies, look to outside firms to handle duplications inexpensively.

A bigger cost you have to consider is that of developing the content itself, says Robert Blalock, director of Technologies Research at World Tutor Group. If, like WTG, you would like to develop computer-based training (CBT) material for your company, Blalock recommends find-

ing a strategic partner, one that uses CBT itself as well as develops it for others. Especially for a first project, Blalock explains, "the magic behind success is not the computer but the rigorous design phase that precedes the project." Developing a coherent plan for any presentation, whether it's a pitch to a potential client or something as complex as a full CBT curriculum, can require extensive planning.

Yet another cost is associated with the materials you use for the content of your presentation or courseware. Some music, pictures, and video clips, for example, are copyrighted, meaning that you may have to pay royalties to their creator. This can be true even if you download the content from systems like CompuServe or America Online. You cannot simply assume that you can use someone else's material for free.

What's more, studies on multimedia development show it can take hundreds of person-hours to develop just one good hour of training material. Nevertheless, the payoff can be big in terms of savings over traditional instructional meth-



ods. But there's more to it, Blalock argues. Good CBT programs, he says, can actually be more effective, and cost-effective, than traditional

training. And often users like them, too, embracing the idea of working at their own pace and having the flexibility to review at their leisure.

Even if you're not building training programs, using multimedia effectively even for simple business presentations can take time and practice. There are lessons from the desktop publishing craze of six or seven years ago that today's multimedia developers should study. Back then, companies spent thousands of dollars equipping PCs to handle resource-hungry DTP programs. Thousands more went toward high-quality output devices like color printers. The results were often little more than very expensive, garish documents.

Over time, of course, most desktop publishers developed design discipline as they learned what works and what doesn't. It's likely that today's multimedia-development neophytes will travel a similar costly road to success.

**If you're paying
America Online® \$2.95/hour*
to connect to the Internet,
perhaps we can interest you
in this nice bridge?**



Thanks to IDT Internet, you no longer have to be a scientist or superspy to log on to the world's greatest resource of interactive information.

What's more, only IDT Internet lets you access it all — yes all — for just \$15/month. (That's \$15 for IDT Unlimited Internet™ or \$29 for IDT Unlimited Internet Plus™ with free Netscape.)

Save up to 99% monthly with IDT!

Internet Usage	IDT Unlimited/Unltd.Plus	AOL	Prodigy®	Compuserve®
1.5 Hours/day	\$15 / \$29	\$127.95	\$74.20	\$73.70
3 Hours/day	\$15 / \$29	\$260.70	\$206.95	\$161.45
All Day	\$15 / \$29	\$2,119.20	\$2,065.45	\$1,389.95

This means **only \$15** — instead of \$54.20 if you spend 20 hours online with AOL. **Only \$15** — instead of \$73.70 if you spend 45 hours online with

**Or a similarly exorbitant sum to Compuserve or Prodigy*

IDT Internet is a trademark of IDT, Inc. All other trademarks mentioned are the property of their respective owners.

Compuserve. And **only \$15** — instead of \$2,065.45 if you're online all month long with Prodigy!

Simply put, IDT Internet can save up to 99% on your monthly online charges. And there's no censorship!

As if that's not enough, IDT Internet is nearly always a local call, and tech support is free and unlimited (plus, we don't keep you waiting forever to get help).

By now you're probably very interested in switching to IDT Internet.

If not, perhaps we can interest you in a nice bridge?



IDT Internet

Where time isn't money™

1-800-743-4343

CALL 24 HOURS A DAY



on tool called Shockwave for Director, Ellis explains, developers can create multimedia objects that you can view on a World Wide Web page. Unlike the traditional multimedia distribution medium, CD-ROM, Web pages are far easier to customize and update.

Some progressive companies have already adopted multimedia strategies for advertising and attracting new customers. Multimedia catalogs of clothing and cars, for example, are already available. On-line and CD-ROM-based magazines are out there, too.

Blalock says he expects the typical CBT program of the future will be smarter, evolving into an electronic performance support system (EPSS). An EPSS carries the utility of training software to new heights by tightly integrating with the application it is teaching you to use. With a

The Right Tool for the Job

TOOLS	PROS	CONS
Adobe Persuasion, Microsoft PowerPoint, Lotus Freelance	Easy to use; built-in media players for audio and video clips.	Limited functions allow development only of simple applications.
Stirling Technologies' DemoShield and HSC Software's InterActive	Geared to more sophisticated presentations; use buttons, menus, and dialog boxes to create presentations.	Interface sometimes too cluttered for power users.
Macromedia's Authorware and Director, and Allen Communication's Quest	Offer high-end features including scripting, built-in video editing, and use of C and C++ programming to develop applications.	Not for all users; require developer to have a certain level of sophistication.

well-designed EPSS, just about anyone should be able to sit down at an airline reservation terminal, for example, and step

through the process of booking a flight. As your expertise grows, the system grows with you, watching how you work and suggesting ways to do things more efficiently. When the learning load is light, the user can start training on new materials or reviewing his job skills.

With the continued growth in the multimedia market, it's a good time to learn what it will take for you to add multimedia to what you do. Look into the software, know the costs, think about a strategic partner for your first big venture, and then get ready to make a big virtual splash. ■

Until recently, Robert A. DelRossi was director of technology for Boston-based Liberty Real Estate Group, Inc. His articles have appeared in several magazines. You can reach him by sending E-mail to 71510.1726@compuserve.com.

INFORMATION, PLEASE

Multimedia is great for information kiosks. These interactive stations present information in a visually attractive way, sometimes using sound as well. A hotel, for example, could have a kiosk application that takes guests on a virtual tour of the property.



Tools like Macromedia's Authorware and Asymetrix's Multimedia Toolbook can generate applications that recognize "hot spots," so guests can touch the screen to punch up details on nearby attractions. The kiosk simply interprets the selections and branches to the part of the presentation that addresses the guest's request. TourGuide from American Training International goes one step further. It enables you to update a kiosk's software over a modem, making it easier to keep the application up to date. Just as voice mail hasn't replaced operators and office assistants, a kiosk is not likely to replace a hotel concierge, but it can address a guest's questions at all hours of the day or night.

Product Information

Adobe Persuasion for Windows
\$495 per user; \$3160 (10-user)
Adobe Systems, Inc.
Mountain View, CA
(800) 833-6687
(415) 961-4400
fax: (415) 961-3769
Circle 1151 on Inquiry Card.

Astound! for Windows . \$250
Gold Disk, Inc.
Santa Clara, CA
(800) 982-9888
(408) 982-0200
fax: (408) 982-0298
Circle 1154 on Inquiry Card.

Authorware Professional for Windows \$4995
Macromedia, Inc.
San Francisco, CA
(800) 945-4061

(415) 252-2000
fax: (415) 626-0554
<http://www.macromedia.com>
Circle 1149 on Inquiry Card.

Compel \$295
Asymetrix Corp.
Bellevue, WA
(800) 448-6543
(206) 462-0501
fax: (206) 637-1504
Circle 1152 on Inquiry Card.

DemoShield \$495
Stirling Technologies, Inc.
Schaumburg, IL
(800) 374-4353
(708) 240-9111
fax: (708) 240-9120
Circle 1159 on Inquiry Card.

Director \$699
Macromedia, Inc.

San Francisco, CA
(800) 945-4061
(415) 252-2000
fax: (415) 626-0554
<http://www.macromedia.com>
Circle 1157 on Inquiry Card.

Freelance Graphics
\$395 (single-user);
\$495 (network)
Lotus Development Corp.
Cambridge, MA
(800) 343-5414
(617) 577-8500
fax: (617) 693-3512
Circle 1156 on Inquiry Card.

HSC InterActive \$295
HSC Software Corp.
Carpinteria, CA
(805) 566-6200
fax: (805) 566-6385
Circle 1155 on Inquiry Card.

Multimedia Toolbook . . \$695
Asymetrix Corp.
Bellevue, WA
(800) 448-6543
(206) 462-0501
fax: (206) 637-1504
Circle 1153 on Inquiry Card.

O-Zone \$495
V-Graph, Inc.
Westtown, PA
(800) 852-6284
(610) 399-1521
fax: (610) 399-0566
Circle 1160 on Inquiry Card.

PowerPoint for Windows \$495
Microsoft Corp.
Redmond, WA
(800) 426-9400
(206) 882-8080
fax: (206) 93-MSFAX

<http://www.microsoft.com>
Circle 1158 on Inquiry Card.

Quest \$3995
Allen Communication, Inc.
Salt Lake City, UT
(800) 325-7850
(801) 537-7800
fax: (801) 537-7805
Circle 1150 on Inquiry Card.

Visual Basic for Windows
\$199 (standard);
\$495 (professional)
Microsoft Corp.
Redmond, WA
(800) 426-9400
(206) 882-8080
fax: (206) 93-MSFAX
<http://www.microsoft.com>
Circle 1148 on Inquiry Card.

JON UDELL

WEB DESIGN

During Fall Comdex we unveiled the first major redesign of The BYTE Site. Does it appeal to your sense of form and function? That's for you to decide, but either way, the lessons we learned might be useful to you. Our goal was to improve the look and feel of the site—easy to say, hard to do. Here are the six rules that guided us.

RULE 1:

Map the Site on Every Page

Like Ptolemaic minds at the dawn of the Copernican revolution, Web users often feel rootless and disoriented. Your own web, if it's woven to a consistent pattern, can offer comfort. We map The BYTE Site with a standard header made of a row of buttons that link to the site's main areas. Below that, we include the page's title, preceded by an icon that matches one of the buttons. The row of buttons is a standard device that says, "You can go to these places." The matching title adds an important fact that many sites omit. It says, "You are here."

Another way to achieve the same effect might be to show the button for the current area in an alternate, "pushed-in" state. That approach would eliminate the

need to echo the area's icon in every title but would violate the semantics of buttons. On our site, clicking on an area's header button means, "Go to the root page of that area." If you're already deep inside that area, clicking on the header button produces the same action—bouncing you to the area's root—without changing the button's state. That classic user-interface no-no leads to Rule 2.

RULE 2:


Be Consistent

To achieve a consistent look, a Web site must appeal to the ancient traditions of publishing. Tables of contents and chapter heads remain as useful as they were in Gutenberg's day. But to achieve a consistent feel, a site must also embrace the modern traditions of interactive software. Whatever looks like a button should also act like one. Whatever doesn't, shouldn't.

Without a high level of automation, however, this kind of consistency is a luxury you simply can't afford. Life's too short to edit hundreds or thousands of Hypertext Markup Language (HTML) pages by hand, much less reedit them when you decide to reorganize your buttons. Our homegrown HTML generator solves that problem for the BYTE archive, which contains 99 percent of the site's 5000 pages. But standardizing the last 1 percent—a few dozen handcrafted and highly visible pages—became a burden.

One solution to standardizing the last 1 percent, called the *server-side include*, entails marking the places in your HTML files where the Web server should insert boilerplate text as it sends the files to browsers. Another solution, and the one I favor, also requires marking where to insert boilerplates, but instead it relies on a preprocessor to do the insertion. I prefer to use this method because not all Web servers support on-the-fly inclusion and because

Using small icons as data-type cues:
Small icons that serve as list bullets can define the types of the list elements (above). They can also define the sources of data on a search-results page (below).

















AL KANEY © 1996

Lessons learned from The BYTE Site's first major redesign









September 1995 / News & Views

-  [P6 Weakness Revealed](#)
 -  [P6 Faster in Raw Performance...but Slower for 16-bit Applications](#)
 -  [Why Legacy Code Snags the P6](#)
-  [PC Power Comes to the Calculator](#)
 -  [The TI-92 Migrates High-End Math Capabilities](#)
-  [Delphi and VB Turn 32](#)
 -  [Visual Development Tools Turn 32](#)
-  [Whatever Happened To...](#)
-  [New 486 Chips Deliver Inexpensive Power](#)
 -  [AMD's 120-MHz 486: Bargain Power](#)
-  [Interactive Music Videos Arrive for Macs and PCs](#)
 -  [Web Addresses for Interactive CD Information](#)
 -  [Todd Rundgren: A Rugged Individualist](#)
-  [CD-ROM Notebooks Proliferate](#)



BYTE and vpr search results for 603e

-  [april 1995 / core technologies](#)
-  [motorola announces powerpc 603e pricing and availability](#)
-  [motorola announces pricing and availability for the 100- and 120mhz powerpc 603e microproc](#)
-  [june 1995 / news & views / powerpc tidal wave](#)
-  [may 1995 / news & views / risc invades the home and school](#)
-  [april 1995 / core technologies / new powerpcs for notebooks and pdas](#)

Tabbed indexes in HTML:
Repeat a row of text links,
varying the position of a single
"dead link" to mark the
location of the current page.
We use this technique to
manage a series of text boxes
in an article (above) and to
present views of vpr (below).

[Intel](#) [Cyrilx](#) [AMD](#) **NexGen** [DEC](#) [Mips](#) [Sun](#) [HP](#) [PowerPC](#) 

Next generation: Nx686

Dossier: Little is known about the Nx686, because the chip hasn't been announced yet and [NexGen](#) doesn't want to tip its hand to rivals AMD, Cyrilx,

[1](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) **K** [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) 

VPR [KeySteps, Avening, Glos, GL8 8NT, UK, Fast use of new software, 95-10-20](#)

VPR [Kids Count Entertainment, Inc., Jack's House Special Edition CD-ROM, 95-11-06](#)

VPR [Kyocera Electronics, Inc., FS-1600A MAC printer bundle, 95-11-01](#)

they already have enough work to do.

Our preprocessor is a Perl script (see <http://www.byte.com/art/netcol/netproj.htm>) that replaces what's between this pair of HTML comments:

```
<!-- begin stdhdr -->
<!-- end stdhdr -->
```

with boilerplate. It also expects a title—of the form `<h1>`—and standardizes the border, alignment, and spacing applied to the title's icon. To use this system you have to enumerate the set of files it manages in another script, which doubles as an inventory list for the non-automatically generated part of the site.

RULE 3:

Use Small, Discrete Images

Small GIFs that introduce elements of bulleted lists, a common decorative enhancement, can also play a key functional role. Our table-of-contents pages use them to document relationships among articles, text boxes, figures, photos, and tables (see the figure on page 91). Our search-results page uses them to distinguish between two types of data—BYTE articles and vendor-supplied press releases—drawn from different areas of the site. These small GIFs load quickly and, once cached, reload instantly. Deployed consistently, they can create visual patterns that map underlying structures of data.

Full-screen image maps, on the other hand, are a disaster. Putting one of these on your home page invites entry yet repels it with a force inversely proportional to the speed of the visitor's link.

Bandwidth aside, the image map is a questionable device because it violates another convention of software behavior. In a hyperlinked environment, users rely on interactive feedback to distinguish among the sensitive regions of the screen. When you point to a textual or graphical link, your browser reacts with two kinds of feedback: It changes the cursor, and it reports the name of the link destination.

When you point to a spot on an image map, the cursor changes, but the browser can report only coordinates on the image map, not the link target that those coordinates imply. Some image maps delineate hot spots more clearly than others, but there's no getting around the absence of the crucial feedback that confirms transition from one hot spot to another. This glitch affects both the user-hostile full-screen image map and its friendlier cousin, the banner image map that appears in the header or footer position on many sites' pages.

What to do? The BYTE Site avoids image maps entirely; when we use images as links, each image refers unambiguously to a single link target. If we were to switch from the row of buttons to a banner style, we'd build the banner out of a series of discrete chunks.

There's yet another solution at hand: *client-side image maps*. With this technique, HTML tags define particular regions of an image and explicitly associate those regions with link targets. But while Netscape Navigator 2.0 and the Microsoft Internet Explorer both support this feature, the majority of the browsers visiting our site don't, yet.

RULE 4:

Create "Tabbed" Indexes

I've found a nifty way to emulate index tabs in HTML. We use this technique to manage a series of text boxes in an article (e.g., <http://www.byte.com/art/special/9511sota/506023a.htm>) and to index the company, product, and date views of the Virtual Press Room (vpr) (e.g., <http://www.byte.com/vpr/compall1.htm>). The device uses a repeating row of textual links that map a series of pages (or regions within a page). When you click on one of these links, it goes dead—that is, it becomes unhighlighted (and preferably font-enhanced) to announce, "You are here."

You can achieve this effect by hand for a small series, but the HTML coding is tedious. For vpr, I use a Perl script (<http://www.byte.com/art/netcol/netproj.htm>) to iterate over lists of index items—either letters of the alphabet or dates—and generate the necessary HTML.

RULE 5:


Create Many Paths to Information

Each row of index tabs in a vpr view also carries an iconic link to a search screen. That's one of the ways in which The BYTE Site maximizes its internal interconnectedness. Here's another: On table-of-contents pages in the archive, references to figures and tables link to the locations in articles where these elements appear. Other links to these same elements occur in the text of the articles.

Why duplicate them? Magazine designers are always looking for ways to provide "multiple entry points" to information. On the Web you can literally do that.

continued

HOW TO KEEP YOUR AUDI- ENCE



WIRED

PLUG INTO PROXIMA®

Want a better way to connect with your audience? Discover the power of Proxima.

With a Proxima Desktop Projector,[™] you can make a bigger impact with your presentations. Communicate your ideas more



The Proxima DP5100 and the best-selling DP2810 lead the way in brightness, image quality, and price/performance.

clearly. And be more productive. Without the limitations of slides and transparencies.

Just plug a Proxima Desktop Projector into your PC or Mac, and you'll be able to project images from your computer screen onto a large screen or wall. It's that simple.

Want to add audio and video to your presentations? Make last-minute changes on the fly? No problem. Proxima gives you the flexibility and performance to take your multimedia presentations to a higher level.

FIND OUT MORE

about Proxima today. And keep your audience wired.

FREE

"Get Wired With Proxima" Kit!
Get the facts on the latest Proxima products. Call for your free "Get Wired With Proxima" Kit* today!

1-800-655-5155 ext. 102

* Limit one kit per customer.

PROXIMA®
THE DESKTOP PROJECTION COMPANY

Main Office: 9440 Carroll Park Drive, San Diego, CA 92121-2298, (619) 457-5500, FAX (619) 457-9647; European Office: Horstenweg 24, 6191 RX Boek, The Netherlands, +31-43-650 248, FAX +31-43-649 220. Proxima and Cyclops are registered trademarks of Proxima Corporation. Desktop Projector and Desktop Projection are trademarks of Proxima Corporation. Other trademarks are the property of their respective owners. U.S. and foreign patents are pending. Copyright 1995 Proxima Corporation. All rights reserved. Specifications subject to change without notice.

THE BYTE NETWORK PROJECT

As usual, you need automation to implement this rule in a cost-effective manner. It was easy to make the Perl script that builds vpr views tack an iconic search link onto each row. For the table-of-contents links to elements inside articles, it was a bit trickier. The Epsilon Extension Language (EEL) program that generates the table-of-contents pages has to scan articles for link targets of the form


```
<a name=linktarget>  
<h3>Title</h3>
```

and build matching link sources like this:

```
<a href=pathname#linktarget>  
Title</a>
```

Here's another example: an uplink from each table-of-contents page to its parent (the Web equivalent of `cd .`). Initially I omitted these, relying on the native backtracking ability of browsers. If you start on the archive's main page and follow the path August 1995 -> News and Views -> Apple's New Multimedia Macs, you can climb back up the tree by clicking on your browser's "Go back" button.

But what if you arrive at the article "Apple's New Multimedia Macs" by way of a search, either from the BYTE search



Multipane browsing with Netscape Navigator 2.0 frames: With this exciting HTML extension you can consolidate large sets of pages—here a whole issue of BYTE—into a single multipane browser.

page or an external one? Now the "Go back" button takes you back to that search page. There's no easy way to explore the context surrounding "Apple's New Multimedia Macs"—that is, the other August 1995 News & Views articles. An uplink on every table-of-contents page supplies the crucial missing path.

RULE 6: Degrade Gracefully

The tabbed indexes in vpr views rely on two visual cues to focus attention on the current tab: font enlargement and absence of highlighting. If your browser doesn't support the nonstandard `` tag, the effect diminishes but still works. This is an example of graceful degradation. Other advanced HTML features, notably tables, degrade disastrously when they are viewed via Lynx or a first-generation GUI browser. For that reason, we use tables sparingly.

How much do you care about less-capable browsers? That's your call. Knowing how many Lynx or Mosaic 1.x users visit your site (see "Damn Lies," February BYTE, to learn how to collect that information) helps you to scope the problem. But remember that even a small share of the Web population can represent a lot of people. For example, the 3 percent of our visitors who use Lynx form a group that is 3500 strong—and growing.

And some of those visitors, I was recently reminded, are blind.

To serve up tabular data to the full spectrum of browsers, the ultimate solution starts with cell-tagged data—in HTML or any other format that fully specifies rows and columns. Then it mechanically derives a plain, ASCII-formatted version. Finally, it delivers either the rich or plain version according to the capabilities of each incoming browser. I commend sites that do this. Ours doesn't—yet.

Practice What You Preach

As I wrote these rules, I found our site guilty of several violations. Buttons didn't always behave as buttons should (see Rule 2); archive pages didn't offer redundant access to the search function (Rule 5); and some graphical links lacked text alternates for Lynx users (Rule 6).

As I correct these flaws, I'm exploring the design opportunities—and the challenges—of Netscape Navigator 2.0. Using its `<frameset>` tag, I have prototyped a Smalltalk-style article viewer (see the figure above) that promises to vastly enrich navigation of the archive.

How will my six design rules play out in this environment? Beats me; I only know that somehow they must. Watch the site and let me know what you think. ■

Jon Udell is BYTE's executive editor for new media. You can reach him on the Internet or BIX at judell@bix.com.


TOOLWATCH

MHonArc

(<http://www.oac.uci.edu/indiv/ehood/mhonarc.html>)

Point Earl Hood's masterful Perl script at a file of E-mail messages in Unix format, and it creates a threaded HTML archive, complete with decoded MIME attachments. There are other excellent mail-to-HTML converters (e.g., Kevin Hughes' hypermail, <http://www.eit.com/software/hypermail>). MHonArc doubles as a great Perl tutorial.

BOOKNOTE



The Essential Distributed Objects Survival Guide, \$29.95
by Robert Orfali, Dan Harkey,
and Jeri Edwards
John Wiley and Sons, 1995
ISBN 0-471-12993-3

This worthy sequel to *The Essential Client/Server Survival Guide* explores two competing distributed-object architectures—CORBA and OLE/COM. The authors prefer CORBA, but they frame the debate in ways useful to anyone curious about the technical underpinnings of a global computing fabric.

Your hard drive is getting bigger, much, much bigger.

Large hard drives make megabytes disappear!


Believe it or not, your new high-capacity hard disk may only be an illusion. You see, preconfigured hard drives can (and do) waste hundreds of megabytes of storage space because of inefficient cluster sizes.



Now watch those wasted megabytes reappear before your very eyes.



PERCENT OF WASTED HARD DISK SPACE



ACTUAL AMOUNT OF WASTED SPACE DEPENDS UPON THE NUMBER AND SIZE OF YOUR FILES.

Now with PartitionMagic 2.0, you have the power to easily reclaim up to 40% of your hard-disk's wasted storage space instantly.* With a wave of your mouse, you can visually resize hard-disk partitions (which automatically resizes inefficient FAT clusters) to optimize your hard drive, secure data,

and organize applications and operating systems in a more efficient way—even when using disk compression software like Stacker and DriveSpace.

Award-winning technology that steals the show!

OS/2 Professional Magazine selected PartitionMagic 1.0 as the *Best New OS/2 Utility* for 1995. OS/2 Magazine gave it the prestigious *Editors' Choice Award*. But 1.0 was just our warm-up act. PartitionMagic 2.0's user-friendly interface, combined with its non-destructive partition and cluster resizing helped it win BYTE Magazine's *Best of COMDEX Award* at Fall COMDEX 1995. The experts agree, it's hard-disk magic you'll use again and again.



Discover how easy it is to put your hard disk under your spell. To order PartitionMagic 2.0, call PowerQuest today at **1-800-379-2566** and mention code #PQBYM36.

PartitionMagic for Windows 95 & DOS is just **\$49.95**; for OS/2 & DOS, only **\$69.95**.

Also, ask about our special 30-day money back guarantee. Patents pending. For more information (and magic) visit our home page at: <http://www.powerquest.com>.

Version 2.0

PartitionMagic™

Circle 101 on Inquiry Card.





The industry's highest quality

Rainbow is the world's *only* software protection supplier with ISO 9002 certified quality standards.

Reliability to depend on

In 1995, Sentinel improved its industry leading reliability to over 99.985% – far more reliable than any other software protection product.

Call for a **FREE** Sentinel Software Protection Guide!



Manage network licenses

NetSentinel™ is the *only* protection to undergo rigorous testing by and receive approval from Novell.

Truly transparent protection

Designed to go unnoticed by your customers, Sentinel does not interfere with hardware, peripherals or other software programs.

A substantial investment in R&D

In 1995 alone, Rainbow invested over \$4,500,000 in R&D to make the world's leading software protection even better.

Compatible with your software

Our partnerships with Apple, Microsoft and IBM mean Sentinel protects software for any hardware or operating system.



Global service & support

Rainbow supports its customers with offices and distributors in more than 40 countries.

Product is shown larger than actual size. In fact, the SentinelSuperPro™ is the world's smallest dongle.

Total security & flexibility

Sentinel keys are available with proprietary ASIC technology, multiple EEPROM cells or even a microcontroller – giving you the world's best software protection.



Why Sentinel protects more software than all other dongles combined!

Over 8 million Sentinel® keys protect software worldwide. In fact, 55% of all protected software has a Sentinel key, from Rainbow Technologies.

Today, software piracy is at an all-time high. If you're selling software without protection, you're losing sales and revenue.

Sentinel stops piracy and protects your revenue. Only Sentinel gives you leading-edge technology, ISO 9002 certified quality and over 99.985% reliability.

Sentinel is easy to implement and transparent to your end-users. When you need on-time delivery and global support, you need Sentinel.

Call today for a **FREE Sentinel Software Protection Guide** or order a Sentinel Developer's Kit, complete with a Sentinel key, software, and the Sentinel CD-ROM.



(800) 852-8569

SENTINEL
Software Protection



Visit the RAINBOW TECHNOLOGIES home page on the Internet at: <http://www.rnbo.com>

WORLD HEADQUARTERS: 50 Technology Drive, Irvine, CA 92718 ■ Tel: (714) 450-7300 ■ Fax: (714) 450-7450
ASIA/LATIN AMERICA: (714) 450-7300 ■ U.K.: (44) 1932 570066 ■ FRANCE: (33) 1 41 43 29 00 ■ GERMANY: (49) 89 32 17 98 0

ARGENTINA: Agri-Aid, S.A. (54) 1 8030536
AUSTRALIA: LOADPLAN (61) 3 9690 0455
BELGIUM/LUXEMBURG: E2S (32) 92 21 11 17
BRAZIL: MIPS Sistemas Ltda. (55) 11 574 8686
BULGARIA: KSIMETRO (35) 9279 1478
CHINA (East): Shanghai Pudong Software Park Electronics Company (86) 21 6417 8626
CHINA (North): CS&S (86) 10 217 7722 X2404
COLOMBIA: Construdata (57) 1 610 7500

CZECH REPUBLIC: ASKON Int'l (42) 2 3103 652
EGYPT: ZEDAN-ADS (202) 248 8994
GREECE: Byte Computer S.A. (301) 924 17 28
HONG KONG: AllLink Tech. Co. (852) 2333 0626
HUNGARY: Polyware Kft (36) 76 481 236
INDIA: ANC Engineering Co. (91) 11 4615680
INDONESIA: PT. Promtrade InfoScan (62) 21 375 166
IRAN: GAM Electronics (98) 21 205 5750
ITALY: BFI IBECSA SPA (39) 23 31 00535

ITALY: Siosistemi (39) 30 24 21074
JAPAN: Giken Shoji Co., Ltd. (81) 52 972 6544
JORDAN: CDG Engineering (96) 26 863 861
KOREA: Genesis Technologies (82) 2 578 3528
LEBANON: National Group Cons. (961) 1 494317
MALAYSIA: Eastern Systems Design (M) Sdn Bhd (60) 3 241 1188
MEXICO: Impex Comp., S.A. de C.V. (52) 66 210 291
MOROCCO: Futur & Soft (212) 2 40 03 97

NETHERLANDS: IntroCom (31) 74 2430 105
NEW ZEALAND: Software Images (64) 09 378 9790
PHILIPPINES: Mannasoft Technology Corporation (63) 2 813 4162
POLAND: HITEX Sp. z o.o. (48) 22 41 97 51
PORTUGAL: COMELTA (351) 1 941 65 07
SAUDI ARABIA: ZEDAN (966) 2 665 1904
SCANDINAVIA: Perico A/S (47) 2249 1500
SINGAPORE: Systems Design PTE LTD (65) 747 2266

SOUTH AFRICA: Secure Soft (27) 11 482 6964
SPAIN: MECCO (34) 3 422 7700
SWITZERLAND: IBV AG (41) 1 745 92 92
SWITZERLAND: Safe Compad S.A. (41) 2 421 5386
TAIWAN: Evershine Tech. (886) 2 8208925
THAILAND: BCS Int'l (66) 2 319 4451
TUNISIA: ASCI (216) 1 781 751
TURKEY: BIMEKS, Ltd. (90) 216 348 3508
VENEZUELA: HRT-M Osers (58) 2 261 4282

Navigating with a Web Compass

Quarterdeck harnesses leading-edge "metasearch" technology to create a smart agent that searches the Web and organizes the results

REX BALDAZO


Searching for a specific subject or topic on the Internet's World Wide Web is a lot like driving cross-country without a road map: You'd better enjoy the journey because you may never reach your destination. Index sites such as Lycos (www.lycos.com) and OpenText (www.opentext.com) are a good starting point. But no one index can cover everything, nor can any search site always be up to date; you often end up searching several of these services in turn. Quarterdeck's new Windows utility called WebCompass greatly simplifies the task of searching multiple indices.

Developed by Limbex Corp., WebCompass is actually not a search tool but a *metasearch* tool (see the Technology Focus on page 98). That's a fancy way of saying that WebCompass does not perform any searches itself. Rather, it runs other search resources such as Lycos and Yahoo (www.yahoo.com) and the BYTE Site (www.byte.com). When the editors of BYTE magazine saw WebCompass demonstrated at Comdex/Fall '95, we were so impressed we gave it our Best of Show award. And now that we've had a chance to give it an extended test drive, we are more impressed than ever.

Use Your Own Browser If You Want

The engine that runs WebCompass is a Common Gateway Interface (CGI) application, which means you must have a Web server running on your local machine (WebCompass includes a version of Quarterdeck's WebServer). You then use the Web browser of your choice to control WebCompass (see the top screen on this page). Though Quarterdeck's QMosaic is packaged with WebCompass, configuration problems with our Microsoft Network Internet connection prevented its use. So we tried the Microsoft Internet Explorer 2.0 as our interface, which proves just how remarkably flexible WebCompass is: It doesn't care which browser you run.

WebCompass also comes with a Microsoft Access 2.0-format database—as well as 32-bit ODBC drivers—to store and index search results. When you install Web-



1 Quarterdeck's WebCompass search agent lets you launch a search from any Web browser (for example, Microsoft Internet Explorer 2.0).

2 The agent queries Internet search sites and groups the results on a single page.

Compass, you have the option of installing a database that has been prepopulated with various topics to aid in organizing and cross-referencing data.


Add up these components and WebCompass has an imposing footprint. Quarterdeck recommends around 30 MB of disk space for a typical installation, about half of which is the prepopulated database. Once you start storing and indexing your search results, the database will only get bigger.

Resource Management

The key to WebCompass is its ability to interact with various search engines, which it terms *resources*. The package comes with several resources configured, including CNN, CNN Sports, Yahoo, Lycos, and Excite. In turn, each resource is grouped into a category, such as General Resources or Technical Resources.

When you run a WebCompass search, you specify both the search terms and the resources you wish to use. WebCompass then goes out across the Web and runs those resources for you. Instead of you having to visit each search site in turn, WebCompass does the dirty work of querying the resources, collecting all the responses, and presenting them on a single page (see the bottom screen).

You can use resource categories to group similar resources. For example, if



you're running a query on *Montana* but you want the quarterback and not the state, you can tell WebCompass to search only the Sports resources. If you want to search *all* the resources for Montana, you can do that as well. The search results would then include references to Joe Montana, the Big Sky conference, and perhaps Yellowstone National Park.

If the configured resources don't fit your bill, you can add new resources and reassign existing ones to different categories. Adding a new resource is a two-step process. You first enter the URL along with descriptive information and the desired category. Then, WebCompass reads in the search resource at that URL. You must then specify which field on the resource page will be used to enter search text, and you also have to set up the resource page by entering search criteria.

You set up the search page the way you would want to use it if you were running it directly. From then on, whenever you choose a WebCompass category that includes this new search resource, WebCompass can automatically run that search page for you.

continued

Undercover Agent

WebCompass has two search modes: interactive and agent-based. Interactive is the traditional mode: You type in your search terms, select a resource category, and activate the search. WebCompass then does the hunting and gathering and presents all the results, or *hits*, from the various resources on a single page.

You can investigate each hit in turn and add it to your local database by checking the box next to it. You then can add the hit to a topic that is usually related to the search term you used to find the hit. The WebCompass Agent will then retrieve and index the document in your local database so you have it for future reference. In fact, this local topic database is one of WebCompass' search categories, so you can search it just as you would any other resource category.

The Agent is one of the unique strengths of WebCompass. It runs as a separate application outside the browser, though you activate it from the main WebCompass page. The Agent has two roles: It retrieves and indexes articles you have selected as a result of a previous search, and it automatically performs searches for you.

Once you've specified which articles to add to the local database, the Agent can go off and retrieve them, index them, and organize the documents for later review. The indexing scheme is fairly reliable, usually getting related articles together. In our tests using WebCompass, the Agent sometimes put unrelated articles together, but the software generally took a reasonable first stab at grouping the articles it found.

When you run a search interactively, you can add it to a new or existing topic. We ran a search on the word *Bosnia* and created a new topic also called *Bosnia*. (Topics are keywords that help organize data in the local database.) If you specify a particular topic as active, the WebCompass Agent will automatically run the searches related to that topic. The software then adds these new search results to the local database for later review. Agent searches can run while you use your browser to view something else.

Searching from Among Searchers

WebCompass is a metasearch tool, which means it can pass requests to other search resources and then process the results. Thus WebCompass adds value to search engines, but it is not dependent on any particular one.


The first part of metasearching—interacting with search resources such as Yahoo—is straightforward. WebCompass does essentially what a human user of Yahoo would do: Enters a search term and submits the search to Yahoo. It's only in processing the search results that WebCompass gets complicated.

The WebCompass Agent downloads (as a background process, without human intervention) the documents whose URLs were returned by the search. It then uses a variety of AI techniques to analyze the documents, including natural-language parsing for extracting noun phrases. The Agent next uses a combination of statistical and heuristic rules to rank the noun phrases in the document. For example, it might note the frequency of a phrase (a statistical method) or promote a phrase because it falls in the first sentence of a paragraph (a heuristic method).

The Agent uses the noun phrases to derive a summary, or abstract, of each document. This summary (not the whole document) is stored in the local database for future reference. You can remove the abstract from the database when it is no longer useful.

WebCompass employs the sentence rankings to group similar documents,

Steps Performed by Metasearch Agent



WebCompass uses AI techniques to massage Internet search results and group related hits.

another AI technique called conceptual clustering. Once the Agent has decided which documents are similar, it analyzes the similarities to produce a title that describes that group of documents. This title appears as a hyperlink that you can use to jump between related groups of documents.

An artificial intelligence that passes the Turing test may be some time in the future. But the efforts of AI researchers are clearly bearing fruit in agent-based products like WebCompass.

A Few Nits Found

Having the Agent repeatedly run the same query every day quickly adds up to a lot of articles indexed in the local database. Thankfully, WebCompass comes with tools for managing the database, but since these are also Web-based, they feel clunky at times. For example, you can delete a group of articles with a single click, but to delete a single article you have to jump to a separate form. And you can move articles from one topic to another, but since the interface is Web-based, no drag-and-drop commands are available. You have to step through a Hypertext Markup Language (HTML) form to accomplish the task. You also have to use HTML to configure new resources and set up the Agent.

Furthermore, while being able to use different browsers is a strength of WebCompass, it is also a weakness. The caching schemes of some browsers can cause a mismatch between what your

browser shows and what WebCompass is actually doing. For instance, the browser might indicate that the Agent is inactive when in fact it is out there busily running an indexing task. You can fix this inconsistency by reloading your browser whenever you suspect it might be out of sync with WebCompass.

What's more annoying is that WebCompass is a single-user application, which means you can't set up an instance of WebCompass on your network and let different people maintain their own topic databases using the common installation.

These are minor flaws, some of which will no doubt be ironed out in the next release. What matters is that WebCompass has quickly made itself an invaluable part of our Internet tool set. ■

Rex Baldazo is a technical editor in BYTE's New Media department. You can reach him at rbaldazo@bix.com.

EXTRACAD III

Extracad III is an exceptional instrument for producing professional graphics and so it is particularly appropriate for mechanical, electrotechnological, civil engineering and planimetric drawings and any time it is necessary to produce quality technical drawings.

Extracad III is:

Powerful


thanks to its numerous drawing functions available which have been developed in order to satisfy the widest range of needs.

Fast

because it has been developed for the DOS environment (but it can also work in Windows™ without any problems) and has proved to be one of the fastest two-dimensional CADs available today! Moreover, thanks to this characteristic, it can also work correctly with low performance computers.

Easy to use

since the Extracad III philosophy is to supply a complete instrument keeping the naturalness and the possibilities of pencil drawing, thanks also to a highly intuitive graphics interface. The clear and linear structure of Extracad III offers well organised and easily accessible functions, thus accelerating the learning phase while allowing you to develop complex projects in a limited time.



ONLY \$79!

Just some of Extracad III's features:

- Manage the following primitive graphics: points, lines, circles, arcs, ellipses, Bezier curves, text, fields, quotas groups
- Operate with the following geometrical modifiers: free, mean, centre, extremity, intersection, quadrant, point, element, tangent, perpendicular
- Performs heights semiautomatically for lines, circles, arcs, etc.
- Move, copy, delete, rotate, stretch, extend, break, etc. any object inserted into the design
- Import and export the Dxf graphics format
- Export in format Hpgl, Postscript, including in colour
- Work with 256 layers with different colours, thicknesses and sections
- Unlimited zoom
- Print (in colours, too) with over 200 printers and plotters
- Design with different units of measurement in both absolute and relative coordinates

Available libraries: Analog electronics, Digital electronics, Electrotechnics, Home furnishing, Hydraulics.

Minimum configuration: Pc Ms-Dos 100% compatible, CPU 80286 or higher, 4 Mb of RAM, Hard Disk with 4 Mb available, mouse, VGA graphics card or higher (Ahead Systems, ATI, Avance Logic, Cirrus Logic, Compaq QVision, Oak Technologies, Paradise, S3, Trident, Tseng Labs, Video Seven, Weitek, Western Digital, or any VESA compatible)




Produced and distributed by
FINSON srl - Via Montepulciano, 15 - 20124 Milano (ITALY)
Tel. +39-2-66987036 - Fax +39-2-66987027
INTERNET: MC8468@MCLINK.IT

UK FINSON representative:
Tel. +44-1372-464438 - Fax +44-1372-464438

**LOOKING FOR
DISTRIBUTORS!**

Introducing the printer for
whatever, whenever, forever.



Xerox
DocuPrint
laser
printers.
More
to work
with.

THE DOCUMENT COMPANY

XEROX

Circle 103 on Inquiry Card.

One printer, many solutions: The new DocuPrint 4517 network laser printer. Like every Xerox desktop product, it brings you The Document Company's unsurpassed knowledge of office productivity - and the power of high-end Xerox laser technologies.

Its innovative, modular design provides unmatched flexibility for meeting today's ever-changing work-group needs. Now you can ensure that everyone in the workgroup is as productive as possible. Options include 1,350-sheet maximum paper capacity for non-stop printing; a low-cost duplex module that users can easily install themselves; an offset catch tray for faster and easier job retrieval, and a lockable mailbox/collator for privacy.

All with a full year of on-site service and our one-of-a-kind promise in writing. The three-year Xerox Total Satisfaction Guarantee.

For details, call 1-800-34-XEROX. When it comes to creating a more productive workday, you'll find that nobody gives you more to work with.

XEROX®, The Document Company®, the stylized X, and DocuPrint 4517 are registered trademarks of XEROX CORPORATION.



DocuPrint 4517
17 ppm
1200x600 dpi
edge-to-edge printing



add an offset
catch tray;
add a duplex;
and a paper tray



or add a lockable
mailbox/collator



add another
paper tray



add an envelope feeder

configure it for any need

Big, Bright, and Beautiful

IBM's latest top-of-the-line notebook has a display to die for. Who needs an external monitor?

RUSSELL KAY

What strikes you most about IBM's ThinkPad 760CD is its 12.1-inch active-matrix display. It's simply gorgeous. Bright and clear, the 800- by 600-pixel panel provides 16-bit color depth (65,536 colors) and the same viewing area as a standard 14-inch monitor. Since it sits closer to you than an external monitor usually does, the 12.1-inch LCD panel is at least equivalent to a 15-inch CRT. That makes the 760CD the first undisputed candidate for a true desktop-system replacement. The \$7449 price tag (\$8134 as tested) is also striking, but this is IBM's flagship notebook.

Once you tear your eyes away from the display, you realize this multimedia notebook has other goodies to enjoy. The CPU is a 90-MHz Pentium with a 256-KB external cache—powerful, if not state of the art. The non-CD 760 models can be had with a 120-MHz processor. The standard memory configuration is 8 MB of DRAM; our test unit came with 16 MB, and it can be expanded up to 40 MB with dual inline memory modules (DIMMs).

The system comes with a quad-speed

CD-ROM drive built in (it's swappable with the included 3½-inch floppy drive), a lithium-ion battery, a 1.2-GB EIDE hard drive, IBM's Mwave digital signal processing (DSP) system (which gives you a 28.8-Kbps fax modem with telephony features), and hardware-assisted, full-screen MPEG-2 video playback (half-horizontal resolution). The system has two PC Card slots.

When you press back the two locking buttons on the side of the unit and lift up the front of the keyboard, you get a lesson in laptop packaging. Take away the CD-ROM drive, battery, hard drive, and Mwave subsystems, and you're left with a package about 2 by ½ by 6 inches in size: That's the entire CPU, chip set, graphics controller, and I/O circuitry. With all these neat things, the ThinkPad is no lightweight at 7.4 pounds, but it's not a backbreaker, either.

Good Design, Bad Design


The ThinkPad 760CD is a curious mixture of thoughtful design and sometimes-awkward implementation. Our test system came with Windows 95 installed (OS/2 Warp is another option), but we still had to do a fair amount of configuration work. For example, the parallel and serial ports came turned off, which made initial attempts to use an external mouse frustrating. (Restarting Windows 95 became an all-too-common experience.)

The DSP-based 28.8-Kbps fax modem provides telephony functions and can detect incoming activity to awaken the 760CD from sleep mode, but again, the modem (and MPEG decoding) had to be

The ThinkPad 760CD has more to offer than a 12.1-inch color screen. Lifting the keyboard reveals a quad-speed CD-ROM drive, a lithium-ion battery, a 1.2-GB EIDE hard drive, and a DSP subsystem that provides 28.8-Kbps communications and telephony.



AL KANEVY © 1996



Testing under Windows 95 with Microsoft Word 7 and Excel 7 scripts developed by NSTL shows that the ThinkPad 760CD doesn't match desktop performance. Less-than-desktop performance, which is typical for portables, stems from weaker graphics speed. The Wintach graphics test showed that the comparison Dell desktop system had 67 percent better graphics speed. We tested at 800- by 600-pixel resolutions with 256 colors. Both the Dell Dimension XPS P90 and the ThinkPad 760CD had 90-MHz Pentium processors and 16 MB of RAM. The XPS P90 had an STB Powergraph 64 Video graphics card.

specifically enabled in software. This isn't a machine we'd recommend to a novice.

Physically, the ThinkPad is well made. The keyboard elevates at the rear for a different typing angle or totally lifts up at the front to reveal the battery, hard drive, and what IBM calls the "ultrabay." This bay normally contains the CD-ROM drive, but it can instead hold the floppy drive, an extra battery, or a second hard drive.

That's a lot of flexibility, but the implementation of these exchangeable parts is awkward. You remove any of the existing installed batteries or drives by pulling up on flexible blue plastic tabs at each device's rear. Presumably strong enough for the job, they don't inspire confidence, and slippery hands complicate the task.

Worse is the bezel that you must install when you exchange the CD-ROM for the floppy drive. The bezel covers an opening in the front of the ThinkPad, but you cannot put it into place unless you first

remove the battery—something the instructions don't mention. There are actually two different bezels included with the computer, one for the floppy drive and one for the battery or hard drive, and they're an outright nuisance. We ended up omitting the bezel, which meant the floppy drive wasn't held in place as firmly as it should have been.

Frankly, the bezels seem like just more fiddly little plastic bits to get in the way, to lose, or to break. The creative folks at IBM who dreamed up the Butterfly's expanding keyboard can surely come up with a better solution to plugging a hole. In this regard, Toshiba laptops do a much better job of dealing with peripheral drives.

Considerably more thought went into the power-supply brick. To reduce weight and bulk, the AC power cable is only 6 inches long. The length is in the thin cable that carries the DC to the computer. The brick has a molded ramp where the cable exits so that it won't take a sharp bend, as well as a socket to hold the other end of the cable when you're packing it. You simply wrap the cable around the brick and then plug the end into the top. But now there's slack in the cable and it will unwind, right? No, IBM has thoughtfully attached a Velcro strap that lets you tighten and neaten things up.

A Multimedia Standout


With MPEG playback, on-screen video quality was excellent and smooth. We also enjoyed the internal quad-speed CD-ROM drive. You can play audio CDs using the front-panel button, and a sliding control lets you adjust the volume through headphones (not included) or the two front-mounted stereo speakers, which sound about as tinny as you'd expect with 1-inch transducers. The drive also reads Kodak Photo CDs and plays Philips CD Interactive (CD-I) game and instructional discs.

The test unit came with Windows 95, including the Microsoft Internet Explorer and Microsoft Network. Additional bundled software included Asymetrix Com-

What's the Resolution?

Now that notebooks like the ThinkPad 760CD support resolutions higher than standard VGA (640 by 480 pixels), there's a complication with DOS applications that still display at 640 by 480 on an LCD screen. On a desktop CRT display, there's no problem because there's no hard-and-fast connection between logical

Pixels and Phosphor Dots



With a CRT display, the size and placement of pixels are not related to the array of colored phosphor dots that produce the image. With an LCD, each pixel is a physical structure.

graphics processor tries to scale the image up to fit the screen. This process works adequately for video images, but it makes text look funny because the scaling can't be smooth. Some lines are doubled, but some aren't.

resolution and the red, green, and blue phosphor triads that make up the image. The spacing of pixels is determined by modulation of the electron beam that writes the image on the inside surface of the screen (see the figure).

It's an analog system.

But LCD displays are digital.

Each pixel is a physical element: a transistor-controlled set of three LCD cells, each with its own color filter (again, red, green, and blue). To get 640 by 480 resolution on an 800 by 600 screen, either you wind up with a smaller image that occupies only the center part of the display or the

pel PE and Mind Path multimedia presentation software; a FaxWorks faxing package; TranXit file transfer software, which can use serial, parallel, or the built-in (two-port) infrared links; Digital Video Producer, for capturing video; a Video CD-I player; and a group of Lotus applications, including ScreenCam, cc:Mail Mobile, and Lotus Organizer 2.0.

On the Road Again

The unit's full-size notebook keyboard is good, though not remarkably so. The built-in TrackPoint III pointing device is by far the nicest implementation of this type we've yet encountered. It's reasonably fast and accurate yet unintrusive. Both mouse buttons, located at the base of the keyboard, can be physically locked in place to make drag operations easier.

In tests with BYTE's Thumper 2, a robotic device that simulates actual use, the ThinkPad's lithium-ion battery lasted 3.0 hours with the CD-ROM drive inactive. Heavy CD use would cut this time drastically. (With a freshly charged battery, the ThinkPad's battery-gauge program indicated that we had 2 hours, 30 minutes of processing time.)

IBM's literature claims battery life ranges from 3 to 9 hours, presumably with all power-saving options adjusted to their

most economical (and most intrusive) settings. Installing a second battery doubles the run time. Nickel-metal-hydrate batteries are also available.

This well-equipped machine is for the power user who wants to consolidate his or her activities into one computer. To measure performance, we ran Windows 95 application test scripts (Microsoft Excel 7 and Word 7) developed by NSTL. When compared to a similarly configured 90-MHz Dell Dimension XPS P90 desktop system, the ThinkPad performed only two-thirds as fast due to a slower graphics subsystem, a bottleneck with most portables.

Gimme, I Wanna

It's not easy being a BYTE reviewer. Although we get to play with the latest tools, we have to deal with products that are sometimes mysterious and dumb.

The ThinkPad 760CD is neither of those. It's a very nice unit. About the worst thing we can say of the 760CD is that, compared to the competition, it's somewhat overpriced. But the display really changes the way you think about a laptop. I don't want to give it back to IBM. ■

Russell Kay is a BYTE technical editor. He can be contacted on the Internet or BIX at russellk@bix.com.

Product Information

ThinkPad 760CD \$8134
(with 90-MHz Pentium, 256-KB L2 cache, 16 MB of RAM, 12.1-inch active-matrix color display, 1.2-GB EIDE hard drive, and quad-speed CD-ROM drive)
IBM Personal Computer Co.
Research Triangle Park, NC
(800) 426-2968
(919) 517-1950
fax: (919) 517-1101
<http://www.pc.ibm.com>
Circle 1106 on Inquiry Card.

NetWare Mirror with a Twist

With its SnapShotServer option, Vinca's StandbyServer 32 provides inexpensive server mirroring and snapshot backups

BILL LAWRENCE

Your network users want increased performance and storage capacity, while management demands lower cost. Everyone wants 100 percent uptime. In the end, budget constraints may force you to sacrifice constant uptime for performance and capacity. In such a scenario, server reliability enhancers that require you to double your server hardware investment, such as NetWare SFT III and Compaq's Recovery Server Option, often don't make the financial cut.

Vinca's StandbyServer 32 allows you to mirror your NetWare server at a considerably lower cost than does NetWare SFT III, and its failure-recovery process gives you close to 100 percent uptime, which is good enough for many businesses. When you add Vinca's new SnapShotServer NetWare loadable module (NLM) to the mix, you get snapshot backups that don't affect server availability.

Testing on a small NetWare network, we found that both Vinca products work well, although installation and instructions are rough enough to require considerable NetWare expertise. We tested the \$2599 version of StandbyServer 32, which comes with two ISA adapter cards. EISA and Micro Channel architecture versions cost \$2999. A LAN Server version for OS/2 is also available. SnapShotServer costs an additional \$1299.

Disk Mirroring Goes the Distance


Unlike other server-mirroring solutions (see the Technology Focus on page 104), StandbyServer 32 doesn't require the secondary server to be an identical twin of the primary server. It requires only enough memory and CPU power to take over when the primary server fails and to limp along until it's fixed. You can use a less expensive server and disks to mirror the information on your primary server, and you can opt to mirror only those volumes storing critical information.

You also save money by not having to buy an additional NetWare license. However, if you install a separate NetWare license on the secondary server, it can mount volumes of its own and accept user connections while mirroring data on the primary server. The secondary server doesn't have to be dedicated to mirroring the primary server.

StandbyServer 32 achieves server mirroring simply but effectively. Two adapter cards (one each for the primary and secondary servers) provide a high-speed link over a 25-foot connecting cable (a 50-foot cable is optional). When you install and connect the cards and load Vinca's software, the disks in the secondary server appear as local disks to the primary server. You then use NetWare's disk-mirroring capability to duplicate information from the primary server's local disks to disks in the secondary server.

The secondary server uses a run-time version of NetWare (included with StandbyServer 32) with an NLM that manages the mirrored disks. A second NLM monitors the primary server. If the primary server fails, the secondary server reboots and mounts its copies of the mirrored primary-server volumes. In doing this, it assumes the name and internal IPX address of the failed primary server.

Users experience a brief interruption during the re-



Vinca's StandbyServer 32 lets you cost-effectively mirror a NetWare server. Two adapter cards and a 25-foot cable provide a high-speed link between the primary and secondary servers over which mirrored disks are synchronized. When the Sentry NetWare loadable module (NLM) running on the secondary server detects a server failure, its AutoSwitch feature reboots the secondary server and brings it up as the primary server.

AL KAREVY © 1996


boot, and they have to know how to reconnect once the secondary server is up. Thus, StandbyServer 32 doesn't match the seamless and nonstop fail-over service that NetWare SFT III provides (see the feature-comparison table on page 104). It also doesn't require two identical Novell-certified servers that are configured with equal amounts of RAM and disk storage, as does NetWare SFT III.

Not Idly Standing By

Vinca's use of NetWare's disk-mirroring capability has its pros and cons. Introduced in the mid-1980s, the technology is well established. Disk writes can take longer because they must be completed to two disks instead of one, but NetWare's caching insulates users from delays except in extremely write-intensive scenarios.

However, using an older secondary server can have performance drawbacks. To minimize performance consequences, the secondary server should have disks, a disk channel, and an I/O bus that compare favorably to the primary server. During normal operation, the CPU and memory performance of the secondary server matter little because the primary server handles all processing and disk caching. Obviously, when the secondary server takes over during a primary server's failure, its CPU speed and RAM quantity become significant. But if the secondary server needs to run only long enough to enable you to repair the primary server, you don't need to go first-class. *continued*

Recording a Point in Time



While NetWare SFT III is truly fault-tolerant, and thus provides the best defense against hardware failure, it may provide less protection than StandbyServer 32 against software or OS failures. With NetWare SFT III, both servers run configurations that are duplicated. If an errant NLM causes the OS to fail and crash the server, both sides of the mirrored-server pair are likely to crash. With StandbyServer 32, the secondary server does not have to be configured to run the same drivers and NLMs when it reboots to become the primary server.

Freeze-Framing Your Data

SnapShotServer, an add-on to StandbyServer 32, elegantly solves one of the more vexing challenges of operating a server on a nonstop basis: backing up files that may be open. It does this by maintaining a snapshot of server data at a given moment.

The program is an NLM that runs on the secondary server. Once it takes a data snapshot of a mirrored-server volume, you can mount the snapshot as a regular NetWare volume and archive it using your regular backup software.

SnapShotServer doesn't interfere with Vinca's mirroring process. It tracks disk blocks that change after the snapshot and stores an unchanged copy of each changed block in a special buffer volume. The size of this buffer is typically 5 percent to 10 percent that of the volume you're backing up. A snapshot volume consists of the unchanged blocks from the original volume plus any blocks from the snapshot buffer. Because all the activity takes place on the secondary server, backing up doesn't impact performance, nor does it threaten the stability of the primary server with a software crash.

While Vinca's snapshot method is more reliable than backing up a live copy of open files directly from the primary server, it isn't risk-free. You could take the snapshot at the moment a database transaction is incomplete, for example. To reduce this risk, SnapShotServer will take snapshots only after there have been no disk writes for a specified number of seconds, so you can catch the volume at an idle moment when transactions are likely to be complete.

We found that SnapShotServer works well, but it whetted our appetite for more capability. There is no way, for example, to

Mirroring: Different Strokes

Each of the three available NetWare mirroring products deploys a unique mechanism to synchronize the mirrored servers and to start the secondary server when the primary server fails. StandbyServer 32 makes the disks in a secondary server appear as local disks to the primary server through two interface cards and a cable. NetWare's native disk mirroring duplicates primary-server data on the secondary server. When the secondary server senses primary-server failure over the network, it reboots and comes up as the primary server.

NetWare SFT III provides the only server mirroring that is nonstop fault-tolerant. You connect two identical servers by Mirrored Server Link (MSL) network adapters, which provide a dedicated high-speed communications channel between the servers. NetWare SFT III's Multi Server Engine module synchronizes the two servers so that the disk contents and memory image of each remain identical. The mirrored servers must be identical. When the primary server fails, the secondary server becomes the primary server without any interruption in handling user requests.

With Compaq's Recovery Server Option, two identical servers attach to the same SCSI disk array. If the primary server fails, the SCSI bus switches to the control of

the secondary server, which reboots using the OS files and volumes found on the shared disk array. Users experience a brief interruption during the reboot and must reconnect to the server. Disk fault tolerance comes from the mirroring and RAID features provided by Compaq's SCSI controller.

FEATURE COMPARISON: SERVER-MIRRORING PRODUCTS

	VINCA STANDBY-SERVER 32	NETWARE SFT III	COMPAQ RECOVERY SERVER OPTION
Unattended fail-over	Yes	Yes	Yes
Nonstop fail-over (no user interruption)	No	Yes	No
Requires identical secondary server	No	Yes	Yes
Requires second NetWare license	No	Yes	No
Allows partial server mirroring (selected volumes)	Yes	No	Yes
NOS support	NetWare 4.x and 3.x	NetWare 4.x	NetWare 4.x and 3.x, Windows NT

automatically keep multiple point-in-time snapshots of the same volume. You can configure SnapShotServer to make a snapshot at intervals of as short as every 15 minutes, but you must archive them with your backup software to preserve each iteration.

Not for Novices

Vinca's products worked as advertised in our tests, with one exception. StandbyServer 32 couldn't detect the failure of a server that was running NetWare 4.x unless bindery emulation was enabled. Vinca's technical-support staff responded promptly and knowledgeably when we reported this problem, and we received a preview of the next release, which fixes the problem.

Installation and configuration of StandbyServer 32 are complex tasks, and Vin-

ca's attempts to automate the procedure with an installation utility caused more problems than the utility was worth. We resorted to manually installing Vinca's drivers and NLMs in the appropriate subdirectories and carefully configuring the AUTOEXEC.NCF and STARTUP.NCF files of the two servers ourselves. According to a Vinca spokesperson, the company is rewriting the documentation and retooling the installation procedure.

Meanwhile, you'll need expertise on NetWare start-up files to make Vinca's products work. Set aside plenty of time for trial and error, and keep Vinca's support number handy. If you need low-cost and flexible server failure recovery, the result will be well worth your effort. ■

Bill Lawrence manages LAN and PC computing for a major Western power utility. He is the author of Using NetWare 4.1 and Using NetWare 3.12 (both published by Que). You can reach him on the Internet or BIX at blawrence@bix.com.

Product Information

StandbyServer 32\$2599 with ISA cards; \$2999 with EISA or Micro Channel architecture cards
SnapShotServer\$1299
 Vinca Corp.
 Orem, UT
 (800) 934-9530
 (801) 223-3100
 fax: (801) 223-3107
 info@vinca.com
 http://www.vinca.com
Circle 1093 on Inquiry Card.

PRESENTING THE

photonTM microGUI

Breakthrough Technology for Embedded Systems

Looking for ways to achieve more with less? More performance with less hardware? More productivity in less time? More bang with less buck?

Presenting the Photon microGUI.TM QNX's full-featured windowing system that can give even your smallest PC-based realtime systems a phenomenal front end.

Breakthrough Architecture

Photon is built around a 45K microkernel and modular processes, so you can easily add or remove graphics functionality to fit your target.

The cornerstone of Photon's event-driven architecture is the QNX realtime OS. Which means Photon applications inherit



QNX's scalability, message-based IPC, and network-distributed processing. The result is a realtime graphical platform never before seen in the PC world.



At last, a window into the black box. Photon lets you monitor and control your embedded system from remote computers — even from non-QNX platforms.

Breakthrough Connectivity

Imagine being able to see into your embedded device — and control it — from a remote QNX box. Or from an X workstation. Or from a Windows-based PC.

Photon's *jump-gate connectivity*TM even lets you "beam" or transport an application from one QNX node to another!

Breakthrough Efficiency

Photon can deliver high-end, workstation-class graphics even on low-cost PC hardware. It uses memory wisely. And it comes with a low runtime price tag.

You can also expect to save development time, thanks to Photon's easy-to-use API and extensible widget library.

And when you use the code-generating Photon Application Builder, you won't have to spend any time coding your interface by hand — and it won't cost you an arm and a leg either.

Breakthrough Performance

Imagine the power of a high-end graphics system, but with the efficiency of a realtime executive. With

Photon's impressive drawing speeds (even across phone lines!) and intuitive UI design, your embedded PCs will look and feel like turbo-charged workstations.




...a window into your embedded system even from within MS-Windows.

Photon Takes You Places

With Photon's phenomenal performance, incredible efficiency, unique jump-gate connectivity... there's no telling how far you can go. And since Photon supports

Unicode, you'll be able to take your realtime solutions anywhere in the world.



The Photon Application Builder beats tedious hand-coded GUI building hands down!



The Leading Realtime OS for PCs

To find out more about the leading realtime OS for PCs, call **800 676 0566** or 613 591 0931. (EXTENSION 1022)
Or reach us via email at info@qnx.com or on the web at <http://www.qnx.com>.

Win a Trip to COMDEX!!

COMDEX/Spring '96 • June 3-6, 1996 • McCormick Place, Chicago

Win a free trip to see IT all • the number one exhibition of Internet technologies, Windows 95 and Windows NT advances, corporate networking, mobile computing and everything else that is changing the way you do business. There will be keynote addresses from top executives at Microsoft Corporation and Netscape Communication Corporation. **Be there when the next wave of technology hits Chicago this June...only at COMDEX/Spring and WINDOWS WORLD.**

THE PRIZE WILL INCLUDE:

- A round-trip coach airfare, for one, within the continental U.S.
- Three night accommodations (room cost and taxes) at the Stouffer Renaissance Hotel in Chicago.
- COMDEX/Spring '96 admission ticket.

Winner will be responsible for:

- Transfers between airport and hotel and for daily transfers between hotel and conference center.
- Meals, tips and miscellaneous expenses (phone, etc.).

The entry form can be faxed to 603-924-2691 or sent by mail to:
COMDEX Contest, SCS Department, BYTE Magazine,
One Phoenix Mill Lane, Peterborough NH 03458.

 **COMDEX**
Spring '96

Name _____ Title _____
Company _____
Address _____
City _____ State _____ Zip _____
Day Phone _____ Fax _____

CONTEST RULES:

The contest is open to all U.S. residents 18 years of age or older. NO PURCHASE NECESSARY. Entries must be received by March 31, 1996 to be eligible for the drawing. Use the official entry form or send your name and address on a postcard to COMDEX Contest, SCS Dept., BYTE Magazine, One Phoenix Mill Lane, Peterborough, NH 03458. One entry per person. The finalist will be determined in a random drawing to take place April 1, 1996 at BYTE. Telephone contact with the individual specified on the entry card must be made for the finalist to be declared the winner. In the event that the winner fails to timely claim his or her prize or fails to meet the eligibility requirements of this sweepstakes, the unawarded prize will be awarded to an alternate winner selected at random. The winner shall be required to sign an affidavit of eligibility and a form releasing The McGraw-Hill Companies, Inc. from liability in connection with use of the prize.

The odds of winning depend on the total number of entries received by the cutoff date of March 31, 1996. Employees of The McGraw-Hill Companies, Inc. and their families are not eligible to participate in the contest. The McGraw-Hill Companies, Inc. is not responsible for lost, late, or misdirected mail or ineligible entries. All federal, state, and/or local rules and regulations apply. Void where prohibited by law. The winner is responsible for any and all taxes associated with his or her acceptance of the prize. One prize will be awarded. Prize will include round-trip coach airfare for one within the continental U.S., three nights hotel accommodations and a Comdex admission ticket. Total value of prize is approximately \$2000.00. The prize is not redeemable for cash, nor is substitution of the prize by the winner allowed. BYTE reserves the right to substitute a prize of comparable value if the original prize is unavailable. For the name of the winner, send a self-addressed, stamped envelope after April 1, 1996 to COMDEX Contest, SCS Department, BYTE Magazine, One Phoenix Mill Lane, Peterborough, NH 03458.

BYTE

The Technical Authority for Computing Experts...Worldwide

A Division of The McGraw-Hill Companies



The Paperless Cubicle

Personal document scanning is big. Will Visioneer's PaperPort Vx and Hewlett-Packard's HP ScanJet 4Si handle our personal paper crisis?

STANFORD DIEHL

If you're tired of waiting for the paperless office, you can at least create the paperless cubicle with a low-cost personal document scanner. A device category that was jump-started by Visioneer's innovative PaperPort, the personal document scanner doesn't require a radical revamp of corporate work flow, data-input systems, or cultural habits. Trim, inexpensive sheet-fed scanners sit on personal desktops, suck in reams of paper, and establish an efficient electronic filing system at a single workstation. Think of it as a grass-roots paperless revolution.

As BYTE editors, we go through piles of personal paper each day. By using personal scanners to manage our own paper crisis, we've gauged their strengths and weaknesses in handling paper overload. We evaluate the trailblazing PaperPort as a representative example. Visioneer recently released the PaperPort Vx upgrade.

Hewlett-Packard has a newer approach to the same problem: its unique HP ScanJet 4Si network scanner, which comes with an older edition (3.0) of the PaperPort software. An entire workgroup shares a single ScanJet 4Si, with each workstation running a local copy of the software.


If you want to include color elements in your document/image repository, consider

Logitech's PageScan Color (see the text box "ScanMan Scans 24-bit Color" on page 108).

Personal PaperPort

The Visioneer PaperPort is a simple, no-frills solution that does a specific job and does it well. It manages your *personal* paper. When you feed in a page, the scanner cranks up, pulls the page through, and scans it. The only mechanical adjustment is a sliding cover that changes the paper path from a loop (to drop the paper out in front) to a direct pass-through (to drop the paper out the back—good for business cards and other small items).

It takes about 6 seconds to scan in a full page. The image then appears on the PaperPort 3.5 desktop. You can drag the scanned image onto PaperPort links at the bottom of the screen. If you drop it on the Word icon, PaperPort transparently converts the image into a Word document using the bundled version of OmniPage Lite OCR and then fires up Word with the new file.



AL KAREY © 1996

Personal document scanners should be easy to use and easy on precious desk space. Visioneer's upgraded PaperPort Vx (above) fits snugly between your keyboard and monitor. Hewlett-Packard's HP ScanJet 4Si doesn't sit on your desk at all. You plug it into your NetWare network and share the hardware across a workgroup.



Also, you can drop the image on the cc:Mail link and send it to a coworker. The coworker will then need the PaperPort software, or a PaperPort Viewer utility, to read the document and add annotations. Annotations include sticky notes, highlighting, overlay text, freehand pencil, and straight lines.

From the desktop, you can drag the electronic documents (or images) into folders that live along the left side of the screen. Unfortunately, PaperPort doesn't support

OCR: A Long Way fr@m the Old Dajs

Over the past 10 years, OCR has come a long way. Early desktop-based OCR solutions required tedious user training. The software would build a database, assigning an ASCII value to the bit-map image of each character it came across. Once trained, the OCR engine compared scanned character images to the images in its database, returning an ASCII character that represented the best match. Besides consuming time and resources, trainable packages did not work well when faced with a variety of fonts.

Instead of bit-map matching, *omnifont* technology uses feature extraction to distinguish characters, breaking down a character into its component parts and recognizing an image based on its unique combination of shapes. Omnifont requires no training, consumes less disk space, and, because a character retains the same basic features regard-

less of the font, works well across a broad range of typefaces.

Technology developed by Caere (maker of OmniPage Pro 6.0, WordScan Plus 4.0, and OmniPage Lite OCR, which comes bundled with the PaperPort software) not only recognizes single characters but evaluates entire words to make better predictions. The technology is based on the hidden Markov model, a complex mathematical model used in predictive technologies such as speech recognition and DNA matching.

The OCR engine looks at all the pixels that make up a word and then uses probability algorithms, including contextual evidence and language rules, to select the most probable word. Trigram analysis and dictionaries further improve accuracy. Trigram algorithms consider the probabilities of three words appearing together and can adjust the prediction of a single word based on the trigram probabilities.

REVIEWS The Paperless Cubicle

hierarchical organization (i.e., a folder within a folder). A single level of folders is a real drawback when it comes to organizing all that electronic paper.

Using PaperPort's 2.0 file format, the stored images are fairly compact. We found that an 8.5- by 11-inch text document typically consumed from 35 to 55 KB of disk space (turning on the Sharp-Page feature generates larger files but makes OCR more accurate). A 3- by 5-inch, 8-bit gray-scale photo took up about 40 KB, and a business card about 15 KB.

Visioneer's PaperPort Vx is a refreshingly simple idea done right. We intend to put it to good use clearing out our piles of personal paper. Now if it could only file boxes of software....

If you're familiar with PaperPort, here's what's new with Vx:

- 8-bit gray-scale images, for 256 levels of gray (up from 1-bit monochrome)
- OmniPage Lite, for transparent OCR
- CardScan SE Business Card Reader software, for scanning business cards
- PictureWorks Copy Machine software, for making PaperPort and a printer function as a copy machine
- New links and file types: Lotus Notes and cc:Mail, Microsoft Mail and Exchange, Novell InForms, Xerox TextBridge Pro, Corel Photopaint, Adobe Acrobat, JPEG, and GIF.

Workgroup Scanning

Hewlett-Packard's new network scanner, the HP ScanJet 4Si, extends the PaperPort model out to the workgroup. It connects directly to a NetWare network (3.1x and up) and includes a 20-seat user license for the PaperPort 3.0 software. It's a 15-page-per-minute, 300-dot-per-inch, 8-bit flatbed (8.5- by 11.7-inch scan area) scanner with a 50-page document feeder and a 10Base-T or Token Ring connection.

The ScanJet 4Si compresses scanned documents, using G4 and Packbits compression, to its own 135-MB hard drive before sending it over the network for temporary storage on a NetWare server. We

confirmed HP's claimed performance of approximately 2½ minutes for a 15-page text-mode (1-bit) job.

HP's Windows 3.x software makes NetWare installation and administration easy. You run the installation program from any Windows client to install the NetWare loadable module (NLM) and administration utility on a server. From the administration utility, you configure the scanner, connect it to other servers, build user lists, and set up print queues to enable copying. Workstation users can download drivers, a client version of PaperPort, and a utility for monitoring the scanner's status.

To scan, you scroll to your workstation's name from the ScanJet 4Si's LCD panel, load up to 50 pages in the feeder, select a mode (text, photo, or mixed), hit the start button, and wait for the images to appear on your local PaperPort desktop. PaperPort loads if it's not already running, and the scanner remembers individual user settings. From that point, you can OCR, fax, print, or drop the image on application links. Version 3.0 of the PaperPort software does not include CardScan SE Business Card Reader, PictureWorks Copy Machine, or desktop folders.

That's right: This PaperPort version doesn't let you organize your images into folders. All the images share the same PaperPort desktop, so there is no way to organize your stuff beyond stacking pages on top of each other. It's sort of like selling a bookcase and charging extra for shelves. You'll want to upgrade to version 3.5 of PaperPort (\$599 for a 20-user upgrade) for any serious archiving needs.

With a network scanner, your entire workgroup requires only a single hardware device, saving hardware costs and

SCANMAN SCANS 24-BIT COLOR

Once you have a personal scanner on your desktop, you'll probably find yourself needing an occasional color scan: a color photo or a color-coded graphic. Logitech's new PageScan Color adds some solid features to the sheet-fed personal-scanning category, including 24-bit color. Also, you can remove the PageScan Color from its base to hand-scan larger items or bound material without removing pages. The estimated street price is \$399.

The PageScan Color comes with Xerox TextBridge OCR, PaperMaster SE document management software, a low-end image editor, fax and copier components, and a TWAIN driver, so you can scan into almost any Windows imaging application. PaperMaster SE supports file drawers as well as file folders for an extra level of organization. However, because it uses a proprietary file format, you can't get electronic documents into or out of PaperMaster SE. To get import/export capability, you'll need to upgrade to the full version of PaperMaster for \$49.



centralizing maintenance. And best of all, you can load up to 50 pages at once. All the scanned pages will appear on the PaperPort desktop as a single stack, so you may need to perform the time-consuming task of separating the stack into individual documents.

The ScanJet 4Si lets your entire workgroup easily standardize on the PaperPort software. Once standardized, the workgroup can share PaperPort documents, route them across the network or as E-mail attachments, annotate them, and establish a work flow by way of PaperPort.

Solutions for a Small Cubicle

We think the PaperPort Vx is the best general solution for personal paper management. For the scanning of smaller documents scattered throughout the day, it proved most convenient.

However, for batch jobs and large documents, the ScanJet 4Si's 50-sheet feeder is well worth the walk to the scanner. Price and number of users will then drive your buying decision. The combination of a ScanJet 4Si with a 20-user upgrade to PaperPort 3.5 software costs about the same as 10 PaperPort Vx units. So, if your installation requires more than 10 users, you should choose the ScanJet 4Si. ■

Stanford Diehl is a director of BYTE reviews. Currently, he consults, writes, and works as an administrator of color prepress systems. You can reach him on the Internet or BIX at sdiehl@bix.com.

HP ScanJet 4Si

Ethernet, \$2999;
Token Ring, \$3199
Hewlett-Packard Co.
Santa Clara, CA
(800) 722-6538
(208) 396-2551
<http://www.hp.com>
Circle 1130 on Inquiry Card.

PageScan Color \$399

(estimated street price)
Logitech, Inc.
Fremont, CA
(800) 231-7717
(510) 795-8500
fax: (800) 245-0000 (fax back)
Circle 1131 on Inquiry Card.

PaperPort Vx for Windows or

PaperPort Vx
for Macintosh \$369
(estimated street price)
Visioneer, Inc.
Palo Alto, CA
(800) 787-7007
(415) 812-6400
fax: (415) 855-9750
<http://www.visioneer.com>
Circle 1132 on Inquiry Card.

Compiling Convenience +

We rounded up DOS/Windows-based C++ compilers and found Microsoft and Watcom are tops, but where's Borland's upgrade?

RICK GREHAN


You don't just buy a C++ compiler anymore. Well, you can, but in these days of rampantly spreading windowing operating systems, you wouldn't want to. The actual compilation of C or C++ source code into a final application is just one in a series of operations, some of which can be more complicated than the compilation itself. Hence, the C++ compiler becomes just one piece of an *environment*, a coordinated collection of tools that can include text editor, browser, debugger, profiler, resource editor, and so many others that all the icons barely fit on even the biggest screen.

In this roundup, we examine five C++ environments targeted for the Windows platform: Microsoft's Visual C++ 4.0, Watcom's C/C++ 10.5, Symantec's C++ 7.2, and MetaWare's High C/C++ 3.31. We also look briefly at Borland's C++ 4.53; briefly because this article went to press at a cusp in Borland compiler development. Borland 5.0 was just around the corner but not shipping in time for us to review it (the package will likely be available by the time you read this).

Common Ground

Hard as the designers try to differentiate their products, most everyone (except for MetaWare) provides a browser. Visual C++'s browser, ClassView, employs the expandable-tree format common to Windows 95 and is only one "view" into the application under construction. (Another view provides a similar tree whose leaves are the source code files.)

Symantec's browser arises out of the teamwork of the hierarchy editor and the class editor. The former is a tree-like view into class hierarchy, the latter is a Smalltalkish three-pane editor. Both Symantec and Visual C++ do parsing work in the background even before you've done any compilation, which means that once source files are in your Symantec project, you can begin using the hierarchy editor and the class editor.



With the exception of MetaWare High C/C++, the compilers all offer multipaned, Windows-based views into the application you're developing.

Watcom's browser is more sedate. It's a separate application that you can nonetheless launch from within the integrated development environment (IDE). It reads a browse database created during compilation—provided you've set the appropriate option in the project. Watcom's browser is like Symantec's hierarchy editor: It lets you go from an element in the browser window to the location in the source

files where that element is defined. However, this requires the Watcom system to call the editor up; Symantec and Visual C++ are better integrated in this regard.

MetaWare High C/C++ 3.31

When it comes to the High C compiler, everything we've said so far about IDEs goes out the window. High C is purely a set of command-line tools. Admittedly, the editor is window-based, as is the debugger, but it's window with a small w—character graphics only. We'd like to call it charmingly primitive, but it doesn't take long for the charm to evaporate. High C doesn't even come with its own linker, for crying out loud. MetaWare offers an optional one for free, but it creates only Windows 3.x-compatible executables.

Can you build a 32-bit Windows application with High C? Certainly you can, but you can also use a shovel instead of a snow blower to clear your driveway. Furthermore, the 32-bit application you'll build will not be a Win32 app. MetaWare supplies its own "supervisor," a program that acts as an intermediary between the 32-bit code of your program and 16-bit Windows. Therefore, the target is really

MetaWare High C/C++ 3.31

Advantages:

- Consumes only 15 MB of disk space (actually comes on floppies)
- Compiler is synchronized with the latest ANSI specifications
- Free technical support

Disadvantages:

- A command-line product, it lacks an integrated development environment
- Limited platform support; e.g., it can't create a Windows NT target
- Needs additional components to make a complete development system

Windows 3.x, not Windows NT or 95.

High C/C++ does have some positive attributes. MetaWare has worked to keep the compiler up to the latest ANSI C++ standards, including exception handling, run-time type information, namespaces, and so on. And MetaWare bundles in Rogue Wave Software's impressive Tools.h++ class library. This library easily supports multithreaded applications and provides classes to handle persistent storage, a set of collections classes built on the Smalltalk model, and even Windows support with I/O classes to manage the clipboard and DDE. There's also a DLL version of the library that reduces the size of your executable.

High C/C++ comes with free technical

support. And it's no small accomplishment that the compiler arrives on six high-density floppy disks and doesn't consume hundreds of megabytes of disk space. The glamour of this economy fades, however, when you realize that you have to get a linker separately to have a complete development system. Though MetaWare offers a somewhat limited one for free, we used the linker that comes with Phar Lap's TNT DOS Extender (\$595).

Microsoft Visual C++ 4.0

You may be wondering what happened to Visual C++ 3.0. Microsoft skipped from 2.0 (which we reviewed last April) to 4.0 in order to align the compiler's version number with that of Microsoft Foundation

Microsoft Visual C++ 4.0

Advantages:

- Is a complete, tightly integrated development environment
- Component Gallery provides reuse and software management
- Just-in-time debugging finds bugs before program crashes

Disadvantages:

- Easy to get lost in the IDE
- 16-bit development requires separate (though included) compiler

Classes (MFC) 4.0 class library. MFC 4.0 comes with Visual C++ 4.0 and carries such new features as support for Windows Common Controls (supplied with Windows 95 and NT), integration with the OLE controls developer kit, and classes to encapsulate Data Access Objects (DAO). The Technology Focus at left explains the role of DAO and the Borland Database Engine (BDE).

In Microsoft's IDE, the emphasis is on the word *integrated*. Called the Developer Studio, this IDE can serve as a docking station for not only Visual C++ but also Visual Test and Visual FORTRAN Powerstation. As capable as the Developer Studio's user interface is, we worry about its density. Obviously, Microsoft's engineers labored to cram as much functionality onto the screen as possible.

Visual C++ 4.0 introduces the Component Gallery object repository, which is useful on several levels. In one sense, it provides a way to manage classes more as objects than as conglomerates of source code, making it a kind of source-code-management system. To place a class into an application, you just withdraw a copy of it from the Component Gallery and place it in your application; you don't have to cut and paste from header files, .cpp files, and so on. Furthermore, using the gallery to insert a class does more than simply move source code. You can, for example, associate a resource with the class, and the resource will be automatically added to your source code.

You can easily store third-party OCXes in the gallery. It took us only a few mouse clicks to quickly install an OCX in the Component Gallery and insert it into a sample application. Visual C++ did the dirty work by reading the OCX and generating the source code for a C++ "wrapper" class. This class included prebuilt methods that are associated with each OCX's functions, and

Keys to the Enterprise: Data Access Technologies


Data access methods like Microsoft's Open Database Connectivity (ODBC) or Apple's Data Access Language provide a common layer over small local databases and server-based SQL engines, but integrating these low-level technologies into a high-level development environment requires additional components. Enter Microsoft's Data Access Objects (DAO) and the Borland Database Engine (BDE).

DAO consists of objects that make up the programmer's interface to Microsoft's Jet engine, the database manager that underlies Microsoft Access and Visual Basic. DAO 3.0, bundled with Visual C++ 4.0, is implemented as a Common Object Model-compliant DLL and works only in 32-bit Windows. It gives fast 32-bit access via Jet to native Access data using the same simple, abstract data objects found in VB. Microsoft Foundation Classes (MFC) 4.0, included in Visual C++ 4.0, wraps DAO objects into C++ classes similar in structure to those that encapsulate ODBC, giving MFC programmers a more-or-less consistent path to both technologies.

Like Jet, BDE is a high-speed database engine and COM object that underlies a collection of development tools and commercial packages (Borland's Delphi, Paradox, dBase, and Quattro Pro), simplifying data sharing. BDE provides access to ODBC and native access to a few SQL databases through Borland's SQL Links.

Using Borland C++ 4.5x, programmers reach these data sources via BDE through C API calls into the BDE DLL (Borland's integrated database API, or IDAPI). Borland C++ 5.0 integrates BDE by wrapping IDAPI calls into C++ classes designed using Delphi's data object model. Watcom and Symantec provide direct ODBC support through the 16- and 32-bit versions of MFC included with their packages. —Steve Apiki

Analogous Architectures



Borland and Microsoft both use Common Object Model (COM)-compliant components to access their high-speed database engines.

public member variables associated with the object's properties.

Visual C++ 4.0 includes just-in-time debugging. If you're running a debug release of your application and a run-time error occurs, the system presents a dialog box that gives you the choice of either terminating the application or dropping into the debugger (with the source window aligned at the location of the offense).

Visual C++ 4.0 is above all a 32-bit product: It can target Win32s, NT, and Windows 95. A separate CD-ROM that comes in the box carries a copy of Visual C++ 1.52c, which supports 16-bit MS-DOS, Windows 3.1, and Windows for Workgroups 3.11. Microsoft promises a RISC version of C++ 4.0 on NT for PowerPC, Mips, and Alpha platforms. A cross-development edition is available for PowerPC and 68K-based Macintosh systems.

Symantec C++ 7.2

Our recent review of Symantec C++ 7.2 (see "Symantec C++ Differences," December '95 BYTE) aptly pointed out that Symantec has always been the "other" C++ vendor behind Microsoft and Borland—despite Symantec's knack for producing significant innovations in its compiler's integrated development and debugging environment (IDDE).

Netbuild is one such innovation. It's a distributed compilation environment that allows you to turn other machines on your network into compilation servers. It's particularly useful in large projects or when you can run the build during off hours.

Symantec C++'s IDDE prepares your application's source code when you first load the project with source files. This preparer can tell if source code has changed, automatically reparsing in that event. Like `make`, it parses only those files that have changed.

The preparsed results feed into the text-handling components of the IDDE, which

Borland's 5.0

Borland C++ 5.0 was warming up on the launchpad as we labored on this roundup. Though Borland 4.53 (\$499.95; (800) 233-2444) was available—and we used it in our benchmarking—we chose not to perform an official review of either. Instead, here's a preview of version 5.0, based on our hands-on experience with the beta. We'll take a closer look at 5.0 when the final release ships.


The new Borland C++ 5.0 promises to move in the direction of the more integrated development environments (such as Symantec and Microsoft) and away from the approach of separate executables orbiting the IDE. It will also move more components into the IDE and will provide true background compilation.

Unlike Visual C++, the Borland C++ 5.0 compiler will still let you target 16-bit platforms (Windows and DOS) from a single host. Borland chose this backward compatibility (rather than including a separate compiler, as does Microsoft) because of research showing that users are not jumping to 32-bit environments all at once.

Borland's ObjectWindows Library (OWL) will leap from version 2.5 (the current version bundled with the 4.53 compiler) to version 5.0, bolstered with a variety of Windows 95-type controls. OWL will not, however, be the only application framework recognized by the 5.0 compiler. Borland C++ 5.0 will support the latest version of MFC and will include the Rogue Wave standard C++ library, which includes the standard template library.

Borland C++ 5.0's IDE will also be outfitted with a scripting language. Borland describes ObjectScripting as being very C++-like, which means that a C++ programmer will already have a leg up on the language rather than being forced to switch mental gears to deal with a BASIC clone. Borland promises that the language will provide access to most of the IDE's internals, beyond the capabilities of the scripting language found in Symantec C++. For example, you could create a script that automatically locates all the source files in a particular directory, gathers them into a project, then builds the project.

With its C++ 5.0, Borland will incorporate the database package as part of the compiler package. Compiler developers will thus have access to the Borland database engine, which is explained in the Technology Focus on page 110.



The upcoming version 5.0 of Borland C++ will incorporate more executables into the integrated development environment, making it more competitive with Microsoft and Symantec compilers.

makes possible a Smalltalk-like three-pane browser and editor combination. The editing capabilities of this three-pane system are complete: When you seek a member function within a class, a lower-level editing window opens. If you make changes, the proper source-code file gets updated.

The preparsing works in the background, but it can get annoying if you've just started working with an MFC application and you're running the software off a CD. Depending on the speed of your system, the preparer can take a while to read all the MFC Include files. (Yes, Symantec provides support for MFC: Versions 2.53 and 3.2 are bundled with the package.)

Symantec is also innovative in providing a scripting language, Symantec BASIC, that lets you automate many of the features of the IDDE (particularly the editor) that are otherwise activated via menus and toolbars. Also, just as the Microsoft Component Gallery provides a "wrapping service" for automatically constructing a C++ class interface to OCXes, Symantec's VBExpress will automatically construct a C++ wrapper class around a VBX.

Symantec's target coverage is nearly as broad as Watcom's. From the IDDE, you

can produce executables and DLLs for 16- and 32-bit DOS, as well as for Windows 3.1, Windows for Workgroups 3.11, Windows 95, and Windows NT. Symantec shares a spot with Microsoft as one of only two vendors in this roundup that also provide a Macintosh product (though Microsoft's is a cross-development system, while Symantec's is native on the Mac).

Watcom C/C++ 10.5

Watcom's greatest strength is its cross-platform capabilities. From a single IDE, you can generate targets for DOS (16-bit and extended), all the Windows platforms, OS/2 (16- and 32-bit), and NetWare. Its support for host platforms is equally broad; you can run the Watcom IDE from 16-bit Windows, Windows NT and 95, and OS/2. Watcom C/C++ has been the base platform for our BYTEmark benchmarks since their inception.

The Watcom box arrives with the usual entourage of support tools: debugger, profiler, heap walker, spy, and a post-mortem debugger called Dr. Watcom. There are also image and dialog editors that can be launched on their own or shepherded by the resource editor. Watcom's philosophy

Symantec C++ 7.2

Advantages:

- Tightly integrated development environment with extensive drag-and-drop capabilities
- Netbuild allows distributed compilation

Disadvantages:

- Full installation takes nearly 300 MB
- Below-average performance of generated executables

is distinct from Microsoft's and Symantec's. Where the latter companies have moved to pull the main development components (editor, debugger, compiler) under a single, umbrella-like IDE, Watcom's components are separate executables that the IDE launches as required.

Prior to version 10.5, Watcom C/C++ lacked a visual application builder; it now has Blue Sky's Visual Programmer. Not as robust as, say, Visual Basic, Visual Programmer nonetheless provides a graphical mechanism for populating your application with resource-type objects—buttons, bit maps, menus, etc.—all the while constructing source code (built atop MFC, which ships with the compiler) as you specify the components' functions. We particularly like the menu and dialog-box capture feature, which is a kind of reusabil-

What to Test?—and How?


Actual compilation comprises a smaller part of building an application today, and one that's increasingly difficult to time. New technologies such as Symantec's Netbuild make comparisons even more difficult.

Consequently, we chose to focus our benchmark testing on the quality of code that each compiler produced. We selected two programs: our own BYTEmark and the public-domain version 7 of the J programming language. BYTEmark is a collection of 10 tests that exercises the CPU, FPU, cache, and system memory; J is a complete interpreter that is the last public-domain release of the J language's source code prior to J's becoming a commercial package. (For details, see "The Joy of J" by Dick Pountain in the September '95 BYTE.)

We shipped BYTEmark source code to each vendor and asked them to determine the best optimization settings for the program. We compiled the test according to their recipes and ran the resulting executable on an Intergraph system running Windows NT 3.51 with dual 150-MHz Pentium Pro processors. (No benchmark we tested was multithreaded, so the additional processor had no effect.)

The results of the tests appear in the graphs above. The BYTEmark index figures are automatically calculated by the program. For the J test, we entered a short linear programming script (short by J standards, that is) that performs the simplex algorithm. We also entered a script to calculate the determinant of matrix and turned it loose on an 8x8 matrix. (Note that although we did not formally review Borland's product for this article, we include the results from their version 4.53 compiler for comparison purposes.)

If we were to base our conclusions on BYTEmark results alone, then Microsoft is the clear winner, with Watcom close behind. The J benchmark, however, provides a different perspective. Ironically, Borland fared better than the rest. The difference in performance of the two tests is likely due to the differ-



C++ compilers perform differently depending on the code model. Microsoft Visual C++ 4.0 is fastest in the algorithm-based Native-Mode BYTEmark tests. Borland C++ 4.53 is tops in compiling two scripts written in the public-domain J language, a code flow that is less localized. Indexes are based on the performance of a 90-MHz Dell XPS P90 Pentium system (which scores a 1.0 in all the tests).

Watcom C/C++ 10.5

Advantages:

- Supports a variety of host and target platforms
- High-quality compiler output

Disadvantages:

- Comes with few wizards or expert tools
- Browser and some other tools are not tightly integrated with development environment

ity tool. Activate dialog box capture, then launch another application: Whenever you move the pointer over a dialog box, the cursor turns into a stylized hand with pointing finger. Double-click, and a copy of the dialog box moves into the Visual Programmer's dialog-box editor, ready for inclusion in your application.

Watcom gets high marks for its multiplatform support. And the quality of floating-point math produced by the compiler is a cut above average.

ent code models they present. Tests within the BYTEmark tend to be small routines executed repeatedly; execution flow in the J interpreter will be less localized.

If-Else Statement

Deciding which C++ environment to buy depends largely on your target. If you're going for platform coverage within the Intel family, we recommend Watcom. Though its integer performance has slipped compared to other compilers, it continues to do well with floating-point code. The new Visual Programmer makes Windows development with the Watcom package a less strenuous challenge. Close behind Watcom is Symantec, which covers nearly as many target platforms, provides a well-thought-out development system, and is designed by a crew of engineers who continue to amaze us with their imaginative extensions to the IDE.

For people who know they're going to be working on 32-bit Windows platforms, Microsoft's Visual C++ is our top recommendation. Its overall performance (combining all benchmark scores) takes first place. Plus, the Component Gallery—already a useful mechanism for rapidly incorporating OCXes into a C++ application—will evolve into a more robust object-management system. ■

Rick Grehan (rick_g@bix.com), a BYTE senior technical editor, developed the BYTE benchmark suite and writes the monthly CodeTalk column. He has an M.S. in mathematics/computer science.

High C/C++ 3.31 \$795
(\$995 with Phar Lap TNT DOS Extender)
MetaWare
Santa Cruz, CA
(408) 429-6382
fax: (408) 429-9273
techsales@metaware.com
Circle 1133 on Inquiry Card.

Microsoft Visual C++ 4.0 .. \$499
Microsoft Corp.
Redmond, WA
(800) 426-9400
(206) 882-8080
fax: (206) 936-7329
http://www.microsoft.com
Circle 1134 on Inquiry Card.

Symantec C++ 7.2 \$399
Symantec Corp.
Cupertino, CA
(800) 441-7234
(503) 465-8470
fax: (503) 334-7400
http://www.symantec.com
Circle 1135 on Inquiry Card.

Watcom C/C++ 10.5 \$350
Powersoft
Waterloo, Ontario, Canada
(519) 747-4971
fax: (519) 886-3700
http://www.watcom.com
Circle 1136 on Inquiry Card.

CD-ROM Changers: The Inside Story

Upgrade to one of these internal quad-speed CD-ROM drives from Alps or NEC and put four discs on-line instead of one

CHRIS O'MALLEY

Anyone with even a small handful of favorite CD-ROMs can easily see the value of a CD-ROM player that holds several discs at once. That goes double if you depend on a CD-ROM-based reference work or phone directory. But until recently, CD-ROM changers were available only as bulky, external, and often pricey "jukeboxes."

New internal changers from NEC and Alps put four discs at your disposal. The NEC MultiSpin 4x4 CD-ROM Changer and the Alps 4X Internal CD-ROM Changer are both quad-speed CD-ROM players that hold four discs yet fit into a standard half-height drive bay. They come with Windows software and handle regular CD-ROMs as well as audio CD, Enhanced CD (or CD+), Photo CD, CD Interactive (CD-I), and Video CD discs. Most important, neither will break the bank: The Alps 4X lists for \$410 and is likely to be substantially discounted, while NEC gives the MultiSpin 4x4 an estimated street price of just \$279.

Nakamichi makes the MultiSpin 4x4 drive for NEC and is also supplying it to a number of major PC companies to include in their systems. By the time you read this, Nakamichi will be selling its own version, called the MJ-4.4, in a retail package for the same \$279 estimated street price.

Not to be outdone, Panasonic just introduced—too late for this review—a half-height internal CD-ROM drive that holds five disks. The \$399 Big 5 quad-speed drive has a multitray mechanism that you load with bare discs. Panasonic claims a disc-switching time of less than 5 seconds.

Two Loading Approaches

Both the Alps and NEC drives reviewed here come with the same short, L-shaped Enhanced IDE (EIDE) interface card made by Future Domain, as well as an IDE ribbon cable to connect them and audio cables (for linking the CD-ROM drive with a sound board). Both drives also have a headphone jack and a volume-control wheel

on the front plate. You can install either drive horizontally or vertically.

For all the similarities between the two drives, they approach disc storing and swapping quite differently (see the Technology Focus box on page 114). Like many car audio players, the Alps 4X uses a magazine mechanism (derived from the mechanism used in the car stereos made by Alps' Alpine division). The NEC MultiSpin, on the other hand, uses a direct-feed mechanism in which there are no trays, caddies, or magazines. This mechanism has also been proven in audio CD players from Nakamichi and in an external seven-disc changer.

You can configure each drive to handle its multiple discs in either of two ways: as a single drive letter, where you select which disc is active, or with multiple drive letters (e.g., D, E, F, and G). The single-drive mode makes it easier to run multidisc games and other titles that you must install and run from one drive letter. With the Alps 4X, you select the active disc by pressing a button on the drive. With the NEC MultiSpin, you do it through the provided Windows utility program.

Treating a multidisc drive as four separate drives, on the other hand, means you can launch programs without selecting a slot. But it also means that the programs must be in the same drive-letter slot in which you installed them and that multidisc programs designed to work with only one drive letter (as many are) must all use the same slot—forcing you back into a manual disc swap. Also, audio CDs can be played only in the first slot in this mode.



Both the Alps 4X (bottom) and the NEC MultiSpin pack four discs into a half-height 5¼-inch form factor. The Alps unit uses a cartridge (shown), while the NEC drive feeds in bare discs. Other similarities are quad speed (600 KBps) and an EIDE interface (adapter card included).

Either way, these two drives function best as a convenient place to store and play single-disc titles. That gives the less-expensive NEC MultiSpin the advantage, because you can easily insert or remove one disc at a time. Unless Microsoft endows Windows with the ability to fluidly direct CD-ROM changers, the best hope for simplifying multidisc games is the recently announced digital videodisc standard, which promises enough capacity to eliminate the need for multiple discs in most cases.

MultiSpin Eats Naked Discs

As it has done with its other products, NEC takes extraordinary steps to make the installation process painless with a "getting started" poster and, if you prefer visual instructions, a videotape. Still, installation isn't a no-brainer. The procedure varies, depending on whether you already have an available secondary IDE connector (and therefore don't need the interface card)

and whether you're running Windows 3.1 or Windows 95. There are also DIP switches involved. The NEC manual outlines the steps, but it does a relatively poor job of putting the if/then choices into perspective.

NEC's setup software in-

Feature	Alps 4x Internal CD-ROM Changer	NEC MultiSpin 4x4 CD-ROM Changer
Price	\$410	\$279 (estimated street price)
Data transfer rate (KBps)	600	600
Average access time (ms)	210	250
Buffer size (KB)	128	128
Interface	EIDE	EIDE
Disc loading	Four-slot magazine	Single-feed
IDE burst transfer	PIO mode 3 (11.1 MBps)	PIO mode 3 (11.1 MBps)

Changing of the Discs


How do you fit a CD-ROM reader and four discs into a half-height drive? Alps' 4X uses a four-tray magazine. Once you insert the magazine into the drive, the disc-picking/reading mechanism rises or lowers to the level of the disc you want to play. An arm hooks the appropriate disc tray and pulls it partially out of the magazine stack. Each tray has a large opening on the bottom, providing room for the spindle to clamp it, for the motor to spin it, and for the pickup to read it. The overlapping storage and play areas enable the mechanism to fit within a standard half-height drive.

The NEC MultiSpin 4x4, designed by Nakamichi, tackles the task by eliminating disc caddies, trays, and magazines. The insertion of a bare disc trips an optical sensor that activates a drive belt. The rubber belt contacts the disc at its outermost rim (to avoid damaging data areas) and pulls it into the drive.

The disc stops first at the play position, and the drive's motor, turntable, spindle, and pickup head all rise to clamp, spin, and read the disc. The disc's table of contents is stored in static RAM (SRAM), so the drive knows what's loaded without having to reread each disc every time you power up.

The disc then either continues to play or moves backward to the "stocker," which is a slotted disc-storage area. The elevator-like stocker uses threaded gears to go up and down so that the proper disc can play without being fully ejected from its storage spot. Again, overlapping play and storage areas save space.

Despite their differences, the timings for these two mechanisms are similar. Both drives take about 8 seconds to go from reading one disc to reading another.



stalls the device drivers and a utility program that lets you control the drive. The ability to treat the MultiSpin as a single drive broken into subdrives (e.g., D:1, D:2, D:3, and D:4, so you can see what's in each slot) currently works only under Windows 3.x. Windows 95 support is promised for the first quarter of this year. Current users will be able to get the Windows 95 driver via NEC's World Wide Web site (<http://www.nec.com>) or fulfillment center ((800) 820-1230).

The MultiSpin drive is a pleasure to use. Loading the discs is as easy as pressing one of the four numbered buttons on the front bezel, which opens the drive door, and inserting a naked disc (label side up) about halfway into the opening. The drive draws the disc inside automatically, as a cassette-tape player does, closing the door as it does so. You can tell which slots are occupied by the small lights next to each slot number. You eject the discs by pressing the same slot buttons or by using the eject button in the utility software.

The buttons and the loading slot have special seals to prevent dust from being sucked into your PC's fan. We had no troubles in inserting and ejecting more than 100 discs. However, there's a way to manually rotate the gears to eject a disc should one become jammed, although it requires partially removing the drive.

Alps Reads Magazines

Like many other audio and CD-ROM products, the Alps 4X uses a magazine. Depending on how you like to work (or play), that makes it a little more or less convenient than using the MultiSpin. The downside is that you must fit discs into trays that slide into the magazine and then load the magazine into the drive—a fairly tedious procedure. The advantage is that you can buy extra magazines (for about \$20 apiece) and keep separate four-disc sets ready to quickly pop into your drive. The MultiSpin comes with one magazine.

There's no poster or video bundled with the Alps 4X, but the installation process

is similar to that of the MultiSpin. By default, the Alps setup software handles the four slots as separate drive letters. However, you can choose to assign them all to a single letter by configuring the Alps device driver with a software switch in the CONFIG.SYS file. You can then use the stop/change button on the drive's front panel to cycle through the discs and make one active. This works under Windows 3.1 or Windows 95. The pros and cons of these arrangements are basically the same as with the MultiSpin.

As befits its Alpine heritage, the controls on the Alps 4X drive's bezel follow the model of a CD audio player, with reverse, play/pause, forward, stop/change, and eject buttons. LEDs on the right show which disc you have selected, and a busy LED shows activity. Alps' MultiPlayer Windows program closely resembles the controls on a car stereo player, giving you full control of the changer.

For software that you tend to operate by set or category, such as CD-ROM telephone directories or a group of favorite audio CDs, the magazine approach makes a lot of sense. But if you frequently change single discs, the direct-load approach of the NEC MultiSpin is much more convenient. And, at less than \$300, it's a convenience you can afford. ■

Chris O'Malley (Boynton Beach, FL) is a freelance writer who covers computers and software. He can be contacted on the Internet at 4312323@mcimail.com or on BIX c/o "editors."

Windows-Built for Unix Power

PowerBuilder, the leading client/server programming environment for Windows, moves to Unix so your apps can, too

TOM YAGER

PowerBuilder, the database front-end programming system from Sybase's PowerSoft division, has earned a place as a leading choice among corporate developers. Running under Windows, and more recently the Macintosh, PowerBuilder simplifies the task of creating robust applications that browse, update, administer, and report on data in remote databases.

Now PowerSoft has given PowerBuilder a Unix personality. The latest major release, called PowerBuilder for Unix, runs on Sun (and cloned) Sparc workstations under Solaris 2.4 and OSF/Motif. It's a full port of PowerBuilder 4.0 and does virtually everything its small-iron counterparts will do.


Perhaps the greatest appeal of PowerBuilder for Unix is that it runs (as the documentation says) "mostly unmodified" applications developed with PowerBuilder for Windows or Macintosh. It's a graphical database client tool that maintains source-level compatibility across those three platforms.

Starting Out, We Hit a Bump

We tested PowerBuilder on a Sun Sparc-Station 10 with 64 MB of RAM. PowerBuilder does not include its own database server, but it does support Oracle 7, both Sybase and Microsoft SQL Servers, and Sybase System 10. We used System 10.

PowerBuilder for Unix is a native Sparc/Solaris application, but its Windows roots are obvious. PowerSoft deserves credit for not following the trend of forsaking printed documentation in favor of hypertext, but the bulk of this package's manuals depicts the Windows version of PowerBuilder. Only a few thin guides, an installation guide among them, speak specifically to the Unix release.

The first problem we encountered was getting the server configured. Sybase System 10 is virtually self-installing, but the PowerBuilder documentation fails to state clearly that you need a piece of optional software—Sybase's Open Client/Open Server. This is a set of libraries and header files that allows C and FORTRAN programmers to build Sybase database access



A central feature of PowerBuilder, regardless of platform, is the DataWindow, which abstracts server-based SQL functions to make them available on client machines.

into their applications. PowerSoft should have bundled the libraries with its products. We wasted considerable time trying to identify the missing piece. And while Sybase System 10 automates most of its initialization process, PowerBuilder's start-up requires considerably more manual labor; you have to hack user profiles and set environment variables.

Once PowerBuilder is installed, your first task is to connect to a database server. We ran the server on the same machine as PowerBuilder—still a fair test because PowerBuilder uses TCP/IP to communicate with the server even if the server is on the same box.

Each application gets its own database profile. While you cannot create databases in PowerBuilder, you can perform most other functions (including defining new tables) from within it.

PowerSoft provides an excellent Unix-specific tutorial that walks you through creating an application from scratch. As you begin to work with the tutorial, you will gain appreciation for the role Bristol Technology's Wind/U plays (see the Technology Focus box on page 116). Even fairly advanced interface elements, like floating toolbars, have successfully made the transition from Windows to Unix. To its credit, Bristol didn't try to recreate Windows under Unix; every basic interface element is native OSF/Motif. But Windows users will still feel at home because both

layout and feel, right down to tabbed controls and common dialog boxes like File Open, are decidedly Windows-like. Such fidelity to Windows makes it easier for Windows PowerBuilder developers to target and test their applications for Unix.

Paint Your Application

PowerBuilder's environment consists of a set of *painters*. With the application painter, you pull together the application's elements and preferences. With the database painter, you manage table layouts, validation rules, and other related elements. With the DataWindow painter (see the screen above), you design the user interface. There are also painters for menus, reports, and all the other elements that form a PowerBuilder application.

PowerBuilder maintains a hidden table called a *repository* that holds data-entry validation rules and initial values, among other things. By making these and other elements part of a database and not part of the application, PowerBuilder lets you reuse rules and other elements across tables. PowerBuilder makes objects of the application elements you create. You can transfer these objects from one application to another and create objects that inherit elements from other objects.

Anyone who thinks PowerBuilder is too expensive need only spend a few minutes with it. The software is loaded with the kind of grace notes and thoughtful turns

Wind/U Opens Windows to Unix

Porting a Windows application to Unix is never fun. Core code is usually easy to port because commercial Windows C++ compilers have Unix-compatible functions in their standard libraries. What takes time is translating user-interface code from Windows to Motif, a process made more challenging the more you use low-level calls to the Windows API.

Facing this challenge when it developed PowerBuilder for Unix, PowerSoft turned to Bristol Technology's Wind/U, a suite of tools that makes Windows-to-Unix porting laughably easy. Put simply, Wind/U delivers the functions of the Windows API to Unix developers.

With Wind/U, virtually everything you create in the Windows development environment of your choice simply "walks" over to Unix and runs after a recompile. Wind/U's not an emulator; all its functions are native Unix and native OSF/Motif. Its Motif approximations of standard Windows elements like common dialog boxes are perfect. They're recognizably Motif in their appearance, but the layout is Windows.

HyperHelp, another Bristol module included in PowerBuilder for Unix, compiles Standard Generalized Markup Language (SGML) or Rich Text Format (RTF) definition files into Windows-style .HLP files. This lets you maintain one set of on-line documentation for a multitargeted app and also take advantage of HyperHelp's hypertext viewer, which is better than any Unix help system we've seen.

Bristol's XPrinter module simplifies the task of getting data from an application to

a printer. Unix developers well know how hard it can be to "talk" to a printer. XPrinter provides the hooks that create a very elegant Windows-like connection between your application and your printer.

Of the 1.5 million lines of C/C++ code in PowerBuilder, PowerSoft says it had to modify only 3 to 6 percent for the Windows-to-Unix port—an astonishingly low number. The upshot is that one person can handle the porting work for an application that may have taken a building-full of engineers to create.

Windows-Unix Negotiator



PowerBuilder recompiles Windows apps in Unix and links them to Bristol Technology's Wind/U library to generate native Motif code. This maintains identical functionality between Windows and Motif versions.

that most software designers leave out. The validation-rules dialog box, for example, has a button that inserts the current column's variable name into the rule you're writing. The display-format dialog box not only lets you define a format for a column, it even tests your format within the dialog box itself. You just enter a value and click a button to see it displayed as you requested. We expected to have to pull up a database view to see if our format definition worked.

Windows-Centric Not a Bad Thing

Motif purists might chafe a little at the extent to which Microsoft Windows para-

digms are applied to PowerBuilder for Unix. The Windows version of PowerBuilder is notable for, among other things, allowing developers access to low-level elements like the attributes for window styles. But when you pull up the dialog box for altering a custom window's style, you'll see a set of checkboxes detailing Windows-type attributes, not Motif-type attributes. Users running your application won't be able to tell because the look is still native Motif.

This Windows-centric approach is entirely appropriate. By choosing Windows as its base, PowerSoft made it possible to create gorgeous Motif database apps that port effortlessly to Windows, and vice versa. Were you restricted to Motif's capabilities, the Windows version of the ported application would suffer. For that matter, so would the Motif version.

If you're expecting PowerBuilder to shield you from having to learn SQL,

you'll be disappointed. It doesn't reduce *everything* to drag-and-drop. If you're familiar with Windows tools, you might find PowerBuilder's approach similar to Visual Basic's. The interface helps you manage data elements, paint the interface, and perform basic procedures like field validation. But for virtually everything else, you'll need a strong foundation in both SQL and PowerBuilder's scripting language, PowerScript, a structured language that reads somewhat like BASIC. As with other operations in PowerBuilder, you're never flying blind when you're writing scripts. The package provides a debugger, and within the editor are powerful browsers. Database structures, interface objects, and other application elements are a few clicks away.

Delivery Time

Perhaps the best thing about PowerBuilder is what you get when you're finished building: a stand-alone executable program. PC snobs will bristle at being forced to keep the .EXE extension PowerBuilder requires, but that doesn't diminish the joyful simplicity of entering a single command to launch your program.

Virtually everything you create in PowerBuilder for Unix will move, unchanged, to PowerBuilder running in a Windows or Macintosh environment. Load your application into PowerBuilder for Windows and select the Generate EXE option to produce a native Windows program that acts just like its Motif counterpart. But if you tie C code into your program or call out to external Unix commands, you'll have more trouble porting: The executable files PowerBuilder creates are not directly portable.

It's disappointing that PowerSoft didn't also target Solaris x86. SunSoft touts source-level compatibility between its Sparc and x86 releases. If that's true, then PowerSoft could have targeted Solaris x86 with naught but a recompile. But things are rarely simple; at the very least it would have meant support and documentation requirements. PowerSoft does plan to target HP/UX and AIX but won't say when.

If you're delivering a critical client/server database application, you'd do well to consider PowerBuilder. We can't think of another tool that blends seamless cross-platform compatibility, high-level conveniences, and low-level access. ■

Tom Yager is a writer and former BYTE editor who operates a research lab in Texas. You can reach him at tyager@maxx.net.


BEYOND THE ENTERPRISE™



ONLY OPENUI™ AND OPENWEB™ TAKE YOUR APPLICATIONS BEYOND THE ENTERPRISE

Now with a single development effort you can create distributed applications for deployment on both your private network and the Internet. And your Internet applications aren't limited by HTML or HTTP. With OpenUI and OpenWEB, your application clients are as easy to use as a Web page, but have all the power, performance, and flexibility of a full-function GUI client.


With the OpenWEB Launcher and your favorite Web browser you can launch an OpenUI client from any Web page, just like an HTML link. OpenWEB even provides automatic caching and version management, eliminating the major deployment issue of large client/server applications.



Develop server applications using your existing tools and languages, including C, C++ and COBOL, and use OpenUI's extensive visual development environment for the client. And you can move to Sun's Java language for client or server whenever you're ready, with full support in OpenUI.

With OpenUI's unique combination of platform-independent mobile GUI binaries, PowerGRID™ geometry management, powerful message-based architecture and new security features, now you really can use the Internet to take applications to the world beyond your enterprise.

To learn more about OpenUI and OpenWEB, visit our Web site for detailed information and demonstrations. Or call for a free white paper.



OpenWEB application clients can be launched from a Web page as easily as any HTML screen, but can include all the GUI functionality of an installed application, including client-side data validation and business graphics.



800 441-4330
info@osa.com
<http://www.osa.com/>

Open·UI™

Open Software Associates, Inc. 20 Trafalgar Square Nashua, NH 03063 USA: Phone 603 886-4330 Fax 603 598-6877
Europe: Phone +49 711 90619-0 Fax +49 711 90619-19 Asia/Pacific: Phone +61 3 9871-1666 Fax +61 3 9871-1711

OpenUI, OpenWEB, PowerGRID and "Beyond the Enterprise" are trademarks of Open Software Associates. Other product names are trademarks of their respective owners.

Circle 125 on Inquiry Card.



No
BackOffice
 is *complete*
 without the right
Service *for* **FAX,**
Modem Sharing,
RAS.

LANSource™

1-800-677-2727, 1-416-535-3555, Fax 1-416-535-6225, sales@lansource.com



Microsoft
Windows 95

Copyright (c) 1995, LANSource Technologies Inc. All rights reserved. FAXport, WINport, RASport and LANSource are trademarks of LANSource Technologies Inc. Other product names are trademarks of their respective companies. Developer tested only. Novell makes no warranties with respect to this

Circle 105 on Inquiry Card.

Smart Forms for the Enterprise

Your company's forms should be more than an afterthought. Four programs can turn forms into a medium for groupware.

MARK HETTLER

In theory, replacing paper with electrons can improve an organization's efficiency. This is most true for forms, which make up a huge part of most companies' paper volume, carry mission-critical data, and contain a structure that lends itself to computerization. Today's leading forms programs are up to the challenge, providing windows onto corporate databases while using E-mail to intelligently route data around the enterprise.

In this roundup, NSTL evaluates four electronic-forms management packages for Windows: Delrina FormFlow 1.1, Novell's InForms 4.1, JetForm's JetForm 4.1, and Microsoft Electronic Forms Designer 1.0. (Lotus was upgrading Lotus Forms during our testing and didn't participate.)

To be included in the testing, a program must be able to act as a database front end, complete with field-level database lookups and validation. It must provide such design features as drawing tools, listboxes, radio buttons, and check boxes as well as standard text-entry fields and labels. And it must support routing over standard E-mail systems.


Delrina FormFlow and InForms are the best of the field. Although both are extremely versatile and easy to use, Delrina FormFlow comes out slightly ahead of InForms, primarily due to its slightly faster performance and InForms' reliance on Novell's GroupWise for E-mail functions.

Form Functions

Forms programs do four things: design, filling, database access, and E-mail-enabled functions (e.g., routing, work flow, and tracking). Design features include the controls we've come to expect in graphical packages (e.g., color selection, grids, rulers, and the ability to import logos). Filling, database access, and E-mail features tend to vary more across products.

Filler modules help you work with previously created forms. The programs vary widely in the number of database access

and display options they provide for their fillers. In all the products except Microsoft's, anyone who has the filler software can use the form. In Microsoft's program, you must edit Microsoft Mail configuration files to provide other users with access to the form.



Our top-rated programs, Delrina FormFlow (top) and Novell's InForms (left), have similar drag-and-drop design interfaces. You can reposition toolbar palettes in both products, which are shown in their Windows 3.1 versions running under Windows 95.

Forms programs also provide access to databases for data entry and retrieval. You can use the forms to retrieve data, distribute it, collect it, and update the database (see the Technology Focus on page 120).

The programs let you address and send a form by E-mail while viewing the form; recipients use the same form to view the associated data. Thus, you can electronically mail blank or partially filled forms to recipients, who fill them out on-line. To do this, a forms program must provide

more than a window to the database. It must store the data as part of the form or in a temporary database attached to the form.

While all the tested products produce forms that can browse through large data sets, each incorporates a single record (the one it is reading when it is sent) for transmission to recipients. Alternatively, if all the recipients and the database share the same network, you can send a form with links to the original database rather than embedding a single record. *continued*

OVERVIEW

NSTL RATING		VERSION	PERFORMANCE				EASE OF LEARNING		EASE OF USE	PRICE	KEY
			VERSATILITY								
★★★	Delrina FormFlow	1.1	■	▲	▲	▲	▲	▲	\$399		★★★★ Outstanding
★★★	InForms	4.1	■	▲	▲	▲	▲	▲	\$495		★★★★ Excellent
★★	JetForm	4.1	▲	■	■	▲	▲	▲	\$495		★★★ Average
★★	Microsoft Electronic Forms Designer	1.0	■	■	▼	■	■	■	\$469		★★ Below average
											★ Poor
											▲ Good
											■ Fair
											▼ Unacceptable

E-mail offers more than just data sharing. Work-flow mechanisms in these programs provide a level of control over document flow that is inconceivable with paper forms. JetForm and Delrina FormFlow have sophisticated work-flow options built into their design and filler modules. InForms does, too, but the features are available only if you're using Group-Wise. Microsoft Electronic Forms Designer doesn't have built-in work-flow features, and programming them in Visual Basic can be difficult.

Finally, one of the most powerful benefits of electronic forms is the ability to track the progress of a form through the routing process. Only Microsoft Electronic Forms Designer lacks this ability.

Delrina FormFlow

An ideal balance of power and ease of use, Delrina FormFlow combines an intuitive interface with a powerful scripting language, which lets you create distributable forms-based applications. It is the second-fastest program (behind JetForm), but it is the program with the broadest range of useful features.

Delrina FormFlow's design interface makes excellent use of toolbars and dialog boxes. Routing is easy to set up, and tracking is independent of the mail system. Data retrieval is easy, but updating data after receiving a form involves unpacking the

Scanning Forms with Caere


A fifth product that might have met the criteria for this roundup is OmniForm 2.0 from Caere, a leader in OCR. BYTE was unable to examine OmniForm soon enough to qualify it for formal testing.

Unlike the other packages, OmniForm combines forms management with Caere's OCR expertise. Though it comes with forms-design tools, OmniForm also lets you scan in your existing paper forms and use them as the basis for new electronic forms. It attempts to recognize form objects, such as tables and fill-in fields. You can correct misrecognized characters and reuse unconverted bit-map objects from the original using point-and-click commands.

While the other products allow direct access to a variety of database formats, OmniForm uses its own format and exchanges data only via Open Database Connectivity (ODBC). You can't, for example, use a form to find a record in a dBase or SQL Server database or to add data to such a database. You can use OLE automation scripts to program these functions, however. It does allow browsing, adding, and deleting of individual records.

We got some inconsistently reproduced fonts and corrupted logos when we used OmniForm 1.0, a result typical of all OCR programs. Caere says that OmniForm 2.0, which came out last December, has an improved recognition engine. The new version is compatible with both Windows 95 and Windows NT Workstation 3.51. New connectivity with Microsoft Exchange provides additional E-mail capabilities such as routing. Also new are OLE 2 client, server, and automation features.

If you have many paper forms to convert to electronic format, OmniForm will do the job faster than the other packages. It is probably best used as a complement to Delrina FormFlow or InForms.



Caere's OmniForm emphasizes forms scanning more than database access and forms routing. Shown here is a bit map of a scanned form being modified in OmniForm's design module.

Forms and Data: An Uneasy Marriage

Dedicated forms programs maintain strong links to databases. The relationship poses numerous problems in data integrity, database access, and display, especially when the forms and data are routed across networks.

Delrina FormFlow and InForms link each form to an underlying data source, which users of the form can search, retrieve, and modify. Microsoft Electronic Forms Designer offers similar access using Visual Basic's data controls. JetForm requires you to set up select rules—essentially, SQL select statements that are passed to the database.


When sending a form containing database links by E-mail, users will want to send the data currently being displayed. Delrina FormFlow copies the displayed record to dBase format and sends the dBase file with the

form. InForms handles the current record similarly but stores it in a proprietary format. InForms also lets you send the file without the form, which saves overhead when the sender and recipient have the same form.

Sometimes, however, the sender will want recipients to use the form to browse through all the records in the underlying database. Sending the entire database through the mail is generally not feasible for large databases, but it can be useful for small ones. Delrina FormFlow offers that option. In addition, both Delrina FormFlow and InForms allow sending a form complete with its database links by E-mail. This is useful if the recipients are on the same LAN as the sender and all have access to a shared network database.

JetForm does not maintain database links once the data has been retrieved; it sends the currently displayed data as part of the form. In addition, because SQL-based select rules are already built into the form, recipients may reselect records. Microsoft Electronic Forms Designer also sends the currently displayed data as part of the form, but letting recipients refresh the form's data control requires Visual Basic programming.

Packaging Data with Forms



You can package Delrina FormFlow forms for E-mail transmission with their underlying databases attached (typical if they're small) or with links to the databases if they are too big to be sent whole.

ANNOUNCING ROSS MOTHERBOARD UPGRADES.

**THE RELIABLE SPRINGBOARD TO INCREASE
THE PERFORMANCE OF YOUR SPARCstation 5.**

Finding a SPARCstation™ upgrade strategy that optimizes performance within the parameters of your existing software applications is critical. After all, applications often represent three to four times the investment in SPARC hardware. ROSS Technology, the industry leader in SPARC CPU upgrades, now introduces a total systems solution: ROSS integrated 66 MHz motherboards.

Smooth transition. Thousands of SPARCstation owners have installed ROSS multiprocessing CPU upgrades into their SS10's and SS20's and discovered they can get greatly improved performance at no risk to their existing software. That's because ROSS hyperSPARC™ microprocessors are the fastest and most intelligently designed processors on the market. And they are directly

supported by SunSoft™ and fully qualified on SunOS™ 4.1.3, 4.1.4 as well as Solaris™ 2.X operating systems.

Now SS5 and SS10 owners can experience the smooth transition to better than SS20 performance by installing a ROSS motherboard. ROSS motherboards are continually upgradeable because they come with a 66 MHz MBus that will be compatible with future ROSS MBus microprocessor upgrades.

The ROSS line of hyperSPARC upgrades offers an exciting range of microprocessor and cache options, so you can choose an upgrade that makes sense for your budget, as well as for the applications you are running.

Move up to ROSS motherboards and multiprocessing CPUs. The best in the industry.

ROSS
TECHNOLOGY, INC.
THE SPARC SOLUTIONS COMPANY

1 - 800 - 774 - ROSS
http://www.ross.com

**ROSS Technology, Inc. • 5316 Hwy. 290 W.
Austin, TX 78735 • 1-800-774-ROSS in U.S.
512-349-3108 Global • 512-349-3101 Fax**

© 1996 ROSS Technology. All rights reserved. All SPARC trademarks are trademarks or registered trademarks of SPARC International, Inc. hyperSPARC is licensed exclusively to ROSS Technology, Inc. SPARCstation is a trademark of Sun Microsystems, Inc. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc. All other product or service names mentioned herein are trademarks of their respective owners.

Circle 238 on Inquiry Card (RESELLERS: 239).

DESIGN AND FILLER FEATURES

	DELRINA FORMFLOW	INFORMS	JETFORM	MICROSOFT ELECTRONIC FORMS DESIGNER ¹
DESIGN TOOLS				
Push buttons	●	●	●	●
Check boxes	●	●	●	●
Radio buttons	●	●	●	●
Scale/zoom	●	●	●	○
Customize program menus	●	○	○	●
Resize object proportionally	●	●	●	●
Automatically align objects with grid	●	●	●	●
Group/ungroup form objects	●	●	●	●
Trace from scanned-in form	●	●	●	○
TEXT				
Precise text placement	●	●	●	●
Create tables	●	●	●	●
Rotate text	●	●	●	○
Spelling checker	●	●	●	○
GRAPHICS IMPORTING				
Windows bit maps	●	●	●	●
Windows metafile	●	●	●	●
Encapsulated PostScript	●	●	●	○
PCX	●	●	●	○
TIFF	●	●	●	○
AutoCAD	○	●	○	○
Macintosh PICT	○	●	○	○
FORM FILLER				
Scale/zoom	●	②	●	③
Zoom selected area	○	○	●	③
Undo/redo command	○	○	○	③
Search for record	●	●	●	③
Search using multifield criteria	●	●	○	③
Add annotations	○	○	●	③

¹ Some features are programmable in the required Visual Basic or available from third-party vendors.

② Three view sizes: actual, full-page, and page-width.

③ Form filler is not required because forms are executable.

Yes = ● No = ○; features available in future upgrades or optional packages are marked ○.

form contents and performing a complicated merge operation.

The tutorials are excellent, though you probably won't need them for design and filling, thanks to the program's intuitive layout. More complex operations, such as scripts for conditional routing, are not well explained, however. Delrina plans to re-

lease a Windows 95 upgrade sometime in the middle of this year. Delrina FormFlow is one of our recommended buys.

InForms

Novell's entry, which has extensive links to GroupWise—and, unfortunately, depends on it for E-mail—is the easiest pro-

gram to use, though its interface is somewhat less intuitive than Delrina FormFlow's. It is better at complex operations, such as updating a database using information in a form sent as E-mail. In addition, InForms' serial-routing and form-tracking features are the easiest to set up.

InForms' filler module has the best database query and search facilities. Forms design is easy, as well, although InForms makes you fiddle with too many menus to set attributes.

InForms uses GroupWise's tracking mechanisms, so you won't have tracking if you use a different messaging system. GroupWise has its own facilities for tracking mail messages throughout an enterprise. InForms provides an interface to these facilities from within the form filler, and it filters out everything except information about forms sent using InForms' work-flow option. You can select an item to track, and the system displays a list of all recipients of the form, indicating whether a recipient has received, accepted, and completed working with the form. You can use this feature to identify bottlenecks.

InForms ranks close to Delrina FormFlow in richness of features, though there are slight differences in some categories. For example, InForms is slightly better in design categories such as graphics handling. Delrina FormFlow offers stronger cross-platform support, though InForms offers more data formats.

Other than its dependence on GroupWise for work-flow and routing features, InForms' weakest feature is performance, where it came in last. It is slow at opening and closing forms, though it beats the rest at data retrieval. Along with Delrina FormFlow, we can recommend InForms as a smart purchase for most applications.

JetForm

JetForm offers powerful features for enterprise-wide forms management. However, with this power comes intimidating complexity. Tracking is difficult to understand and set up. Even JetForm's basic design interface and procedures lack the intuitiveness of those in Delrina FormFlow and InForms. What's more, setting up a form to access a database is more difficult than in any of the other products.

Even so, JetForm is the best of the four at forms management and performance. It employs a hybrid of E-mail and a server-based tracking database to track forms flowing through the network. JetForm's print server allows you to dedicate a single printer to forms printing and give all forms

Delrina FormFlow 1.1 . \$399
(starter kit; Filler only, \$129)
Delrina Group/Symantec
Toronto, Ontario, Canada
(800) 268-6082
fax: (408) 363-2340
<http://www.delrina.com>
Circle 986 on Inquiry Card.

InForms 4.1 \$495
(Designer/Filler; Filler only,
\$199)
Novell, Inc.
Orem, UT
(801) 226-6000
fax: (801) 228-5178

<http://www.novell.com>
Circle 987 on Inquiry Card.

JetForm 4.1 \$495
(Filler only, \$149; JetForm
Server for Windows 4.0, \$835)
JetForm Corp.
Falls Church, VA
(800) 538-3676
fax: (703) 448-9543
<http://www.jetform.com>
Circle 988 on Inquiry Card.

**Microsoft Electronic Forms
Designer 1.0** \$469
(bundled with Microsoft Mail
Server 3.5; requires Visual

Basic Professional Edition 2.0
or higher)
Microsoft Corp.
Redmond, WA
(206) 882-8080
fax: (206) 936-7329
<http://www.microsoft.com>
Circle 989 on Inquiry Card.

OmniForm 2.0 \$349
Caere Corp.
Los Gatos, CA
(800) 535-7226
(408) 395-7000
fax: (408) 354-2743
Circle 990 on Inquiry Card.

users access to it. It also has a Fax Director add-on for sending forms by fax.

JetForm nudges slightly ahead of Delrina FormFlow in the overall performance ratings. It is the fastest at sending a form and inserting data, but the slowest at data retrieval. JetForm isn't as easy to use as Delrina FormFlow or InForms, and it isn't nearly as feature-rich, though it does offer good cross-platform support, routing, and filler and printing options.

Microsoft Electronic Forms Designer

Microsoft's entry barely meets our selection criteria. It requires Visual Basic and is sold only as part of Microsoft Mail Server 3.5; essentially, it is an add-on. You work in the Visual Basic design interface. Then you copy the Visual Basic project files for the template form to a new directory and modify the existing form.

Apparently, Microsoft regards the real McCoy to be the forms designer in the Exchange Server, Microsoft's new E-mail and workgroup program, which was not shipping in time for our testing. We tried a beta version, however, and found that while Exchange Server Forms offers a more typical forms-design interface than its predecessor, it still leans too heavily on Visual Basic for functions that are built into competing products.

Microsoft Electronic Forms Designer has far fewer features than its competitors. It is the only one lacking true WYSIWYG forms printing. Its filler software requires editing of Microsoft Mail configuration files to provide shared access.

Many work-flow features, such as simple serial routing and forms tracking, simply aren't there, though you could use Visual Basic to create them. Also, Microsoft Electronic Forms Designer is the only product lacking cross-platform features. The others all come with filler software for the Mac environment. Delrina FormFlow also has fillers for DOS and Unix. JetForm has them for DOS and OS/2.

Besides its extensive programmability, Microsoft Electronic Forms Designer gets one other major benefit from its reliance on Visual Basic: The forms it creates are executable, so they don't require separate filler software to be used by recipients.

This product is not competitive with such well-rounded packages as Delrina FormFlow and InForms. It finishes last in our four major criteria.

According to Form

Delrina FormFlow and InForms are our recommended purchases, although we give

DATABASE AND WORKGROUP FEATURES

	DELRINA FORMFLOW	INFORMS	JETFORM	MICROSOFT ELECTRONIC FORMS DESIGNER
DATA VALIDATION				
Set up required fields	●	●	●	①
Floating-point	●	●	●	①
Fixed-point or money	●	●	①	①
Date	●	●	①	①
Lookup validation using foreign-key method	●	●	●	○
Validation by formula	●	●	●	①
APPLICATION CONTROL AND EVENT HANDLING				
Pop-up windows	●	●	○	●
Specify action after record is updated	●	●	○	●
Specify action after field is updated	●	●	○	●
Insert/delete records	●	●	○	●
CONCURRENCY CONTROL AND SECURITY				
Explicit record lock command	○	○	○	●
Automatically lock related records	●	○	○	○
Signature authorization	●	●	●	○
Lock fields after signature	●	●	●	○
DATA EXCHANGE				
DDE client capability	●	●	●	●
DDE server capability	●	●	●	●
OLE client capability	●	○	●	●
OLE server capability	●	●	●	●
Store link to external OLE object	●	○	●	●
Run OLE application	○	○	●	●
Supports ODBC	●	●	●	●
Supports Notes Field Exchange	○	●	●	○
Multiple database support on a single form	●	●	●	●
ROUTING AND E-MAIL				
Routing in forms design	●	●	●	●
Form can have variable views en route	●	●	●	●
Conditional routing	●	●	●	●
Tracking	●	②	●	○
Can E-mail data only (recipient loads form)	●	●	●	●
Choice of sending pointers to data or attaching data	●	●	○	●
Works with cc:Mail	●	●	●	○
Works with Microsoft Mail	●	●	●	●
Supports MAPI	●	●	●	●
Supports VIM	●	●	●	○
Works with Lotus Notes	●	●	●	○

① Not built in but can be achieved using the included programming tools.

② Tracking handled by required GroupWise program.

Yes = ● No = ○; features available in future upgrades or optional packages are marked ○.

the top position to Delrina FormFlow. The two programs finish close in our overall ratings and tend to match each other's functions. The programs' key differences are Delrina FormFlow's slightly faster performance and InForms' reliance on Novell's GroupWise for its E-mail and work-flow features. ■

A five-year veteran of NSTL software roundups, Mark Hettler pioneered NSTL's coverage of SQL servers and multiuser databases. You can contact him by E-mail at editors@nstl.com.

This report contains the partial results of a recent issue of Software Digest, a monthly publication of NSTL, Inc. To purchase a complete copy of the report, contact NSTL at 625 Ridge Pike, Conshohocken, PA 19428, (610) 941-9600; fax (610) 941-9950; on the Internet, editors@nstl.com. For a subscription, call (800) 257-9402. BYTE magazine and NSTL are both operating units of the McGraw-Hill Companies, Inc.

HANDS-ON TESTING

6 SERVERS TANGLE

Make your presence known on the Web with these powerful turnkey server solutions. We saturate the systems with request loads that simulate TCP/IP traffic jams on the Internet.

CHANDRIKA MYSORE AND BRENT MELSON

If your company isn't on the Internet yet, then take a look at the six Web servers we've tested and see just how easy it is to get your message on-line. In the past year, more big-name systems vendors have joined the Web fray with RISC- and Pentium-based servers that are bundled with Web software—you don't have to be a Unix guru to create and maintain a home page. We tested five RISC-based systems (with Alpha, PowerPC, and Sparc processors) and a dual-processor Pentium system to see which one best handles the different FTP and HTTP request loads you will encounter once you open shop in cyberspace.

For this Lab Report, we requested that manufacturers supply us with turnkey systems that have their choice of Web software installed and configured for testing; thus, we could see how easy it is to set up each system as a Web server with minimal end-user intervention. We wanted to test how close each of the

systems comes to actually being a turnkey solution.

The six servers all came with a high-end processor, such as a SuperSparc, MicroSparc, Alpha, PowerPC, or dual Pentiums, with speeds ranging from 75 to 266 MHz. We also had a mix of OSes: Solaris 5.4, Irix 5.3, Windows NT Server 3.51, and Apple System 7.5. Three of the vendors—Silicon Graphics, Sun Microsystems, and Intergraph—selected Netscape Communications' Server 1.22 for their Web software. Digital Equipment provided Process Software's Purveyor 1.1, and Apple selected StarNine Technologies' WebStar 1.2.4.

In terms of price, Tatung's MicroCompstation 5/11 is the least expensive server here; it costs \$8635 with monitor. The next least-expensive server we tested is Apple's Workgroup Server 9150 at \$8799, which targets small businesses. The Digital Equipment Internet AlphaServer 1000 4/266 is the highest at \$20,690. All the prices listed here are for the configurations as

we tested them and the software bundled with the systems.

We tested the servers under TCP/IP in two scenarios that most likely represent real-world use. The first scenario stresses the FTP aspect of the server, using 88 percent of FTP requests and 6 percent each of HTTP and Wide Area Information Service (WAIS) requests. The second scenario represents the most common usage pattern of HTTP services, stressing the servers with 97 percent of HTTP, 2 percent of FTP, and 1 percent of WAIS requests. These scenarios simulate the differ-

How to use this guide

We ranked the best Web servers based on their performance scores, features, and ease of use.

PRICE (WITHOUT MONITOR)
Check the Roll Call on pages 132 to 133 to see if the system is available without the monitor. Buying a high-resolution monitor is overkill if you're going to be using the system as a dedicated server.

BEST OVERALL Digital Equipment AlphaServer 1000 4/266									
<p>If you're expecting immense traffic on your Web site, then the AlphaServer 1000 4/266, with its 266-MHz Alpha processor, provides all the performance you will need. Although relatively pricey at \$20,690 (with monitor), the Internet-ready AlphaServer provides more room for expansion in its dual-cabinet chassis than SGI's WebForce Indy. The high price brings an abundance of opportunities for growth: support for 1 GB of memory and 14 GB of internal storage (expandable to 220 GB), as well as one EISA/PCI, seven EISA, and two PCI expansion slots. The AlphaServer is loaded with Process Software's Purveyor 1.1 Web server software, a Gopher server, file server, Web browser, and Web authoring tools for creating your own home pages.</p>									
TEST	CONVERSION	PRICE (WITH MONITOR)	FTP	HTTP	SECURITY	FEATURES	PROCESSOR	NUMBER OF SLOTS	LENGTH OF STANDARD WARRANTY (MONTHS)
VENDOR/MODEL			RATING	RATING	RATING	RATING	CPU		
BEST DEC AlphaServer 1000 4/266		\$20,690	AAAAA	AAAAA	AAAAA	AAAAA	Alpha 21064	266	10
BUMER OF SGI WebForce Indy		\$10,055	AAAAA	AAAAA	AAAAA	AAAAA	Intel 486DX2	133	2

LENGTH OF STANDARD WARRANTY

Warranty and support policies vary from one to three years. Check the Roll Call under this heading to see if the vendor offers extended warranties and how long technical support lasts.

PERFORMANCE RATINGS
These ratings are calculated from the individual performance scores generated from FTP and HTTP transactions. We varied the number of client sessions that access the server, ranging from eight to 48 virtual clients.

ON THE WEB

Unraveling the Web

HARD DRIVE STORAGE

All the servers we tested came with at least 1 GB of hard drive space and a SCSI connection. It's almost always less expensive to buy a server with a higher-capacity hard drive than to add another drive in the future. Compact servers such as Silicon Graphics' WebForce Indy cannot house more than 2 GB of internal storage. If your server requires more storage space, you can add external drives or select a model that accommodates up to 20 GB, such as Digital's AlphaServer 1000.


SIMM BANKS

Most of the RISC-based Web servers are capable of accepting up to 512 MB of memory (Digital's AlphaServer 1000 supports up to 1 GB of memory). Most of these servers function adequately with 32 MB of RAM.

S-BUS

The bus architecture used in Sparc systems is known as S-Bus. The Sparc systems come with a number of standard S-Bus expansion slots. Optional S-Bus cards are used to connect external devices such as printers and monitors to a Sparc system. A variety of S-Bus cards are available for Ethernet connections, SCSI devices, and printers.

CPU
 server processing thousands of hits a day requires a high-end workhorse RISC processor such as Digital Equipment's Alpha 21064, MIPS' R4600PC, Tatung's MicroComp II STP1012, or Sun Microsystems' SuperSparc II. The speeds of these processors range from 75 to 266 MHz. The Intergraph TD-40 we tested has a multi-processor design with two 133-MHz Pentiums. Our servers we tested have Ethernet capabilities built into the motherboard, operating at 10 MBps.



I/O PORTS

Web servers come with several I/O ports such as RS-232 serial, Macintosh 8-pin serial, AUI, 10Base-T, DB-15 video, 13W3 video, SCSI, SCSI-2, FDDI/ATM, Centronics parallel, 16-bit sound, digital video input, ISDN interface, microphone, and headphone connectors. Check out the types and number of ports available for the base price of the server. You can always upgrade with additional ports later.



AUI PORT

Most of the servers provide the attachment unit interface (AUI) port as a standard way to connect to a thick Ethernet network. The AUI requires a twisted-pair Ethernet adapter to connect to the twisted-pair Ethernet network. An optional 10Base-T port lets you use the twisted-pair cable to connect to an Ethernet network. Look for systems that provide both AUI and 10Base-T ports as standard.

13W3 VIDEO PORT

Some of the servers (e.g., Tatung's MicroCompstation 5/11) come with a 13W3 connector for the monitor. To hook up a monitor, you need a specially designed video cable that usually comes standard. Many of these servers come with a monitor and can't be purchased in any other configuration.

ent traffic patterns that Web servers have to handle over the Internet.

Web servers can be used by small businesses (e.g., ad agencies, marketing firms, or consultants) or by large corporations as in-house servers. The server loads differ for small and large sites. If you are looking for a server to handle thousands or tens of thousands of hits a day, then you need a system capable of listening to all the

requests and responding to them in an orderly fashion, while not missing any requests; this solution is not inexpensive. Sites facing lower levels of traffic require less horsepower and could get by with a lower-cost server. The amount of expected traffic is the key to your buying decision. Virtually any advanced PC can act as a Web server, but it takes some muscle to handle a really cool site on the Web.

BEST OVERALL

Digital Equipment AlphaServer 1000 4/266

Digital's AlphaServer 1000 4/266 is the best Internet-server solution we tested. When you combine its fast RISC-based performance and expandability, it's worth the huge price tag (\$20,690). The AlphaServer maintains excellent performance in both our FTP and HTTP Internet traffic jams, even as we pile on the load from client-side users. With Process Software's Purveyor 1.1, a 266-MHz 21064 Alpha processor, 64 MB of RAM, a 2.1-GB removable drive, and a quad-speed CD-ROM, the AlphaServer is hard to beat.

PAGE 127

RUNNER-UP

Silicon Graphics WebForce Indy

Running on the heels of Digital's AlphaServer, the SGI WebForce Indy (\$10,995) speeds through our FTP and HTTP tests, and yet it costs almost half the price of the Digital machine. With its tightly packed desktop chassis that comes bundled with Netscape's Netsite Communications Server software, the Indy offers a powerful MIPS R4600 processor and many cool features (such as a video camera) that are worth checking out.

PAGE 127

RUNNER-UP

Intergraph TD-40

With two 133-MHz Pentiums, the Intergraph TD-40 holds its own against the RISC boxes. With its fast response time and price tag of \$10,640, the TD-40 stands out as a nicely priced alternative.

PAGE 127

EASE THE INTERNET LOAD

HEAVY-DUTY WEB SERVERS

Companies big and small are setting up Web servers to showcase their wares. Corporations are also using Web servers internally to distribute central information throughout vast geographic infrastructures. Picking the right Web server depends on how popular you think your home page will be and consequently how much firepower you will need to handle requests from users.

Out of the six servers we tested, Digital Equipment's AlphaServer 1000 4/266 won best overall. Silicon Graphics' WebForce Indy and Intergraph's TD-40 came in second and third, respectively. To test these servers, we had to consider two factors that affect server performance.

The server's hardware, of course, is the primary bottleneck. The second factor is the design of the Web page itself. The server has to transfer each element on the page—graphics, text, buttons, and so on—from its hard drive to each user's system. For example, if you've designed your Web page to contain one graphical element, four buttons, and one block of text, then every time a user browses your page, he or she generates six transactions to completely display your page. If the subsequent pages use the same buttons and graphics, then most client browsers will have cached those items to each user's hard drive, which speeds up the process by eliminating unneeded transactions.

You could end up negating the fast performance of your hardware by implementing an inefficient page design, reducing the amount of traffic the site can handle. It is better to reuse graphics and buttons and lower the number of pages that vary. With this strategy, each page generates fewer transactions, using cached items to increase the server's throughput.

FTP Performance

Beyond E-mail, FTP is the most commonly used Internet service. It is an effective way to transfer files to other Internet machines because it supports all file formats. FTP sites, however, don't offer the more glamorous interface of Web sites, and it can take a long time to browse through lengthy FTP directories to find a file. Many FTP sites offer Hypertext Markup Language (HTML) front-

ends on their Web site so that users may more easily browse through and download files.

Digital's AlphaServer 1000 4/266 performs best in our first test scenario, where the server load pattern simulates heavy FTP traffic with limited Web support. SGI's WebForce Indy and Digital's AlphaServer start with similar performance at the lower number of test sessions (from 8 to 24 sessions), but the Digital server slightly tops the SGI server when there are 32 to 48 test sessions.

Intergraph's TD-40 is a dual-processor, 133-MHz Pentium server that matches up admirably against the top-performing RISC boxes in both test scenarios. The TD-40 costs \$10,640 with a 17-inch monitor, which makes it a cost-effective alternative to some of the RISC boxes. The TD-40's strong scores show that the system fully exploits Windows NT's support for

NETSCAPE'S NAVIGATOR 2.0 ADDS SECURITY AND INTERACTIVE MULTIMEDIA

Over the past few months, Internet navigators have been busy downloading the latest version of Netscape's Navigator—the world's most popular Web browser—to take advantage of version 2.0's E-mail security, performance upgrades, and interactive multimedia capabilities. Netscape (Mountain View, CA; (415) 254-1900; <http://home.netscape.com>) also released Navigator Gold 2.0 late last year, which adds WYSIWYG document creation and publishing capabilities.

The most intriguing feature of Navigator 2.0, which sells for \$49 per individual license, may be its support for the Java programming language (see "Wired on the Web," January BYTE). But users concerned with security holes in the Internet may find immediate comfort from version 2.0's safety features. Navigator 2.0 users can secure their E-mail messages by getting a Digital ID from Verisign (for \$6), which proves on-line identities. With a Digital ID, Navigator 2.0 users can positively identify other users, be authorized to access information, and enable digital signatures. The Web browser also lets you conduct on-line financial transactions through the Secure Courier open protocol, which creates a secure digital packet for transit on the Internet.

Although not many Web sites support it yet, one of the best new features of Navigator 2.0 is frames. This technology lets you display multiple, independently scrollable frames on a single screen—each with its own distinct URL. By having multiple frames open, you don't have to click the back



In Netscape Navigator 2.0, you can view multiple frames instead of just having one window open (as in the earlier version of Navigator).

or forward buttons to get to another page, and queries executed in one frame can generate results in another frame (see "Web Design," this month's Network Project, on page 91).

Netscape's browser upgrade also introduces performance-enhancing features such as support for the Progressive JPEG file format, which loads images up to three times faster than the GIF format. Version 2.0 also adds client-side image mapping and multiple simultaneous streaming of video, audio, and other data formats. A Shockwave plug-in for Navigator 2.0 (initially available only for Windows) makes it possible for Web designers to integrate interactive multimedia presentations that are created with Macromedia's Director program. These Director titles play within the same window as the Web browser.

—John McDonough

dual-processor computers.

Sun Microsystems' Netra i625 and Tatung's MicroCompstation 5/11 have similar hardware, but the Sun system raced past the Tatung due to the combination of OS and Web software. The Netra i625 used Netscape Communications Server software, and the MicroCompstation used the Internet Gateway for Solaris. At \$8635, the MicroCompstation is almost half the cost of the Netra, but the Netra provides more systems security features.

HTTP Performance

SGI's WebForce Indy server excelled, outperforming all the other systems in the HTTP stress test. Digital's AlphaServer followed closely behind the Indy at a heavy load of 48 test sessions. At \$10,995, the Indy server costs almost half the price of the AlphaServer and comes with a 133-MHz R4600PC Mips processor and Netscape Communications Server software.

All the systems we tested, except Tatung's MicroCompstation and Apple's WorkGroup Server 9150/120, increased in performance when handling requests between eight and 32 test sessions, then leveled off between 32 and 48 test sessions. The MicroCompstation's performance remained the same throughout our HTTP testing between eight and 48 sessions.

We found Apple's WorkGroup Server 9150/120 easy to set up. Priced at \$8799, it's relatively affordable compared to all the other Web servers tested here; only the Tatung costs less. In our tests, however, the WorkGroup Server demonstrated an unacceptable amount (more than 5 percent) of failures in FTP and HTTP file transfers. The 9150/120 could not serve the thousands of simultaneous requests from 16 to 48 client sessions that we heaped on top of



BYTE BEST

WEB SERVERS

BEST OVERALL

Digital Equipment AlphaServer 1000 4/266



If you're expecting immense traffic on your Web site, then the AlphaServer 1000 4/266, with its 266-MHz Alpha processor, provides all the performance you will need. Although relatively pricey at \$20,690 (with monitor), the Internet-ready AlphaServer provides more room for expansion in its dual-cabinet chassis than SGI's WebForce Indy. The high price brings an abundance of opportunities for growth: support for 1 GB of memory and 14 GB of internal storage (expandable to 220 GB), as well as one EISA/PCI, seven EISA, and two PCI expansion slots. The AlphaServer is bundled with Process Software's Purveyor 1.1 Web server software, a Gopher server, fax server, Web browser, and Web authoring tools for creating your own home pages.



RUNNER-UP

Silicon Graphics WebForce Indy



The Indy races through our FTP and HTTP server load tests neck and neck with Digital Equipment's AlphaServer 1000 4/266. It's an outstanding price/performance value at \$10,995 (with monitor). The Indy server comes bundled with the Netscape Communications Server software from Netscape Communications. The RISC-based Indy handles all transactions with a R4600PC CPU from Mips Technologies. You can swap the CPU motherboard module to upgrade the system to more powerful R4600SC or R4400SC

processors. The system also comes with a cool IndyCam color digital-video camera, microphone, and speaker for those people interested in desktop videoconferencing.

RUNNER-UP

Intergraph TD-40



The Intergraph TD-40 costs \$10,640 and utilizes two 133-MHz Pentium processors to give impatient Web browsers a speedy response time—almost fast enough to keep up with SGI's and Digital's RISC machines. The NT-based server's FTP performance is twice as fast as that of the Sun Microsystems' 75-MHz Netra i625. This indicates that the TD-40 fully exploits Windows NT's support for multiprocessor configurations and makes it the clear winner over the Netra. The TD-40 we tested had 512 KB of zero-wait-state cache, 64 MB of memory, a 10-slot PCI/ISA bus, and a 2-GB hard drive with Netscape Communications Server software. Intergraph ships the TD-40 with a three-year warranty for parts and labor, while most vendors provide just a one-year warranty.

VENDOR/MODEL	TEST CONFIGURATION PRICE (WITH MONITOR)	TEST RATING				CPU	PROCESSOR SPEED (MHz)	NUMBER OF EXPANSION SLOTS	LENGTH OF STANDARD WARRANTY (MONTHS)
		FTP	HTTP	USABILITY	FEATURES				
BEST DEC AlphaServer 1000 4/266	\$20,690	★★★★★	★★★★★	★★★★★	★★★★	Alpha 21064	266	10	36
RUNNER-UP SGI WebForce Indy	\$10,995	★★★★★	★★★★★	★★★★★	★★★★	R4600PC	133	2	12
RUNNER-UP Intergraph TD-40	\$10,640	★★★★★	★★★★	★★★★★	★★★★	Pentium	133	10	36
RUNNER-UP Sun Netra i625	\$15,995	★★	★★★★★	★★★★★	★★★★	SuperSparc II	75	4	12

it, but with eight client sessions in the HTTP test, it was able to complete the test.

Although we couldn't really compare its performance against the other servers, Apple's offering has all the makings of a strong Web server for small businesses that don't anticipate thousands of hits a day.

It has a 120-MHz PowerPC 601 processor, 32 MB of RAM, two internal 1-GB hard drives, a quad-speed CD-ROM, and a built-in DAT backup. It comes with StarNine Technologies' WebStar 1.2.4, Netscape's Navigator Web browser, AppleSearch information search engine, and

KEY

Ratings from 1 to 5: ▲ is the lowest; ★★★★★ is the highest.

Adobe Acrobat Pro publishing software. Apple is expected to introduce servers that have the PCI-bus interface similar to the PowerMac desktops that are shipping today. *continued*

SERVICE INSTEAD OF SERVER?


What can you do if you can't afford to buy your very own Internet server? You can rent one. While many Internet service providers (ISPs) will gladly rent you space on their servers for hosting Web pages, NaviSoft (Vienna, VA; (800) 879-6882; (703) 918-2329; <http://www.navisoft.com>), a subsidiary of America Online, offers an integrated package that includes site housing (NaviService) and Web-authoring tools (NaviPress). NaviSoft offers rates starting at \$14.95 per month for a personal home page. (For a list of more sophisticated services, see the table "NaviSoft's Service Features" below.)

Many local ISPs also offer Web-page hosting services. NaviService's main competitors, however, will likely include companies such as BBSPlanet and UUNet in the commercial arena and Prodigy and CompuServe in the consumer market. NaviService offers advantages in two areas, according to Lydia Dobyns, vice president and general manager of NaviSoft: the robustness of the service's backbone (through the facilities of AOL) and the ease of use of the Web publishing tools found in NaviPress, a Web browser and Web-page editor.

What makes this particular solution interesting is the remote-authoring capabilities of NaviPress (the client software). Users can edit pages in the browser but they can't save those changes unless they have registered permission with the server. This is important in the realm of

client/server Web sites because the user often won't have physical access to the server hardware housing his or her pages. A key ease-of-use factor for NaviPress page creators is that they can edit their Web pages remotely and publish them to the NaviService server at AOL using a special "put" command directly from NaviPress. NaviService subscribers may use other page-creation tools but must use more complicated FTP services to publish the pages they make.

NaviSoft does not offer Internet connectivity. NaviService users must make connections to the Internet via SLIP, PPP, or on-line service providers (e.g., AOL or GNN). This adds to the cost of maintaining a site, of course. Both AOL and GNN offer limited Web-page hosting to members at no additional charge. The two



NaviSoft's Web-page creation tool, NaviPress, and its mini-Web graphics function showing pages and links.

NAVISOFT'S SERVICE FEATURES

NaviSoft's four levels of service. The company provides technical support, Web-site consulting, and other Internet services, such as FTP and mail-domain aliases.

SERVICE	BASIC	DOMAIN*	COMMERCIAL*	DEDICATED
Start-up fee	\$99	\$199	\$199	\$999
Monthly fee	\$14.95	\$99	\$199	\$1999 (minimum of 6 months)
Server space	20 MB	50 MB	100 MB	1 GB
Hits per day	1000	5000	10,000	50,000

* Gives you a unique personal-domain name

services use the NaviServer and NaviPress software. For AOL users, the content must be limited to personal rather than commercial use and a 10-MB storage capacity per account (because each account can have five screen names, you can link multiple pages). The GNN user can post personal and business-oriented material and has available a total storage capacity of 20 MB.

Early last December, NaviSoft's four levels of service had somewhere between 500 and 1000 clients combined. Dobyns said she expects the service will most benefit personal and commercial-level clients who can now create a Web presence without the expense of dedicated hardware and maintenance that an in-house Web server would require.

— Andrew Froning

HONORABLE MENTIONS

Silicon Graphics' WebForce Indy has an IndyCam color digital-video camera that captures video images for users interested in creating media-rich home pages. To activate the camera, you click on an icon on the Indigo Magic Desktop. This gives you a panoramic mirror in a window on the screen.



You can then record a movie of yourself in .mv format, which you can save for Web navigators to

download and view at their sites. The WebForce also has CD-quality audio, which makes it the hottest multimedia server that we tested.


To improve performance, you can add optional 100-Mbps network interface cards to most of the Web servers that we tested. This is important because poor network I/O throughput and a slow CPU can degrade a Web server's performance more than any other factors. The server must be connected by a high-speed network (i.e., Fast Ethernet, fiber optic, or T3 level) to fully exploit a 100-Mbps card.



The Digital Equipment Alpha-Server 1000 4/266 provides 14 GB of hot-swappable disk storage inside its rackmountable cabinet. The entire right side of the server's chassis is reserved for disk storage, and you can slide in and out up to seven 2.1-GB StorageWorks drives. The drives are incredibly light, which enhances their portability.


TOP INTERNET SERVER!

RATED BEST OVERALL INTERNET FILE SERVER-AUGUST, 1995 BYTE



BUILT TO ORDER

High Quality Custom-Configured Systems At Off-The-Shelf Prices



Precision Engineered Power Systems!—SAG file servers are built with precision and offer features like multiple processing, disk mirroring, RAID 5 fault tolerance—plus more storage capacity at prices the competition just can't beat. Affordable Disk Arrays, Tape Backup Solutions and RAID 5 Technology from SAG Electronics "The High-End Solutions Company."

We've Outclassed the Competition!—SAG incorporates the highest quality components in all its systems like MICRONICS motherboards, ADAPTEC controllers and Seagate, Quantum & Micropolis hard drives. Performance, reliability and customer satisfaction is what we're all about. We are the only vendor to offer fully configured custom engineered servers and storage solutions.

Compatibility Guaranteed! Expert Software Services Available!—All our systems are guaranteed to work with your operating software. We provide expert services on OS/2, SCO, Novell, and Windows NT operating systems.

Buy Direct from SAG Expert Technicians!—SAG expert technicians and knowledgeable sales personnel can configure a custom solution to meet both your technical and financial requirements. We have been satisfying the technical demands and needs of our customers since 1987.

PC Computing rates SAG, "one of the top direct vendors in the US." January 1996.



SAG TERABYTE



PC RACK MOUNT SOLUTIONS

DUAL PRO 150 SMP

PRO 180 & 200 AVAILABLE

- 1 INTEL PENTIUM PRO 150
- 32MB OF EDO MEMORY TO 512MB
- ECC MEMORY OPTION
- SLOTS: (4) PCI, (4) ISA
- 4GB ST 15150W DRIVE
- 2940 UW
- SONY 4x CD-ROM
- #9 2MB PCI MPEG
- KEYBOARD, FLOPPY, MOUSE
- TOWER CASE 300 WATT

\$5099

GRAPHICS POWER STATION 150 MHZ

IMAGINE 128, FASTEST, GRAPHICS, DRIVE, AND MOTHERBOARD
90 • 100 • 120 • 150 • 166 • 200 PENTIUM SUPPORT AVAILABLE
1 INTEL 150 MHZ PENTIUM
512K PIPELINE SRAM CACHE
TRINION CHIPSET
16 MB EDO RAM TO 128 MB
SLOTS: (4) PCI, (5) ISA
SONY 4x CD ROM
#9 IMAGINE 128 BIT GRAPHICS 4 MB VRAM
2.1GB ST32140A
MICROSOFT MOUSE, 101 KEYBOARD
WINDOWS 95
MINITOWER

\$2570

DUAL 166 MHZ SMP

MULTIPROCESSING FILE SERVER
DUAL 133, 150 MHZ & 200 AVAILABLE
TRITON II CHIPSET
2 INTEL 166MHZ PROCESSORS
512K PIPE LINE CACHE
32MB EDO EXPANDABLE TO 512 K
4GB 7200 SCSI WIDE (ST 15150W)
SLOTS: (3) PCI, (5) EISA
SONY 4x CD-ROM SCSI
ADAPTEC 2940VW
#9 2 MB PCI VIDEO
KEYBOARD, FLOPPY, MS MOUSE
TOWER CASE 300 WATT

\$4903

ALPHA 300 POWER SERVER

256 BIT BUS
2MB CACHE EXPANDABLE TO 8MB
1 DEC 300 ALPHA CPU
64MB RAM EXPANDABLE TO 1GB
4X CD-ROM
2MB PCI VIDEO
4GB 7200 RPM SCSI WIDE DRIVE
SLOTS: (3) PCI, (2) PCI ISA, (1) SHARED
12 BAY TOWER 300 WATT

\$8999

ALPHA 275 \$6933

RAID 5 SERVER - DUAL 133 MHZ SMP

1 INTEL PENTIUM 133 MHZ CPU
512 K CACHE
16 MB RAM EXPANDABLE TO 512 MB
3 TWO GB 8 MS HARD DRIVES
RAID 5 CONTROLLER
SLOTS: (3) PCI; (5) EISA
12 BAY TOWER, 8 REMOVABLE, AND HOT SWAPPABLE
TWO 300 WATT REDUNDANT POWER SUPPLIES
KEYBOARD AND 1.44 FLOPPY
DUAL 150 • 166 AVAILABLE

\$5889

QUAD 150MHZ

SUPPORTS PENTIUM 90•100•120•150•180
TRUE 128 BIT MEMORY BUS ZERO WAIT STATE INTERLEAVED 256 BIT BUS
64 BIT CPU BUS OPERATES AT 60MHZ WITH TRANSFER RATE OF 480MB/SEC
1 INTEL PENTIUM 150MHZ CPU EXPANDABLE TO 4
512K CACHE ON EACH CPU MODULE
32MB OF MEMORY EXPANDABLE TO 1.7GB ECC
SLOTS: (4) PCI, (4) EISA, (1) ISA
4GB 7200 RPM SCSI WIDE REMOVABLE DRIVE
4X CD ROM
KEYBOARD, FLOPPY, MS MOUSE
12 BAY TOWER 300 WATT POWER SUPPLY

\$8333

STORAGE SOLUTIONS

			INT.	EXT.
9GB	5400RPM	8.5MS	\$1855	\$2005
4GB	7200RPM	8.5MS	\$980	\$1090
2GB	7200RPM	8.5MS	\$600	\$700

RAID 5 SOLUTIONS

6GB 7200RPM	\$5295
12GB WIDE	\$8041
40GB	\$16870

WE ONLY BUILD CUSTOM SOLUTIONS!

PRICES CHANGE—PLEASE CALL

1.800.989.3475

SAG ELECTRONICS • 451 ANDOVER STREET • NORTH ANDOVER, MA 01845 • 508-682-0055 • FAX 508-689-0180
HOURS: 8:30AM-8:00PM, MONDAY-FRIDAY

GSA SCHEDULE #GS00K95AGS7179

Circle 107 on Inquiry Card.

WE SERVE YOUR ENTIRE LAN NEEDS, FROM SERVER TO NODES.

SAG ELECTRONICS

AT&T on-site and 4 year extended warranties are available. Lease options available. Returns may be subject to restocking fee. RMA# must be acquired. Some devices have not been approved by the Federal Communications Commission. These devices are not, and may not be, offered for sale or lease, or sold or leased until the approval of the FCC has been obtained.



How We Tested

The six servers we tested for this Lab Report included three Unix-based systems, two Windows NT-based systems, and one running the Apple OS, powered by RISC, Pentium, and PowerPC processors, respectively. Each vendor installed the Web server communications software that comes with their systems. The combination of hardware, OS, and Web server software was different on each of the systems.

The test-bed configuration was the same for all six servers. For our FTP tests, we configured all the systems as FTP servers performing anonymous FTP transfers. We requested the systems vendors to install or provide us with their choice of Web software that handles HTTP and FTP requests. The HTTP software transfers hypertext files from server hosts across the Web. We configured the InterMark test program to perform some percentage of FTP, HTTP, and Wide Area Information Service (WAIS) transfers simultaneously for our two test scenarios. These scenarios represent the real-world tasks Internet servers commonly face.

TEST CONFIGURATION

The server system hardware included a minimum of 32 MB of system RAM, at least 2 GB of SCSI disk storage, and a single 10Base-T Ethernet port. The client network included eight Dell Dimension/P75 systems, each of which was equipped with a 75-MHz Pentium and configured with 24 MB of RAM and Intel 10-Mbps Ethernet adapters.

We installed Windows NT Workstation 3.51 on each client, which, in turn, was connected to the Web server's 10Base-T port over twisted-pair cable. Each workstation was capable of running multiple Windows NT processes to simulate a much larger test-bed (up to 48 test sessions).

WEB SERVER TESTS

In our first scenario, we stress-tested the Web servers with 88 percent FTP traffic and the rest with HTTP and WAIS traffic, thus simulating the real-world dedicated FTP server used for archiving purposes. The average file size of FTP transfers we used was approximately 128 KB. In our second scenario, we tested with 97 percent HTTP traffic and the rest with FTP and WAIS. This simulates the most


common use of a Web server, transferring the Hypertext Markup Language (HTML) files. Differing from the FTP tests, the HTTP tests transfer smaller files, about 15 KB. The WAIS traffic stresses the server CPU by searching for records in an on-line database (resident on the server) matching the key-word request.

In each scenario, we presented the server requests simultaneously from a range of eight to 48 clients, stressing the FTP, HTTP, and WAIS services at various demand levels. Each test client pounds on the server with heavy loads of requests, simulating the loads placed on it by 100 to 150 users accessing the server simultaneously. We tested the performance of these servers with a total of 48 virtual client sessions running from eight workstations. We stepped the load by adding virtual clients on each workstation, starting with eight clients and moving to 48. The FTP and HTTP tests stress the network components, disk I/O, and memory more than the CPU. The WAIS test stresses the server CPU and disk I/O.

Apple's Workgroup Server system comes with proprietary WAIS software called AppleSearch, which integrates with the Web server via AppleSearch ACGI. Digital offers a Unix-based server, and it originally sent us one to test; however, we were unable to complete the testing on this machine as it did not support the freeware WAIS software.

We developed our set of test files based on statistics from the National Center for Supercomputer Applications (Urbana, IL). The data summarizes the usage patterns at the NCSA's Web/FTP site, including average file sizes of various types, ranges of sizes, ratios of binary-to-text data, and patterns of file requests from the directory tree (e.g., HTTP gets many documents from the top of the tree and few from the bottom).

To create the file sources for our tests, we constructed three separate directory trees on each server to be benchmarked. The FTP tree consisted of 3100 files in eight directories (for a total of 356 MB of data); the HTTP tree had 4356 files in 12 directories (109 MB of data); and the WAIS tree included 6195 files with indexes in one directory (9 MB of data to



Chandrika Mysore and Brent Melson evaluate all six servers using a test-bed of eight Dell P75 workstations connected on an Ethernet network.

be searched in a separate directory).

Testing the Web server systems in these scenarios represents a small subset group of server usage patterns. Every network setup varies, and different ways of organizing data place varying load patterns on a server. Our results can guide you to different types of server performance. For example, if you need a server for setting up a Web presence, the HTTP server performance is the most critical indicator. If you need an intra-company distribution system, FTP performance is more critical.

For the final performance score, we weight the HTTP test results twice as much as the FTP tests. The usability score is our subjective evaluation of the systems software and the available utilities that come with the servers. We surveyed the list of hardware and software features for each of the Web servers. We weight the features that are considered important for a Web server and generate a features score for every server. The overall score is weighted 70 percent for performance, 20 percent for usability, and 10 percent for features.

Contributors

Chandrika Mysore, Project Manager/NSTL

Brent Melson, Ph.D., Manager, R&D/NSTL

John McDonough, Technical Editor/NSTL

Andrew Froning, Managing Editor/NSTL

Susan Colwell, Technical Editor/BYTE

The Lab Report is an ongoing collaborative project between BYTE magazine and National Software Testing Laboratories (NSTL). BYTE magazine and NSTL are both operating units of the McGraw-Hill Companies, Inc. Contact the NSTL staff on the Internet at editors@nstl.com or by phone at (610) 941-9600. Contact BYTE on the Internet at editors@bix.com or by phone at (603) 924-2624.

The fastest motherboard on the planet . . .

300 MHz, 600 Mflops

It's a Screamer™

The Microway family of "Screamer" motherboards utilizes the fastest processor to hit the workstation market in the last ten years! The DEC Alpha 21164 not only blows away all other CPUs, but has the VLSI support needed to build memory systems that take full advantage of its numeric speed. Microway Alpha based products set a new standard in price/performance for workstations. The 266/300 MHz Alpha is a clear winner in both the numerics and integer processing arenas. With its ability to issue four pipelined instructions per cycle, the 21164 hits peak speeds of 1200 MOPS. Common numeric operations, such as dot products, peak at mind-boggling, on-chip throughputs of 600 megaflops! This results in Linpack ratings that go from 100 to 400+ mflops (as vector lengths increase) and scalar rates of 80 to 150 mflops. Motherboards priced from \$4995 for 266NT, systems from \$8995.

Memory, Cache, PCI . . .

The biggest challenge to running numeric intensive code on CPU's clocked over 200 MHz is building a cache/memory subsystem capable of keeping up with the CPU's numeric units. The 21164's Harvard architecture starts with two 32 deep 64-bit register files, followed by two 8K primary caches and an internal 96K cache. The 21164's external 128-bit data bus gets fed by 2 to 8 MB of Bcache built with 10ns SRAMS. The 256-bit wide interleaved memory subsystem that backs up the Bcache can hold up to 512 MB of DRAM. The coup de grace is the Screamer's PCI bus interface, which can accommodate both 32- and 64-bit PCI add-in cards. The Screamer is the biggest numeric winner Microway has introduced since we made it possible to run an 8087 in the IBM-PC in 1982!

A motherboard by itself does not a system make.

Microway adds the operating systems and compilers you need to put the 21164 to work. These include NT, Linux, DEC UNIX and OpenVMS, which now run thousands of applications including AutoCad, Excel and Word. The Screamer and Microway's NDP Fortran, C/C++ and Pascal compilers are available to both OEMs and end users.

DEC, Alpha, OpenVMS and DEC UNIX TM Digital.
NT, Excel and Word TM Microsoft. AutoCad TM Auto Desk.
Screamer, NDP Fortran and Microway TM Microway.



And more . . .

Microway also designs DSP cards based on the i860, personal SuperComputers that run up to 24 i860's, Alpha add-in cards and 32-bit globally optimized, RISC-scheduled compilers for the Alpha, Pentium and i860; running on DOS, OS/2, UNIX, Linux, NT, DEC UNIX and OpenVMS. Whether you are an end user or an OEM, our technical staff will gladly configure the correct solution. Since 1982, Microway has earned a solid reputation for designing state-of-the-art products and following up with excellent technical support.

Technology You Can Count On

Microway®

Corporate Headquarters: Research Park, Box 79, Kingston, MA 02364 USA • TEL 508-746-7341 • FAX 508-746-4678
info@microway.com • France 33 146229988 • Germany 49 6997650000 • India 91 806637770 • Italy 39 24984655
Italy 39 27490749 • Japan 81 6 459 3113 • Poland 48 22 487 172 • United Kingdom 44 1815415466

ROLL CALL

FEATURES CONTINUE ON NEXT PAGE

	APPLE COMPUTER WORKGROUP SERVER 9150/120	DIGITAL EQUIPMENT ALPHASERVER 1000 4/266	INTERGRAPH TD-40	SILICON GRAPHICS WEBFORCE INDY	SUN MICROSYSTEMS NETRA i625	TATUNG SCIENCE & TECHNOLOGY MICROCOMPSTATION 5/11
Test configuration price without monitor	\$8399*	\$19,995	\$9440	N/A	N/A	\$7705
Test configuration price with monitor	\$8799*	\$20,690	\$10,640	\$10,995	\$15,995	\$8635
FTP rating	**	10.0	9.2	9.9	4.5	3.2
HTTP rating	**	9.6	8.4	10.0	9.2	3.5

PROCESSOR

Model	PowerPC	Digital Equipment	Intel	Mips R4600PC	Sun SuperSparc II	Sparc Technology Group MicroSparc II
601		Alpha 21064	Pentium			
Speed (MHz)	120	266	133	133	75	110
Cache bus speed (MHz)	40	528 MBps	66	N/A	75	55
Memory bus speed (MHz)	40	33	66	50	50	55
Instruction cache (KB)	32	16	512	16	16	16
Instruction cache associativity	Four-way	Direct-mapped	Two-way	One- or two-way set	Five-way set	Four-way set
Data cache (KB)	1024	16	512	16	20	8
Maximum number of processors	1	1	2	1	1	1
Number of processors in test system	1	1	2	1	1	1

SECONDARY PROCESSOR CACHE

Standard (MB per processor)	1	2	512 KB***	N/A	1	N/A
Maximum (MB per processor)	1	2	512 KB***	N/A	1	N/A
Total installed in test system (MB)	1	2	512 KB	N/A	1	N/A
Speed (ns)	11	15	N/A	N/A	N/A	N/A
Associativity	N/A	Direct-mapped	Two-way	N/A	N/A	N/A

SYSTEM RAM

Standard amount (MB)	16	64	32	32	32	16
Amount in test system (MB)	32	64	64	32	64	64
Maximum amount (MB)	264	1024	256	256	512	256
Speed (ns)	70	70	70	60	60	60

EXPANSION BUS/SLOTS

Bus architecture	NuBus	PCI/EISA	PCI/ISA	GIO32-bis	S-Bus	S-Bus
Number of slots	4	10	10	2	4	3

I/O PORTS

Number of 9-pin serial	0	2	2	2	0	0
Number of 25-pin serial	0	0	0	0	2	2
UART type	N/A	Intel 8642	16550	Sipex 85C230 equiv.	Zilog 8530 equivalent	RS-232C, RS-423
AUI or 10Base-T	AUI	Both	Both	Both	Both	Both
SCSI-2	●	●	●	●	●	●
FDDI/ATM	Optional	Optional	Optional	Optional	Fast Ethernet, Token-Ring, and ISDN optional	●
Macintosh 8-pin serial	2	0	0	2	0	0
Video port	DB-15	0	0	SGI digital video input, NTSC/PAL composite and S-video inputs	0	0

INPUT DEVICES

Keyboard type	Apple Desktop Bus	Enhanced PS/2 style	Multimedia IBM-compatible	PS/2	Sun Type 5	Sun Type 5
Three-button mouse	ADB Mouse II	●	●	PS/2	●	●
Optical mouse	○	○	○	Optional	●	Optional

NETWORK ADAPTER

Ethernet adapter manufacturer	N/A	Digital Equipment	AMD	Silicon Graphics	Sun	N/A
Ethernet adapter model	N/A	DE435	PC Net PCI chip set	Integrated	Integrated	Integrated
Ethernet adapter location	Built-in	PCI slot	Motherboard	P-Bus	Motherboard	Motherboard
Ethernet connectors	EtherTalk	10Base-T, 10Base-2, 10Base-5	10Base-T/AUI	Twisted-pair	Twisted-pair	AUI
ISDN interface	○	○	○	●	○	○

DRIVE BAYS

Total 3½-inch drive bays	5	7	4	1	2	3
Total 5¼-inch drive bays	0	2	4	0	0	0

CD-ROM

Drive manufacturer	Various	Sony	Various	N/A	Various	N/A
Drive model	Internal	N/A	N/A	N/A	Various	N/A
Speed	4x	4x	4x	N/A	2x	N/A
Interface	SCSI	SCSI	SCSI	N/A	SCSI	N/A
Integrated speakers	●	○	●	N/A	●	N/A

 = BYTE Best

● = yes; ○ = no; N/A = not applicable

* Street price

** The Apple server demonstrated an unacceptable amount (more than 5 percent) of failures in FTP and HTTP file transfers; however, with eight client sessions, it was able to complete the HTTP test (see page 127).

*** Shared by both processors

	APPLE COMPUTER WORKGROUP SERVER 9150/120	DIGITAL EQUIPMENT ALPHASERVER 1000 4/266	INTERGRAPH TD-40	SILICON GRAPHICS WEBFORCE INDY	SUN MICROSYSTEMS NETRA i625	TATUNG SCIENCE & TECHNOLOGY MICROCOMPSTATION 5/11
HARD/FLOPPY DRIVE						
Standard number of hard drives	1 or 2 internal	1	1	1	1	3
Manufacturer(s)	Various	Various	Conner or Quantum	Seagate	Various	Seagate or Fujitsu
Hard drive model(s)	1 GB, 2 GB, 4 GB	1 GB, 2 GB, 4 GB	540 MB, 1 GB, 2 GB	535 MB, 1.05-GB internal	535 MB, 1 GB, 2.1 GB	Seagate 1-GB Model ST31230N; Seagate 2-GB Model ST32430N; Fujitsu 4-GB Model N2934
Total hard drive storage capacity	20 GB	28-GB internal, 440-GB external	2-GB internal	2-GB internal	4.2-GB internal, 339-GB external	4 GB with two drive bays holding two 3½-inch drives
Interface	SCSI	SCSI	SCSI	SCSI-2	SCSI	SCSI
Number of drives installed in test system	2	2	1	2	1	1
Total hard drive capacity in test system	2 GB	2.1 GB	2 GB	2 GB	1 GB	1 GB
Standard 3½-inch 1.44-MB floppy drive	●	●	●	Optional	●	Optional
SECURITY						
Power-on password	Optional	●	○	●	●	●
Keyboard password	○	●	○	●	●	○
Setup utility password	Optional	●	●	●	●	●
Chassis lock	●	●	●	●	●	○
Keyboard lock	○	●	○	○	○	○
Support for SSL security	Optional	●	○	●	●	○
Secure remote log-in	Optional	●	○	●	●	●
Administer FTP access filter	Optional	●	○	●	●	●
DIMENSIONS						
Height (inches)	18.6	23.8	39.6	3	3.07	3
Width (inches)	8.9	16.9	178.2	16	16.4	16.5
Depth (inches)	20.6	25.6	186	14	16.1	17
Weight (pounds)	36.8	85	33	16	27	32
INSTALLED SOFTWARE						
Web software	StarNine Technologies WebStar 1.2.4	Process Software Purveyor 1.1	Netscape Communications Server 1.22	Netscape Communications Server 1.22	Netscape Communications Server 1.22	Internet Gateway for Solaris 1
Windowing system	Mac OS	Windows NT Server 3.5.1	Windows NT	OSF/Motif Toolkit 1.2, X11RS	OpenWindows	OpenWindows
Networking component	MacTCP	Windows NT Server 3.5.1	Windows NT	Iris NetWorker	ONC	Open Network Computing
FTP server	○	●	●	●	●	●
HTTP server	●	●	●	●	●	●
WAIS server	AppleSearch	Freeware kit—EMWAC	●	○	○	○
Programming languages	○	Freeware Perl, TCP	○	ANSI C, C++, Fortran77, Ada, Pascal	○	○
HTML development tools	PageMill and BBEdit	Freeware versions of HotMeTal, HTMLed, HTMLasst, HyperEdit, Hyped, CU-HTML	MS Word Internet Assistant	WebMagic Pro, WebSpace Author	○	○
Gopher server	○	●	○	○ (download from Silicon Surf)	○	○
Graphics editor	○	○	○	Adobe Photoshop 3.0, Illustrator 5.5	Photoshop	○
General publishing tools	Adobe Acrobat	Freeware EMAC	○	Iris ShowCase&trade 3.0	Illustrator, Photoshop, RAD, Cyberleaf	○
E-mail software	Apple Internet Mail Server	Freeware Vancemail	○	MediaMail Pro, IRIX	POP2, POP3, IMAP	Internet Gateway Server 1.0
Supports IPX/SPX for Internet access	○	Optional	○	○	●	○
IPX gateway software	○	Available	○	○	Solarnet PPS	○
NetWare connectivity software	○	Optional	○	○	Solarnet PPS	○
Other included software not listed above	Netscape Navigator	Mosaic, Finger, NNTP News Server	○	Developer Magic, ProDev, OpenGL, Iris GL	○	○
SALES AND SUPPORT						
Length of standard warranty (years)/coverage	1/P, 2-day on-site	3 (on-site), 3 (next-day response), 90 days (help desk on software)	3/P, L	1/P	1/P	1/P
Extended warranty available	●	●	●	●	●	●
Sales and distribution channels	Direct, resellers	VARs	Direct, resellers	VARs, direct	SunService	Direct, VARs, OEMs
On-line support available	●	●	●	●	●	●
Free technical support after purchase	●	●	●	○	●	○
On-site service available	●	●	●	●	●	●
On-site service cost (first year)	Free	Free	Free	Varies depending on maintenance contract	\$120	\$700
Phone	(408) 996-1010	(508) 493-5111	(205) 730-2000	(415) 960-1980	(415) 960-1300	(408) 383-0988
Toll-free phone	(800) 776-2333	(800) 354-4825	(800) 345-4856	(800) 800-7441	(800) 821-4643	(800) 659-5902
Toll-free support number	(800) 767-2775	(800) 356-9000	(800) 633-7248	(800) 800-4744	(800) 872-4786	(800) 927-7880
On-line address	http://www.apple.com	http://www.digital.com	http://www.intergraph.com	http://www.corp.sgi.com	http://www.sun.com	techsup@tsti.com
Inquiry number	1122	1123	1124	1125	1126	1127

Warranty: P = parts; L = labor

● = yes; ○ = no

Imagine the First 3.5" System Independent SCSI RAID That Supports **Dual Host Connectivity**

We Did!

STACA-RAY™

Model 12S
8.6 GB Capacity
RAID Levels 3 or 5
\$7,995



Includes **RACA-LERT™**
the Disk Array Monitoring/Alert Software

Actual Size: 14 1/2" (H) x 10 5/8" (D) x 6 5/8" (W)

Data Availability and Reliability for Your Network or Desktop Computer... Has Never Been So Affordable!

SSI's *STACA-RAY* delivers the next generation of high performance RAID technology that provides dual host connectivity with a standby 'hot spare' drive at an affordable price. With 8 MB of cache memory which expands to 32 MB, and an optional Fast/Wide SCSI-2 interface, *STACA-RAY* provides the highest performance in it's class.

With the 3.5" form factor, open systems SCSI-to-SCSI RAID controller module, stackable 'hot swap' redundant components like disk drives, power supplies, power cords and fans... *STACA-RAY* provides all of the advantages of an expensive RAID subsystem at a low, entry-level price.

Call STORAGE SOLUTIONS for More Information
on Truly Affordable RAID! **(203) 325-0035**



STORAGE SOLUTIONS, INC.
550 West Avenue, Stamford, CT 06902

JERRY POURNELLE

An Upgrade for Mrs. Pournelle

The legend says the cobbler's children go barefoot. In our case, it's Mrs. Pournelle. Since 1990, Roberta has been using a Gateway 386DX with Desqview.

In fairness to me, Roberta has been doing most of her work on Mac systems, and I've got her the latest, including a hot PowerBook and a Power Mac 8100. She's more than happy with the Mac for developing her educational software. On the other hand, there's a larger market in the PC world, and she needs to stay familiar with it, although she uses the DOS system mostly for communications.


She operates a big network of home-schooling teachers, as well as other educational conferences, and much of that uses automated software that runs only in DOS. Still, as Richard observes, she may be the last person in the U.S. running Desqview. Moreover, while she's been able to connect to the Internet through BIX, it's time for her to get on the World Wide Web itself, and for that she wants Windows. Clearly, it was time to upgrade.

Incidentally, BYTE founded BIX, and although BYTE no longer has any ownership—BIX is part of the Delphi conferencing system—the BYTE editors have BIX accounts, and we use it for a lot of our official conferencing work. BIX doesn't have the fancy graphical interfaces of other information utilities, but it does have the largest signal-to-noise ratio of any system I know.

Anyway, we have two elderly—anything three years old is elderly—Gateway 2000 486DX2/66 systems. One, SuperCow, which has VL-Bus video, has been our experimental system and test-bed for a long time. The other is even older, being essentially the same machine without VL-Bus video. It has a Diamond Stealth video card, which is a lot faster than whatever VGA/EGA card is in Roberta's present system. For some years, that machine served as a NetWare network server, and it worked fine.

Recently, we took down the NetWare network because we weren't using it. For my purposes, OS/2 Warp Connect, Microsoft Windows for Workgroups, and Microsoft Windows 95 (W95) network nicely and provide all the network I need. That left the Gateway machine for Roberta; another hand-me-down, but it's a darned good one, and a lot faster than what she was using.

My first decision was what to put on it. I had three realistic choices: OS/2 Warp Connect, Windows for Workgroups 3.11, and W95.



AMY ETIA © 1996

I went on-line and asked for advice. A major advantage of BIX is that I get useful information rather than Spam. I had a lively discussion with many knowledgeable people.

First, because Roberta uses many DOS programs and does communications, OS/2 Warp Connect looked good: it is, after all, what I use for most of my communications, including Web crawling. OS/2 is a better DOS than DOS by a lot, and it's very reliable for multitasking communications.

The problem was multimedia. OS/2 can't run Microsoft Audio Video Interleave (AVI) files—Microsoft won't license it to IBM—and while there's a shareware version of QuickTime that runs with OS/2, there's no supported version. Since one of the reasons Roberta wants an upgrade is to be able to work with Windows education software—there's a lot, and most of it is multimedia—OS/2 just isn't going to do it. That's a bit sad, but there it is.

The next consensus was that W95 is preferable to Windows for Workgroups 3.11. It's easier to learn, you can do more with it, and, in my experience, it works with DOS multimedia a lot better than Windows.

That decided, I dug out my DOS 6.22 disks and started removing NetWare by deleting its partition. I used FDISK. Version 2.0 of Partition Magic gets rid of FDISK, and I should have used that, but I was in a hurry, and after all, I was creating only one bootable partition. An hour later, I had the disk formatted and

Big Cheetah's departure casts a pall over Chaos Manor—but the show goes on—and Roberta gets a Win 95 machine

DOS 6.22 installed. Next we needed a CD-ROM drive.

Last week, Ron Sartore, president of the late and, by me, much lamented Cheetah International, came for a visit, and I let him take Big Cheetah away. It was a sad moment, but for some reason, Big Cheetah had been experiencing mysterious errors. Since there's a lot of pressure for me to test and use machines from companies still in business, it seemed pointless to spend much time troubleshooting what would never be more than a very fast 486DX2/66; so Ron took him away. Before he did, I removed the two-year-old Creative Labs Sound Blaster 16 card and its double-speed CD-ROM drive.

It took about 10 minutes to get that installed in Roberta's machine. Then the trouble started. It all worked "breadboarded," but now I had to find mounting hardware for both the CD-ROM drive and a big new hard drive.

When I was entering college, I must

have done well on spatial-relations test questions. I recall a number of items where I had to choose what a figure would look like if rotated 60 degrees, and I got decent scores on my college entrance exams. Since then, I must have lost that ability:

getting those silly rails on in the right place took four times as long as I had expected.

Then I found that the 5¼-inch floppy drive wasn't working properly. These things do wear out. Since I had to get a new drive anyway, I took out both floppy drives and installed a Teac FD-505 combination 3½-/5¼-inch

drive. It's a half-height drive, so it takes no more room than a single drive, and it costs little more than a single floppy drive. You don't need a 5¼-inch floppy drive very often, but it's handy to have one. I can recommend the Teac FD-505; we've got one on about half the machines here.

The trick is connecting the cable: on a flat floppy cable, one of the connectors has a section of the cable twisted. On the other connector, the cable remains flat. If

you connect the one with the twist, the 3½-inch drive will be A. If you want A to be the 5¼-inch drive, connect the one without the twist.

Installing the drive took no time at all except for those pesky mounting rails. We've really simplified the electronics in these machines, but the mechanical stuff leaves a lot to be desired. Eventually, I got it done while removing the skin from three knuckles.

Testing the 3½-inch drive was no problem, since that's what I booted from. I then looked around for a 5¼-inch floppy disk, and what came up was Alien Names, a shareware program written years ago by science fiction author and publisher Ralph Roberts. It efficiently generates a random assortment of alien-sounding names according to vowel/consonant schemes you input. It also generates insults.

I'd forgotten just how good this program is, and I'm glad I rediscovered it. Some programs are nearly perfect at what they do, and this is one of them. You can find a copy in my BIX conference.

The floppy drive worked fine. Now for W95. I had four choices. First, I could install



Make Everyone Happy!

WIBU-KEY Copy Protection lets your application work with any of these hardware interfaces with **no** modifications to your application. WIBU-KEY doesn't just do a quick check to see if the dongle is there — it works by encrypting the executable through our custom ASIC. With top notch security and flexibility, along with other great features like remote programming, secure limit counters, and automatic or API-based encryption, you'll quickly see why WIBU-KEY is the best software copy protection available.

CeBIT'96
HANNOVER
MARCH, 14 - 20, 1996
Hall 11/F49 + 23/A22

**Order your evaluation kit today:
Call ESC: 800-986-6578**

WIBU-KEY

High Quality in Software Protection

**WIBU
SYSTEMS**

WIBU-SYSTEMS AG, Germany
Rueppurrer Strasse 54, D-76137 Karlsruhe
Phone: +49-721-93172-0, FAX: ...93172-22
Email: 100142,1674@compuserve.com

**EUROPEAN SOFTWARE
CONNECTION**

1617 St. Andrews Drive
Lawrence, KS 66047
Phone: (913) 832-2070
FAX: (913) 832-8787

Windows for Workgroups, get that running, test that the machine worked on the network, and finally install an upgrade version of W95 from a CD-ROM.

Second, I could skip W95 and install the upgrade CD-ROM version directly. As many readers have pointed out since my December column, the upgrade versions of W95 don't require that Windows be previously installed; they merely demand that you insert disk one of the Windows installation set at the proper time. I'd vaguely known that, but the December column was about tracking bugs, and I generally try to do that systematically. I wanted Windows for Workgroups 3.11 running so I could test things, including the network, before installing W95.

My third choice would have been a bit illegal. I have acquired an OEM CD-ROM copy of W95 to be installed on new machines. Microsoft doesn't sell original-installation CD-ROM versions of W95 except for OEM installations, probably because of the problem of supporting CD-ROM drives.

My fourth choice was to install W95 from floppy disks. Alas, that's what I did, largely to see what it would be like; and I learned that it's worth almost *anything* not to install W95 from floppy disks. It would have been easier to install Windows for Workgroups 3.11, get that running, and upgrade to W95 from a CD-ROM.


It takes forever—4½ hours—just to get W95 running directly from floppy disks, and when you think you are done and try to configure, or install W95 Plus, you find yourself feeding from one to seven floppy disks into the system again. And again. It is bad enough, in fact, that I am going to reinstall W95 from an upgrade CD-ROM so that in the future when the system wants something, it will ask for that rather than the floppy disks.

Aside from the near-terminal tedium, though, everything went swimmingly. W95 recognized the Diamond Stealth video card, the ViewSonic 17-inch monitor, the Creative Labs Sound Blaster 16 card, the CD-ROM drive, and the Intel EtherExpress network card. For reasons I don't understand, when I upgraded Pentafuge from Windows for Workgroups 3.11, I had to manually tell W95 that the EtherExpress card was set at interrupt request (IRQ) 10. Not this time.

The bottom line is that Roberta has W95 and is connected to the Chaos Manor internal network; and I can say that it's possible to install W95 from floppy disks, although you really don't want to do it.

It was worth the work. For years, I have used an old Hewlett-Packard LaserJet III

Firewalls don't stop viruses!



InterScan VirusWall™ does. Virus Protection For The Internet Gateway

The Internet can be a dangerous place. Access to the 'net creates holes in your LAN's virus protection. FTP file transfers pass through the Internet gateway and go directly to desktop computers, bypassing server-based protection. New macro-type viruses concealed in e-mail evade nearly every anti-virus software available. Even the toughest firewalls don't stop viruses. Only InterScan stops viruses before they reach the LAN.

InterScan VirusWall by Trend Micro Devices The only software that stops viruses at the Internet gateway



E-Mail Scan detects new strains of viruses concealed in e-mail

InterScan VirusWall

- Detects viruses at the Internet gateway, before they can evade traditional client-server protection
- Detects new strains of viruses concealed in e-mail attachments
- Scans all gateway FTP, e-mail and Web site uploads and downloads in real time
- Automatically updates virus patterns
- Tracks origin of infected files
- Scans files in fractions of a second

Initially available for Sun® SPARC™ using Solaris™ 2.4 and above.

For more information about our Internet gateway virus protection technology, call

1-800-272-3720



20245 Stevens Creek Blvd.
Cupertino, CA 95014
e-mail: trend@trendmicro.com
web: www.trendmicro.com


InterScan VirusWall™ is a registered trademark of Trend Micro Devices, Inc.
All other marks are the trademarks or registered trademarks of their respective companies.

printer. It isn't fast or fancy, but for my limited printing, it has been good enough. Roberta, on the other hand, has a gorgeous 600-dot-per-inch Lexmark printer, which is faster and fancier. So now that she's connected to the Chaos Manor network, I can use her printer when I have a big or fancy job.

Once I had her system running, I got a nasty surprise. I had installed W95 with the Microsoft "Dove soap bar" Home Mouse plugged into serial port 1. Her older machine had a mouse port and PS/2 mouse, with the modem connected to COM1, so her software expected the modem to be on COM1. No problem, I figured. Just plug the mouse into COM2.

That didn't work. W95 said it could find no mouse. Since COM2 on Gateway machines is a 25-pin port, and the mouse uses a nine-pin plug, I thought I had a bad 25-to-nine-pin adapter, but that turned out not to be the case. Moreover, when I took that rig upstairs and tried it on SuperCow, which has an identical serial-port arrangement, I got the same result: the mouse

wasn't found on COM2, this time by the Microsoft Mouse DOS software. I know I have had systems and software able to find a mouse on either COM1 or COM2 without problems, but not this time.



I had several choices. First, I could find the documents. Perhaps there's a configuration file created when you install mouse software, and once it expects to find that mouse on COM1, you must reinstall to change ports. I could find out and take care of it that way.

The simpler way was to put the mouse in COM1 and use COM2 for communications; which is what I did. I then discovered that Procomm 1 must be the dumbest program on earth. If you invoke it and it expects to find a modem on COM1 but none is present there, it will sit there blinking "Initializing" until doomsday. Moreover, the only way to tell it to look on COM2 is to get into the program, only of course it won't load.

I solved that by booting up with the mouse in COM1, invoking Procomm, unplugging the mouse from COM1, and plugging in the modem. Then when Procomm came up, I told it to look in future at

COM2 and plugged the modem in there. That worked. I replaced Procomm 1 with Procomm 2, which has much the same interface as Procomm 1 but doesn't have that stupid trick.

On mice: I like the Microsoft "Big Teardrop" Mouse 2.0, but Logitech's newest TrackMan Marble trackball is terrific: the pointing is precise, the software is compatible with all flavors of Windows and OS/2, and the feel is excellent.

If you do a lot of mousing, a trackball is kinder to your wrist because you can rest your hand on it; and Logitech's TrackMan Marble stays cleaner than most upside-down mice. Recommended.

I installed Procomm 2 on Roberta's machine because she was used to Procomm 1, but it won't be permanent. I've recently converted to HyperAccess 2.1 for Windows. For years, my colleagues Wayne Rash and Hugh Kenner have recommended it.

I limped along with Procomm 2 until W95, when I made an awful discovery: while I can upload with ZMODEM in Procomm 2 and W95, I can't download with ZMODEM from BIX. Any attempts to download produce the message that the

KONEXX® Makes 'Modem-to-Digital' Possible.

1-800-275-6354
For New Product Information

Connect your modem to digital and multi-line phones with the KONEXX Model 111. Simply plug the Model 111 into any phone handset and your fax-modem is connected.


Supports V.34,
up to 24.0 Kbps.



Eliminate costly dedicated phone lines and potential damage to your modem. For international travel, use the high speed KONEXX Model 204 acoustic Koupler. Get KONEXX. Get connected.

For more new connectivity solutions, call us at 1-800-275-6354 or visit our

web site at <http://www.konexx.com/>



Supports V.34,
up to
28.8 Kbps.



KONEXX®

Your Modem Connection Solution.

KONEXX • 5550 Oberlin Drive, San Diego, CA 92121 • phone 619-622-1400 • fax 619-550-7330 • e-mail sales@konexx.com

download was canceled at user request. Apparently, the Procomm 2/W95 combination sends some spurious character that BIX interprets as an abort order.

There's also HyperAccess 6.0 for OS/2; it's not a converted Windows version but a real OS/2 program. A "lite" version comes with one of the OS/2 Warp Connect upgrade packages, but get the "full" pack if you're going to use it much.

HyperAccess comes with log-in scripts for a number of services, including BIX, and it's easy to generate others. You can mark, cut, and paste without difficulty, making it easy to transfer stuff on-line to other files. The capture system is intuitive. It sends files easily. I like HyperAccess 2.1 for Windows a lot. Recommended.

The newest gadget at Chaos Manor is a 4-GB Micropolis MicroDisk 3243. This is an external model. It has its own power supply and can be carried from one machine to another.

The MicroDisk 3243 comes with an ingenious case system that lets you stack several drives into a tower. The base unit contains the power supply and the SCSI connection to the external world; if you add drives, they'll be connected internally. You can use a stack of these to build a RAID system or simply to add several new drives to your system.

Installation was a snap. It took a few minutes to unpack the drives and accessories—Micropolis believes in *secure* packaging—and another 15 or 20 minutes to be sure we understood the instructions for assembling the external housing. Once that was done, we connected the drive to the external SCSI connection of the Advansys SCSI controller on the Windows NT machine and rebooted. NT saw the drive at once and offered to format it. Half an hour later, we had a perfectly good 4-GB drive that's visible all over the network. Over the next few days, I let a batch file write a zillion little files and a couple of big ones, erase some of the files, run an optimization program, erase the disk, and start over. This is a good stress test.

I didn't expect any problems, and there weren't any. The MicroDisk 3243 is fast and rugged. This particular model is said to be optimized for audiovisual data transfer, meaning that it's better at delivering a high sustained rate over time than really fast short bursts. I'm not sure what any of that means; there comes a point when things are fast enough, and this drive certainly is that. It's quiet, and it runs cool.

I recall vividly when a 10-MB hard drive was about the size of a small washing machine. Now we have 4 GB, com-


plete with a power supply, in something smaller than a shoe box. Micropolis makes good drives. Recommended.

Upgrading the wife—as Roberta puts it— delayed completing the setup of our new dual-Pentium system. This fire-eater is built up from a PC Power & Cooling case and power supply, a Micronix motherboard, a Peripheral Component Interconnect (PCI) fast SCSI controller, Century Micro memory, a Digital Equipment hard drive, and a Matrox video board.

We'll probably substitute a Micropolis 9-GB hard drive for the 4-GB Digital hard drive before we're done, if for no other reason than that the Micropolis drive is quieter; there's a mildly annoying hum from the Digital drive. If the system were closed up, I doubt we'd notice the sound, but one reason for this system is to use it as a test-bed, which means it's lying on a workbench with the case open much of the time.

We intend to use V Communications' System Commander 2.2 and PowerQuest's

Gain Access to the World of Smartcards



In an increasingly wired world, thousands of profitable smartcard applications are just waiting to be developed... in education, telecommunications, healthcare, banking, security. You name it. By personalizing and securing data, smartcards satisfy a real need of the Information Age.

To seize this opportunity and create successful smartcard applications, all you need is ASE™ — The Aladdin Smartcard Environment. ASE is an integrated development environment that gives software developers an efficient, flexible and secure tool for making the most of this new business opportunity.

The ASE system includes ASESoft, a library of software interfaces and utilities; ASEDrive, a versatile read/write smartcard drive unit; and ASECards, personalized smartcards of various types.

ASE offers ease-of-use and a short learning curve, with standards-compliant support for a wide range of smartcards. And ASE incorporates advanced security features, including digital signature, authentication, and other public key cryptographic functions.

ASE Development Kits — as well as stand-alone ASEDrives and customized ASECards — are now available.

Aladdin, a world leader in software security, has more than 10 years of experience in providing advanced solutions for application developers, in the fields of security applications, system integration, and development tools.

For more information about ASE — your key to the world of smartcards — call 1-800-223-4277 today.

NORTH AMERICA Aladdin Software Security Inc. Tel: (800) 223-4277, 212-564-5678, Fax: 212-564-3377, E-mail: sales@aladdin.com
INTL OFFICE Aladdin Knowledge Systems Ltd. Tel: 972-3-537 5795, Fax: 972-3-537 5796, E-mail: sales@aladdin.com
UNITED KINGDOM Aladdin Knowledge Systems UK Ltd. Tel: 01753-622286, Fax: 01753-622262, E-mail: sales@aladdin.co.uk

Call for details of your local distributor!

<http://www.aks.com>

1985-1995
ALADDIN
 YEARS The Professional's Choice

Partition Magic 2.0 to install a whole bunch of OSes on this machine: both MS-DOS and PC-DOS, W95, Windows NT, OS/2, and Linux. System Commander lets you boot up with whichever OS you like; Partition Magic lets you change the disk partition allocated to each OS without reformatting the disk. The programs together are a godsend.

The only OS that takes real advantage of the dual processors is NT, and that hasn't been installed yet because I had some problems with the CD-ROM drive. We recently got a new six-speed Plextor 6PleX CD-ROM drive, and I first fired up the new machine with a QLogic SCSI controller that didn't have the right drivers. Then I took the Qlogic controller out and installed the Adaptec PCI fast SCSI controller that ships with the 6PleX drive.

I expected some trouble, but there was none: the system fired up, recognized the hard drive, recognized the 6PleX CD-ROM drive, and waited for instructions. Alas, I'm out of time, so I didn't get NT in-

stalled yet. Next month for sure. Meanwhile, that 6PleX drive sure is fast.

The CD-ROM revolution continues. Writable CD-ROM drives now cost less than read-only units did just a couple of years ago, meaning that nearly anyone can get into the CD-ROM business now—and a great many people have. I get new CD-ROMs almost every day.

The trend is toward interactive multimedia. Some are educational. Others are a bit different. I suppose when CD-ROMs first came out, I should have been able to predict that there would be hundreds of discs with titles like *Samurai Pervert Interactive*, but I didn't.

I did foresee that the CD-ROM would be a major boon to scholarship. Logos Research Systems' Bible software is a great example. Their Logos CD Word Library 2.0, Level Four CD-ROM contains seven English Bible translations, including King James, American Standard, Revised Standard, and New Revised Standard; the Old Testament in Hebrew and Greek; the New Testament in Greek, with Byzantine and

Alexandrian versions; the Latin Vulgate; translation tools, including several dictionaries and grammar expositions; major Bible commentaries; maps; and a lot of other scholarly and devotional tools.

It's all searchable, left to right for English and Latin, right to left for Hebrew. You can set up split screens with the original text and several translations side by side. There's an editor for attaching notes. You can extract and print texts. It comes with a short instructional video. They've even preserved the original fonts and text formats of works such as Jerome's and Matthew Henry's commentaries. In a word, they've done this right.

They've set the standard for scholarly works on CD-ROM. If you have any interest in Bible studies, you need it. Highly recommended.

I long resisted 21-inch monitors, and now I wonder why I did. Yesterday, I installed a ViewSonic Professional Series PT810 at my main station. It took about 10 minutes, most of that devoted to carrying this 80-pound beauty up the stairs. W95 recognized it instantly. Changing to 1280 by 1024 pixels took a few minutes.



Then I sat down to it. John Carr, my



12-screen X Window terminal

uses up to 4 boards in PCI bus

The DX-Wall12 is a high performance PC based X terminal which connects directly to the PC's PCI bus and controls up to 12 monitor screens. The product consists of single and multi channel graphics add-on boards and X Window server software.



The DX-Wall12 server software can handle one large coherent virtual X Window screen with a resolution of 5120x3072 as an example. Windows can cover parts of more monitor screens.

Window movements and cursor handlings are automatic.

Custom X Window server developments, portings, and X application systems' development are available.

DEXON Systems Ltd.

H-1025 Budapest. Szikla u.21.

Hungary

Phone: +36 1 393 2617

Fax1: +36 1 393 2618

Fax2: +36 23 420 749

Compatibility
Software platforms
Controllers

Accelerators
Number of boards
Number of screens

Resolution

X Window X11RS
DOS & SCO UNIX systems
single channel or three-
channel graphics boards for
PCI
Weitek P9100
from 1 up to 4 in one system
from 1 up to 12 monitor
screens in one system
from VGA up to 1280 x
1024 or 1600 x 1200 each
monitor screen

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:

BYTE BYTE Magazine Subscriber Services
PO Box 555, Hightstown, NJ 08520



A Division of The McGraw-Hill Companies

The Definitive Reference Source!



5 Years of BYTE 1991-1995

Call 1-800-924-6621

PLUS: Quarterly Updates with Every Issue in 1996

SEARCH ▼

FIND ▶



Instant Access
To More Than
60 Issues of


EXPORT ▼

It's all at your fingertips—emerging trends, comprehensive world-wide industry analysis, multiplatform coverage of all the technologies, in-depth testing and product evaluations, advice, tips expert opinions, and much more! It's ideal for anyone who's evaluating the significance of new technologies . . . doing research . . . making complex multiplatform purchasing decisions . . . developing the next generation hardware or software products . . . preparing strategic corporate plans.



LOCATE ▲

SELECT ▼



SCAN ▲

- Product Reviews & Core Technologies
- BYTE Lab/NTSL Reports
- Benchmarks
- Cover Stories & Features

Access to Articles & Full Text Database

It's Comprehensive . . . Time Saving . . . and Easy to Use!
It's all in BYTE on CD-ROM

Order Today!

1-800-924-6621

Order Now!

Belgium 080071635
Germany 0130826112
U.K. 0800973017
Italy 167876155
France 05916088
Netherlands 060222146
Switzerland 1557257
Denmark 80017728
Sweden 020791136
Spain 900933539
Other
International 091-752792
United States 1-800-924-6621
Fax: 609-426-5434

Yes! I want the power & convenience of BYTE on CD-ROM

- ☐ Send me **Byte on CD-ROM PLUS!** Full text from 1991-1995 issues of BYTE plus quarterly CD-ROM updates with full text and colorful graphics for all the 1996 issues of BYTE for just \$54.95.
- ☐ Send me **BYTE on CD-ROM.** Full text from 1991-1995 issues of BYTE—more than 60 issues for only \$39.95.

Charge my: ☐ MasterCard ☐ VISA ☐ Amex ☐ Check enclosed (make checks payable to BYTE magazine, US funds only)

Card# _____ Exp. Date _____ Signature _____
Name _____
Address _____
City _____ State/Country _____ Zip/Postal Code _____

Mail to: **BYTE on CD-ROM, P.O. Box 526, Hightstown, NJ 08520**

P.O. Box 85, Galway, Ireland



Canadian and U.S. orders, please add \$2.95 for shipping and handling, and state sales tax where applicable. (Canadian orders add appropriate GST.) Outside North America, add \$5.00 for air mail delivery. Allow 6-8 weeks for delivery.

A Division of the McGraw-Hill Companies
Circle 118 on Inquiry Card.

CDBY096

American Made Steel Chassis Computer or RAID Applications



- Rugged all-steel construction
- Designed for FCC certification
- Easy assembly and service
- Full line of models and sizes
- Competitive prices
- American made redundant power supplies, removable disk drive modules, RAID controllers, Passive Back Planes in stock!

Call **NOW** for information
and **FREE** color catalog
1-800-394-4122

VISA & MasterCard accepted
Same day shipment!

Designed,
Manufactured,
Guaranteed by:



408-638-9460

205 Apollo Way - Hollister, CA 95023

POURNELLE

Product Information

FD-505 (\$149), Teac America, Inc., Montebello, CA, (800) 888-4923 or (213) 726-0303, fax (213) 727-7652. **Circle 1137 on Inquiry Card.**

HyperAccess 2.1 for Windows (\$99.95), **HyperAccess 6.0 for OS/2** (\$129), Hilgraeve, Inc., Monroe, MI, (800) 826-2760 or (313) 243-0576, fax (313) 243-0645, <http://www.hilgraeve.com>. **Circle 1138 on Inquiry Card.**

Logos CD Word Library 2.0, Level Four (\$599.95), Logos Research Systems, Inc., Oak Harbor, WA, (800) 875-6467 or (360) 679-6575, fax (360) 675-8169, <http://islander.whidbey.net/~logos>. **Circle 1139 on Inquiry Card.**

MicroDisk 3243 External Drive (\$2190), **Capricorn 3243 Internal Drive** (\$1750), Micropolis Corp., Chatsworth, CA, (800) 395-3748 or (818) 709-3300, fax (818) 718-5312, <http://www.micropolis.com>. **Circle 1140 on Inquiry Card.**

Mission Critical (\$59.95), Legend Entertainment Co., Chantilly, VA, (800) 658-8891 or (703) 709-3300, fax (703) 222-3471, 72662.1021@compuserve.com. **Circle 1141 on Inquiry Card.**

Partition Magic 2.0: DOS/Windows 95 (\$49.95), DOS/OS/2 Personal License (\$69.95), DOS/Windows/OS/2 Professional License (\$495.95), PowerQuest Corp., Orem, UT, (800) 379-2566 or (801) 226-8977, fax (801) 226-8941, <http://www.powerquest.com>. **Circle 1142 on Inquiry Card.**

6PieX CD-ROM Drive: 63CS internal (\$359), 65CS external (\$449), Plexor Corp., Santa Clara, CA, (800) 886-3935 or (408) 980-1838, fax (408) 986-1010. **Circle 1143 on Inquiry Card.**

System Commander 2.2 (\$99.95), V Communications, Inc., San Jose, CA, (800) 648-8266 or (408) 296-4224, fax (408) 296-4441, <http://www.v-com.com>. **Circle 1144 on Inquiry Card.**

TrackMan Marble (\$99.95), Logitech, Inc., Fremont, CA, (800) 231-7717 or (510) 795-8500, fax (800) 245-0000, on CompuServe, go logitech. **Circle 1145 on Inquiry Card.**

ViewSonic Professional Series PT810 (\$2495), ViewSonic, Walnut, CA, (800) 888-8583 or (909) 444-8843, fax (909) 869-7958, <http://www.viewsonic.com>. **Circle 1146 on Inquiry Card.**

long-suffering assistant, was raving about how great the color was and how sharp the icons looked. I put up some text. "It's maybe a little fuzzy?," I said. Then I realized: I was still wearing my street glasses. Of course it looked fuzzy. I changed to my computer glasses with 28-inch focal length, and you'll have to fight me to get this monitor away from me.

I'll bet that 5 minutes after Larry Niven sees it, he will order one. I am literally sitting here wondering how I got along without this all these years. I can read this comfortably from any position. When I switch to the desktop, I can have all kinds of stuff lying around on-screen, and I don't have to lean forward to see the icons.

Modern video boards and W95 can take advantage of a big screen. If you spend a good part of your time staring at a computer monitor, get a good one. Why go blind? I love this ViewSonic Professional Series PT810. Highly recommended.

The game of the month, and probably the year, is Legend Entertainment's *Mission Critical*. It starts fast: you are alone aboard a U.S. battle cruiser in a war zone in space. Your captain and all the crew are dead, but the skipper and his executive officer arranged for you to survive to carry out the crucial mission of the ship. No one but the skipper and the executive officer knew what that mission was. Meanwhile, the ship has been damaged and needs repair.

When you get the repairs made, your real trouble starts: the enemy is coming, and you have to fight this ship with no crew. That's barely possible, because the combat system is pretty realistic: you give

orders to drones, and they do the fighting.

The graphics and sound effects are great, there are lots of movie action sequences with good human actors saying intelligent things, and, in general, they did this right. It has a realistic feel. I had no trouble installing and running this on Pentafluge under W95. Highly recommended.

The CD-ROM of the month is Microsoft Windows 95 Plus. You don't have to have this, but you'll like it. Be sure to install the pinball game: it's the most realistic computer pinball simulation I have seen.

The book of the month is John December's *Presenting Java* (Sam's Net, ISBN 1-57521-039-8). Java is Sun Microsystems' animation programming language for the Web. Since Microsoft has licensed Java, it has become the de facto standard Web language. Hot Java is a Web browser written in Java and available from <http://www.java.sun.com/>. They're described in clear language in this book. Recommended.

Next month: I give Chaos Manor User's Choice Awards for the most useful hardware and software of 1995, along with the annual Orchid and Onion parade; and, of course, Windows NT and the new dual-processor machine. ■

Jerry Pournelle is a science fiction writer and BYTE senior contributing editor. You can write to Jerry c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please include a self-addressed, stamped envelope and put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on the Internet or BIX at jerry@bix.com.

Plan 9: Feature Film to Feature-Rich OS

A new OS, not from outer space but from venerable Bell Labs, treats all objects as files or file systems

BY PAUL FILLINICH

In a tongue-in-cheek salute to Ed Wood's sci-fi cult classic *Plan 9 from Outer Space*, researchers from AT&T Bell Laboratories named their ground-breaking operating system Plan 9. The new OS was created by an all-star cast including Rob Pike, Dave Presotto, Ken Thompson, Howard Trickey, and Phil Winterbottom, with support from Unix co-creator Dennis Ritchie.

The story opens with the scientists discussing their unhappiness with trends in commercial operating systems. Calling on their Unix experience, they and their colleagues on the Bell Labs computer-science research team begin to design a system that could adapt well to changes in hardware. In particular, they want to build an operating system that could profit from continuing improvements in personal machines, such as bit-map graphics, medium- and high-speed networks, and high-performance microprocessors. Thompson and Pike want the OS to be a general-purpose, multiuser, portable distributed system that could be implemented on a variety of computers and networks.

Thus Plan 9 was born. It's less than 600 KB in size and currently has several reference ports, including the Motorola 68020 and above, Sparc, Mips, the Intel 386/486/Pentium family, and Hobbit architectures. Plan 9 is client/server-oriented but with a major difference: Everything is a client, and everything is a server.

Building the Perfect Distributed OS

Plan 9 is predicated on several principles. The first is that all objects in the system are either files or file systems. Everything the program can talk to fits into this abstraction. An extension of a goal within the Unix design, Plan 9 takes this idea to its logical end.

In Plan 9, all communication with files is expressed in a protocol that can be transmitted over a wire. Thus everything can be made to be a remote file system. No longer do you have to know where a particular file resides.

Plan 9 also implements some new ideas in how it handles its namespace. The namespace—the set of objects visible to a program—is dynamically and individually adjustable. This is a new idea and has many interesting effects. Essentially it means the set of files the OS can see can be adjusted per process. Therefore, application programs do not need to know where they are running; where, and on what kind



of machine, is an economic decision that does not affect the construction of the application itself.

The Plan 9 operating system can run stand-alone or distributed over separate machines acting as CPU servers, file servers, and terminals. The pieces are connected by a single file-oriented protocol and local

namespace operations. Plan 9 is built from distinct, specialized components rather than from similar general-purpose components.

The Old Distributed Days

Until now, it has been common to connect a group of personal time-sharing systems—workstations—with a medium-speed network. But this has a number of shortcomings. Each workstation has private data, so each must be administered separately; maintenance is difficult to centralize. The machines are replaced every couple years to take advantage of technological improvements, rendering the hardware obsolete, often before it has been paid for.

Most telling, though, is that a workstation is largely a self-contained system, not specialized for any particular task, too slow and I/O-bound for fast compilation and too expensive to be used just to run a window system. To the Plan 9 team, concerned primarily with software development, it seemed that an approach based on distributed specialization rather than compromise could better address issues of cost-effectiveness, maintenance, performance, reliability, and security. The Bell Labs team decided to build a completely new system and terminal. This gave them an opportunity to rethink and perhaps even replace most of the utilities they had accumulated over the years.

Plan 9 is based on three principles:

- 1 All objects are either files or file systems.**
- 2 All file communication is expressed in a protocol that can be transmitted over a wire.**
- 3 The namespace is dynamically and individually adjustable.**

At Your Service

Plan 9 is divided along lines of service function. CPU servers concentrate computing power into large (not overloaded) multiprocessors; file servers provide repositories for storage; and terminals give each user of the system a dedicated computer, with bit-map screen and mouse, on which to run a window system. The sharing of computing and file-storage services provides a sense of community for a group of

programmers, amortizes costs, and centralizes and simplifies administration. This architecture is reminiscent of the centralized terminal-to-CPU time-sharing structure of the '70s. However, Plan 9 has some new and striking differences.

Plan 9 accommodates a variety of different networks. The service pieces communicate by a single protocol, built above a reliable data-transport layer offered by an appropriate network that defines each service as a rooted tree of files. Even for services not usually considered as files, the unified design permits some noteworthy simplification. Each process has a local file namespace that contains attachments to all services the process is using and thereby to the files in those services. One of the most important jobs of a terminal is to support its user's customized view of the entire system as represented by the services visible in the namespace.

Here's how some of the major Plan 9 components work:

CPU servers: The CPU server performs compilation, text processing, and other applications. It has no local storage; all the permanent files it accesses are provided by remote servers. Transient parts of the namespace, such as the collected images of active processes or services provided by user processes, may reside locally, but these disappear when the CPU server is rebooted. Plan 9 CPU servers are as interchangeable for their task—computation—as are ordinary terminals for theirs.


A multiprocessor CPU server has several advantages. The most important is its ability to absorb load. If the machine is not saturated, there is usually a free processor ready to run a new process. This is similar to the notion of free disk blocks in which to store new files on a file system. The comparison extends further: Just as you might buy a new disk when a file system gets full, you can add processors when the system gets busy, without needing to replace or duplicate the entire system. Of course, you can add new CPU servers and share the file servers.

File servers: Plan 9 file servers hold all permanent files. The file server presents to its clients a file system rather than an array of disks or blocks of files. The files are named by slash-separated components that label branches of a tree and may be addressed for I/O at the byte level. The location of a file in the server is invisible to the client.

An example of how this separation of file services works is how the Plan 9 developers themselves actually use the concept. Their true file system resides on a WORM, an optical disk that can be recorded only once, and is accessed through a two-level cache of magnetic disk and RAM. The contents of the recently used files reside in RAM and are sent to the CPU server rapidly by DMA over a high-speed link, which is much faster than a regular disk although not as fast as local memory. The magnetic disk acts as a cache for the WORM and simultaneously as a backup medium for the RAM. With the high-speed links, it is unnecessary for clients to cache data. Instead, the file server centralizes the caching for all its clients, avoiding the problems of distributed caches.

Namespaces: The protocol for communication with Plan 9 services is file-oriented; all services must implement a file system. That is, each service is arranged into a set of file-like objects collected into a hierarchy called the namespace of the service. When a program calls a Plan 9 service, the program is connected to the root of the namespace of the service. Using the protocol, the program

Plan 9 Distributes Processing, Centralizes Storage



Under Plan 9, a single file server maintains the data store for multiple CPU servers. The operating system moves data from RAM to disk to RAM based on frequency of use.

accesses the service by opening, creating, removing, reading, and writing files in the namespace.

From the services available on the network, a Plan 9 user selects those desired: a file server where personal files reside, other servers where data is kept, or a departmental file server where the software for a group project is being written. The namespaces of these various services are collected and joined to the user's own private namespace by a fundamental Plan 9 operator (called *attach*) that joins a service's namespace to a user's. The user's namespace is formed by the union of the spaces of the services being used. The local namespace is assembled by the local operating system for each user, typically by the terminal. The namespace is modifiable on a per-process level, although in practice much of the namespace is assembled at log-in time and shared by all that user's processes.

One of Plan 9's fundamental operations is attaching network services to the local namespace on a per-process basis. This fine-grained control of the local namespace is used to address issues of customizability, transparency, and heterogeneity.

Applications for Plan 9

An advantage of Plan 9's close relationship with Unix is that many of the applications that run on Unix can be ported to Plan 9.

Much of what is delivered as part of the Plan 9 source-code product will be familiar to Unix developers. Not only have Unix applications been ported to Plan 9, but much of the standard command set looks similar to that of Unix.

But does the world need another operating system? It depends on the niche being addressed. AT&T sees a niche for Plan 9 in embedded systems and massively parallel systems. Each of these segments has adequate operating systems. However, there is not a consistent standard OS that cohesively connects these systems. Thus Plan 9 may find its place in applications that depend on low-end, single-use devices that must communicate with large-scale application servers.

Plan 9 is available today. Many leading-edge companies are looking to see how they can use it in their businesses and products. Some companies have already found a niche for it. Plan 9 from Bell Labs could be playing soon at a computer near you. ■

Paul Fillinich is a marketing manager at AT&T. His software career includes a long-running role as the original product manager for C++ (produced by Bjarne Stroustrup). He is an avid fan of software technology, not bad B-movies. You can reach him by sending E-mail to editors@bix.com.

Where to Find

Plan 9 Resources:

Anonymous FTP: plan9.att.com

University of Toronto site:

<http://www.ecf.toronto.edu/plan9>

FREE PRODUCT INFORMATION

BYTE Advertisers Deliver the Information You Need - FAST!

FAST:

INQUIRE BY MAIL

Enter your name and address at right. Then circle the inquiry numbers that correspond to those on the advertisement or BYTE article, and mail this postage-paid card.

FASTER:

INQUIRE BY FAX

Enter the information as described above, then fax this card to:

800-571-7730

FASTEST:

INQUIRE ON THE INTERNET

Access BYTE's home page at: www.byte.com and click on Free Product Information.

Follow the instructions on-line.

YES! I want FREE product information from the following advertisers

Fill out this coupon carefully. Please print.

Name First Last

Title

Company

Address

City

State Zip

Phone

Fax

A. My company profile is best described as: (check one)

- 1 ☐ Corporate end user
- 2 ☐ Computer/communications manufacturer
- 3 ☐ Reseller/distributor/OEM/integrator/consultant
- 4 ☐ Other (please describe):

B. My job function is best described as: (check one)

- 5 ☐ Company Management
- 6 ☐ IS/MIS/IT Management
- 7 ☐ Systems Engineering/Integration
- 8 ☐ Departmental Management (non-IS/MIS)
- 9 ☐ Technical Services Support
- 10 ☐ Other (please describe):

C. My responsibilities require that I be involved with the following operating system environments: (check all that apply)

- 11 ☐ DOS
- 12 ☐ OS/2
- 13 ☐ Mac/OS
- 14 ☐ UNIX (any, including Solaris)
- 15 ☐ Windows
- 16 ☐ Windows/NT
- 17 ☐ NetWare
- 18 ☐ Other (please describe):

D. Please indicate which specific fields of interest are important to you: (check all that apply)

- 19 ☐ Mobile Computing
- 20 ☐ Application development
- 21 ☐ Client/Server
- 22 ☐ Internet/on-line
- 23 ☐ Video Conferencing
- 24 ☐ Multimedia
- 25 ☐ PC Telephony

E. Do you influence the purchase of the following products or services for your organization? (check all that apply)

- 26 ☐ Computers/peripherals
- 27 ☐ Software applications
- 28 ☐ Remote/wireless communications
- 29 ☐ LAN hardware or software
- 30 ☐ Internetworking hardware, software, or services

March 1996

91 97 98

Valid until May 31, 1996

Advertiser Inquiry Numbers

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238
239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374
375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595

Editorial Inquiry Numbers

976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992
993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009
1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026
1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043
1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060
1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077
1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094
1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111
1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128
1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145
1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162
1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179
1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196
1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213
1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230
1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247
1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264
1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281

Product Category Information

To receive information for an entire category, circle the appropriate number in box above.

Hardware

Accessories/Supplies	1
Add-in Boards	2
Bar Coding	3
Communications/Networking	4
Computer Systems	5
Data Acquisition	6
Diagnostic Equipment	53
Disks & Optical Drives	7
Diskettes/Duplicators	8
Fax Boards/Machines	9

Graphics Tablets/Mice/	
Pen Input	10
Keyboards	11
LAN Hardware	12
Laptops & Notebooks	13
Mail Order	14
Memory/Chips/Upgrades	15
Miscellaneous Hardware	16
Modems/Multiplexors	17
Monitors & Terminals	18
Multimedia/CD-ROM	19
PCMCIA	57
Printers/Plotters	20
Programmable Hardware	21
RAID Drive Arrays	56
SCSI/Peripheral Interfaces	59
Scanners/OCR/Digitizers	22
Security	52

Tape Drives	23
UPS/Power Management	24
Voice Technology	55
Software	
Business	25
CAD/CAM	26
Communications/Networking	27
Data Acquisition	28
Database	29
Educational	30
Engineering/Scientific	31
Entertainment	32
Graphics	33
Macintosh	34
Mail Order	35
Mathematical/Statistical	36
Miscellaneous Software	37

On-Line Services	38
Operating Systems	39
OS/2	54
Programming Languages/	
Tools	40
Security	41
Shareware	42
Software Duplication	43
Spreadsheets	44
UNIX	45
Utilities	46
Windows	47
Word Processing	48
General	
Books/Publications	49
Recruitment	50
Miscellaneous	51

BYTE

FREE PRODUCT INFORMATION

BYTE Advertisers Deliver the Information You Need - FAST!

A Division of The McGraw-Hill Companies



FAST:

INQUIRE BY MAIL

On the opposite side, enter your name and address. Then circle the inquiry numbers that correspond to those on the advertisement or BYTE article, and mail this postage-paid card.

FASTER:

INQUIRE BY FAX

Enter the information as described above, then fax this card to:

800-571-7730

FASTEST:

INQUIRE ON THE INTERNET

Access BYTE's home page at:

www.byte.com

and click on Free Product Information. Follow the instructions on-line.


BUSINESS REPLY MAIL
FIRST-CLASS MAIL PERMIT NO 9335 BUFFALO NY
POSTAGE WILL BE PAID BY ADDRESSEE



INQUIRY MANAGEMENT SYSTEMS LTD
PO BOX 1663
BUFFALO NY 14205-9978



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



SO AUTHORITATIVE*

*you can take advantage of the knowledge and insights from the world's leading computer hardware and software experts...

YES!

I want BYTE for:

☐ 1 year for \$19.97
(12 issues)

☐ 2 years for \$34.95
(24 issues)

☐ Payment enclosed ☐ Bill me

SAVE

57%

off the newsstand cost!

BYTE

Save Time!
Fax 609-426-5592

with BYTE, you maximize the productivity of the products you already have, and...

FREE DISK
with your paid subscription.

☐ Charge my: ☐ Visa ☐ MasterCard ☐ American Express

CARD# _____ EXP. DATE _____

SIGNATURE _____

NAME _____ TITLE _____

COMPANY _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

Your satisfaction is GUARANTEED! If you are dissatisfied, cancel anytime for a refund on all unmailed issues.

*Plus applicable state and local tax, if any.

Single copy \$3.95. Basic annual subscription rate is \$29.95. Mexican subscribers: One year rate US\$29.95, two year rate US\$56.95. Your subscription will start in 6-8 weeks. Above rates are for US delivery only. Please see table of contents for international subscription rates.

IB99108 S

YES!

Enter a one-year (12 issues) gift subscription to BYTE in my name for my friend(s) at the special rate of only \$19.97. And, be sure to send BYTE's Screen Saver disk with each paid subscription.

☐ I am enclosing _____ for _____ subscriptions

☐ Payment enclosed ☐ Bill me

Gift cards will be sent to announce your special gift!

SAVE

57%

off the newsstand cost!

BYTE

Save Time!
Fax 609-426-5592

get the information you need to make smart decisions for the future.

FREE DISK
with your paid subscription.

FROM:

Name/Title _____

Company _____

Address _____

City/State/Zip _____

SEND GIFT TO:

Name/Title _____

Company _____

Address _____

City/State/Zip _____

Your satisfaction is GUARANTEED! If you are dissatisfied, cancel anytime for a refund on all unmailed issues.

*Plus applicable state and local tax, if any.

Single copy \$3.95. Basic annual subscription rate is \$29.95. Mexican subscribers: One year rate US\$29.95, two year rate US\$56.95. Your subscription will start in 6-8 weeks. Above rates are for US delivery only. Please see table of contents for international subscription rates.

IB99108 S

**GIFT
SUBSCRIPTION
OFFER!**

BYTE IS COMPREHENSIVE

* you get in-depth coverage of the systems, products, and trends of today - and what you can expect from the products of tomorrow.

**BUSINESS REPLY MAIL**

FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE:

BYTE

Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

**BUSINESS REPLY MAIL**

FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE:

BYTE

Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



Bringing Benchmarks up to SPEC

A suite of respected CPU benchmarks gets a face-lift

TOM YAGER

Computer systems keep getting faster. That's the way we like it. Unfortunately, this also creates a challenge: As systems evolve, so must the benchmarks that we use to compare them.

The last time the Standard Performance Evaluation Corp. (SPEC) released a new version of its performance tests was in 1992. Since then, the SPECint92 (integer) and SPECfp92 (floating-point) benchmarks have become industry standards. However, SPEC's membership—which comprises system vendors, educational institutions, and consultants—has been busy finding fault with its own work. The result of all this soul-searching is a new benchmark, known as SPEC95. Thanks to new test programs and a new baseline machine, SPEC95 creates a more level playing field for comparing different systems and microprocessors.

Of course, you should view any benchmarks with a skeptical eye. Nobody has yet invented a canned benchmark test that precisely measures how *your* system will perform when running *your* software. For some users, the only worthwhile benchmarks are the ones that they create and run themselves using real applications. But standardized benchmarks such as SPEC95 are nevertheless useful for obtaining ballpark estimates of how different systems will perform under actual conditions. At the very least, you can use them as a broad, initial screen.

Rocketing Ratios

SPEC95 includes two test suites. One, written in C, measures integer performance; another, written in FORTRAN, measures floating-point performance. These programs deliver their results indexed to a standardized baseline system (a 40-MHz Sun SparcStation 10) scoring 1.0. In other words, if the SPECint95 result is 5.0, then the tested system is five times faster at integer tasks than the baseline system.

SPEC92's baseline system was a Digital VAX-11/780. This system was also the baseline for another, more dubious, benchmark: Dhrystone MIPS. This benchmark fell into disrepute over the years and is sometimes defined as "meaningless indicator of performance" or "marketing's idea of performance."

Actually, MIPS and SPEC92 were tolerable benchmarks until some CPUs began scoring ratios in the hundreds. For example, Digital Equipment estimates that its Alpha 21164 processor scores greater than 500 SPECint92 and 750 SPECfp92. Digital predicts that a next-generation

Alpha processor, which is scheduled for introduction in 1997, will attain 1000 SPECint92. Sky-high ratios like these obscure the differences between systems and might indicate that some tests ran too fast to permit accurate measurement.

To keep the test ratios from soaring out of control (at least for a while), SPEC95 adopted the new SparcStation 10 baseline system. As a result, Digital says that the same Alpha 21164 chip that was estimated at 500 SPECint92 and 750 SPECfp92 now achieves 11 SPECint95 and 17 SPECfp95.

Another problem SPEC tackled was optimized compilers. SPEC had to abandon one floating-point test entirely when a new FORTRAN compiler knocked performance ratios right out of the park. The combination of faster systems and smarter compilers creates a problem for all types of benchmark programs.

How do you write a program that's complex enough to test a system acceptably well under all conditions but that also runs in a reasonable amount of time? SPEC's latest answer is that you can't. That's why if you run the full suite of SPEC95 tests on the new baseline machine, you won't get your results for two days.

New Requirements

The SPEC95 benchmark suite consists of programs culled from various sources, primarily academic and scientific.

continued

THE SPEC95 BENCHMARK

It's based on a new suite of programs.

SPEC95 INTEGER TESTS

Game of Go	099.go
Motorola 88000 RISC CPU simulator	124.m88ksim
GNU C compiler	126.gcc
File compression/decompression	129.compress
LISP interpreter	130.li
JPEG compression/decompression	132.jpeg
String and integer manipulations in the Perl language	134.perl
Database	147.vortex

SPEC95 FLOATING-POINT TESTS

Mesh generator	101.tomcatv
Shallow-water model	102.swim
Quantum physics	103.su2cor
Astrophysics	104.hydro2d
Multigrid solver in 3-D potential field	107.mgrid
Differential equations	110.applu
Simulated turbulence in a cube	125.turb3d
Weather conditions and distribution of pollutants	141.apsi
Quantum chemistry	145.fpppp
Plasma physics	146.wave5

SPEC's first alteration was to replace some of SPEC92's small programs with more demanding ones. The goal was not only to create longer run times but also to present a more accurate picture of true performance by using larger, more resource-intensive programs. The SPEC95 code is portable and runs on just about any flavor of Unix. Soon there will also be a version available for Windows NT.

Of course, compiled programs measure the efficiency of a compiler as much as they measure the performance of a system. SPEC answers this criticism in two ways. First, SPEC acknowledges that compilers and optimizers can have a significant impact on the results. Second, SPEC now requires vendors to run the benchmarks with limited optimizations—no more than four optimization flags. Vendors must use the same flags for all tests and report their optimizations.

SPEC never intended for SPEC92 to measure I/O performance, but sometimes the larger tests overflowed a system's main memory, forcing it to use virtual memory. As a result, machines with faster disk I/O performed much better. To avoid this situation, SPEC95 requires the test system to have at least 64 MB of RAM (Windows NT systems, too).

By changing the test code and defining a new baseline, SPEC has made it almost impossible to devise a conversion formula that translates SPEC92 results into SPEC95 numbers. SPEC wisely discourages this because the two tests are not comparable. Major elements of the SPEC92 suite don't exist in SPEC95. The new benchmarks place less emphasis on floating-point math, because integer operations are more typical in real-world applications. And some tests in the SPEC95 suite run for a given period of time rather than for a given number of iterations, making comparisons with SPEC92 still more difficult.

Therefore, to obtain SPEC95 results for older systems, you have to run the SPEC95 suite on those machines. Unfortunately, many of them can't meet the minimum RAM requirement of 64 MB. That's why you won't see SPEC benchmarks for all six generations of the Intel x86 architecture going back to 1978. For those kinds of historical comparisons, we're still stuck with MIPS.

Where to Find

Standard Performance Evaluation Corp.
National Computer Graphics Association
Fairfax, VA
(703) 698-9604
spec-ngca@cup.portal.com

Looking for Respect

One of the best things about SPEC is that it's unbiased. Even though vendors such as IBM and In-

tel help define the benchmarks, SPEC is a nonprofit organization that makes everybody play by the same rules.

Limiting the compiler optimizations is just one example. There's also a whole set of "run rules" that govern compilation, testing, and system configuration. Vendors must follow yet another set of rules when publishing their test results.

Official SPEC95 test reports will have at least two numbers. SPECint_base95 measures integer performance with minimal compiler optimizations; SPECfp_base95 does the same for floating-point performance. These are probably the most trustworthy numbers because they obey the most stringent rules. However, it's likely that you'll see two additional results: SPECint95 and SPECfp95. These tests allow maximum compiler optimizations, which brings the compiler's performance into the mix.

However, some system vendors prefer to report SPECint_rate95, which is an entirely different result; it measures throughput ratios. Instead of measuring a machine's performance while running a single program, SPECint_rate95 is based on repeated tests that count how many iterations that a machine performs within a fixed

SPEC95: NO COMPARISON TO SPEC92

Because SPEC95 numbers are indexed to a different baseline system, they can't be compared directly to SPEC92 values. (Values shown are for a 150-MHz Pentium Pro.) Even the ratio of floating-point to integer performance might vary from the old benchmark, as this example for the Pentium Pro 150 shows.

	SPEC95	SPEC92
Floating-point	5.41	220
Integer	6.08	276.3
SPECint/SPECfp	1.12	1.26

amount of time. Here, factors such as cache efficiency make a difference.

Vendors are free to use any compiler optimization that they want for the SPECint_rate95 test. If they decide to use minimal optimizations, then they can report the result as SPECint_rate_base95. The parallel floating-point equivalents for these two tests are SPECfp_rate95 and SPECfp_rate_base95.

How to Use SPEC95

Anyone can purchase the SPEC benchmark suite on CD-ROM for \$600. It includes all the tools you need to compile and run the programs. Vendors can submit results to SPEC, which reviews them. If vendors don't conform to all the run rules, they don't get published in the SPEC newsletter. Of course, SPEC can't stop anyone from publishing numbers elsewhere.

When interpreting SPEC results, it's important to keep a few things in mind. First, although SPEC has attempted to devise a suite that closely mimics system behavior when running real applications, these are still synthetic benchmarks. Your mileage may vary.


Second, remember that SPEC95 does not test I/O performance. If your application is I/O-intensive—on-line transaction processing, for instance—SPEC95 probably won't be as meaningful as a disk-I/O benchmark. If the responsiveness of a GUI is important to you, SPEC95 isn't the best choice for that, either.

Finally, don't attempt to map specific SPEC95 test programs to your real-world applications. SPEC95 is a collection of programs that lets you compare one system's basic performance to another's. There's still no substitute for running real programs on the system you're trying to evaluate.

If you're going to base a major purchasing decision on SPEC results, you might want to compile and run the tests yourself. At the very least, obtain the benchmark results directly from SPEC. If these results are markedly worse than the vendor's published numbers, demand an explanation from the vendor. SPEC's new rules should make it more difficult for vendors to rig the tests with their own benchmark-specific optimizations. SPEC has put the world on notice that if it uncovers any such optimizations, it will change the suite to close the loophole.

SPEC deserves praise for its dedication to providing reliable test data. SPEC95 is a definite improvement over SPEC92. ■


Tom Yager is a freelance writer and an evangelist for the Matrox Video Products Group. He works from his research lab in North Texas. You can reach him on the Internet at tyager@maxx.net or on BIX c/o "editors."



THE ONLY X SERVER THAT'S APPLE® TO THE CORE.



A good X server can connect you to a UNIX host. But only a *great* X server can make you feel right at home, with an interface that looks and works just like your Mac. And only *one* combines Apple workstation technology with industry-leading X server expertise. It's called XoftWare® for Mac™ OS - the fastest, friendliest, most stable X server of its kind. But what else would you expect from AGE? After all, that's our core competency. To learn more about XoftWare for Mac OS, give us a call at 1-800-PICK-AGE.



\$99 1ST-TIME OFFER

NETMANAGE
Network Your Desktop To The World


NetManage, Inc. 10725 North De Anza Blvd., Cupertino, CA 95014
Tel: 408.973.7171 Fax: 408.257.6405
E-mail: sales@netmanage.com URL: <http://www.netmanage.com>

age
Now Part of NetManage
Developers of Chameleon

XoftWare and NetManage are a registered trademark of NetManage, Inc. Apple, Mac and the Mac OS logo are trademarks of Apple Computer, Inc., used under license. All other trademarks are the property of their respective owners.

Circle 121 on Inquiry Card.

Before you invest in the hardware, make sure you're compatible.



Buying computer products is a major commitment. A commitment of time and money. So before you jump in with both feet, make sure the relationship is going to work. Look for the NSTL Seal.

National Software Testing Laboratories puts hardware and software through the most rigorous testing in the industry. Our exclusive compatibility tests, using real world equipment like yours, ensure that components will talk to each other, work together, get along great — or they can't carry the Seal. And that's true for everything from drivers and servers, to applications, adapters and printers.



For more information about the NSTL Seal or a list of manufacturers who have earned it, call 800-220-NSTL or 610-941-9600. Before you walk down the aisle.

Bug-Free Benchmarks

Investigation into the erratic behavior of a benchmark leads to an unsettling discovery about memory allocation

RICK GREHAN

If you've ever had a perfectly good machine go haywire on you—perhaps a new car that breaks down as you exit the dealer's lot—then you'll understand this. The BYTEmark, a program that we had worked on for better than a year—which had successfully run on CPUs ranging from PowerPCs to 286s, and on OSes from Unix to DOS—began cracking up. We were perturbed; Intel wasn't pleased, either, because the problem caused us to report erroneous numbers on the P6 processor in "BYTEmark Bug Bashed" (December 1995 BYTE).

The Patient

The specific benchmark component involved was LU Decomposition, one of the three members of the floating-point portion of the BYTEmark. This benchmark test gets its name from the algorithm it uses, which breaks a single matrix into two matrices: one lower-triangular (all elements above and to the right of the diagonal are zero), the other upper-triangular (all elements below and to the right of the diagonal are zero).

The algorithm might sound odd—and even a little pointless—but as it turns out, this is an effective technique for solving linear equations. You will find the details of the algorithm in many texts on numerical algorithms, such as *Numerical Recipes in Pascal*, by Press, Flannery, Teukolsky, and Vetterling (Cambridge University Press, 1989). What's important for our purposes is the fact that LU Decomposition does a great deal of array manipulation. Furthermore, the elements of the arrays are floating-point double values. Remember that.

The Symptoms

Each of the tests in the benchmark suite is run multiple times (at least five) so that the system can form a collection of results to calculate an average. This also allows the system to verify that the results are reasonably close to one another. If the results vary wildly, then either the benchmark has a problem or there's some outside force (say, a background task) running on the system that's affecting the program.

Such was the case with the LU Decomposition test. The test results exhibited a *bimodal* distribution: The score was either an unreasonably low number or a reasonably high number—never anything in between. We were frustrated in our attempts to locate the cause of this effect. For example, on one Windows NT-based system, we found that running the Performance Monitor in the background always produced low numbers. On another system, if we ran one of the other benchmark tests—Numeric Sort—prior to running LU Decomposition, regardless of how many intervening tests we ran, LU Decomposition yielded low numbers.

Furthermore, this behavior appeared only on Intel machines running Windows 95 or NT. We couldn't make it happen on these machines running a 32-bit DOS extender, nor would it occur on a PowerPC machine running NT.

Early Diagnosis

The first suspect was a temporary memory buffer allocated and released within the LU Decomposition test. This was the only case of an OS call within a timing routine, so we moved it outside the timing loop. The results were negative.

Next we investigated the possibility of a memory leak. Fortunately, Mike Spertus of Geodesic Systems was here at BYTE demonstrating his company's product, Great Circle (see "Code Talk: A Programmer Needs a Maid," January BYTE), which detects and corrects memory leaks. He came into the lab and linked his library into the benchmark code. Great Circle gave the bench-

marks a clean bill of health—no memory leaks.


We were getting closer, however. Although Great Circle found no leaks, it made the problem disappear. It had something to do with memory, but what?

Proper Diagnosis

The answer came in an E-mail message from Rob Barris of QuickSilver Software. He suggested that it might be a problem with the alignment of memory allocated by `malloc()`. Sure enough, a quick patch to the program allowed us to see that the test returned a low score whenever the allocated memory was *not* aligned to an address evenly divisible by 8. (Returned addresses were always divisible by 4.)

It was all clear now. The LU Decomposition test used 8-byte floating-point doubles. Whenever `malloc()` re-

Stateless Malloc() Knows Its Own Address



A "stateless" `malloc()` wrapper. In (a), `malloc()` returns a pointer (`mptr`) to a block, the size of which is purposefully set longer than needed. In (b), the wrapper locates the first aligned address within the block and stores the original pointer just "behind" it. The aligned pointer (`aptr`) is returned to the application. Later, a wrapper around `free()` can retrieve the original pointer by looking behind `aptr`.

turned an unaligned memory block, all fetches and stores were consequently much slower. Great Circle had cured the problem because it takes over `malloc()`, and its `malloc()` replacement always returns data aligned to 8-byte boundaries.

The Cure

The solution was apparent: Write a *wrapper* (an enclosing routine) around `malloc()` that provides aligned memory. Fortunately, the benchmark was written in the days when there was still a need to test 16-bit systems and all memory allocation went through a single routine, `AllocateMemory()`. In a sense, we already had our wrapper; we just had to make it smarter.

So, `malloc()` returns a memory-block pointer, which the wrapper routine examines and simply increments until the address is properly aligned, right? Well, not so fast. First, if you advance the memory block's pointer, you run the risk that a routine might overstep the block's end somewhere down the road. By advancing the address, you effectively shave bytes off the front of the memory block.

Second, when the program finishes with the memory block, the address is passed to the `free()` routine so that the C library can release the memory. Given that the wrapper has advanced the address of that pointer, what is returned to `free()` is not what was given to the application by `malloc()`. The program will crash.

You can eliminate the first problem by having the `malloc()` wrapper allocate slightly more memory than originally requested. This additional "buffer" lets the program advance the pointer with no danger of returning a memory block that's too short.

The fix for the second problem is a bit more difficult. One approach is to allocate an additional pointer's worth of memory at the front of the block. Once the pointer is adjusted appropriately, the real pointer is stored a pointer's distance back in the block. (We say "pointer's distance" because, although most pointers are 32 bits wide, 64-bit machines are already appearing on some desktops.) When it's time to free the memory, a wrapper around `free()` backs up to locate the original pointer. With this scheme, the `malloc()` and `free()` wrappers are *stateless*: They don't have to remember anything about the memory they've allocated; all the information they need is in the memory block. (See the figure "Stateless Malloc() Knows Its Own Address" on page 153.)

Nevertheless, we chose a simpler way out. We set up a global array that associates the pointer returned by `malloc()` with the adjusted pointer passed to the routine. We could get away with this because the algorithms of the benchmarks tend to allocate a few big blocks rather than many smaller blocks, so we had no fear of overrunning the global array.

The Vector

Now that we have our fix, it's time to ask a few rhetorical questions. Should we have had to do this in the first place? Are we simply bellyaching if we complain that a low-level detail such as the alignment of memory returned by `malloc()` is an issue we really shouldn't be concerned with? Or are we justified in complaining that the compiler vendors—who are, after all, providing products that are supposed to save programmers from the perils of dealing too closely with OS APIs and hardware details—should make better `malloc()`s?

Our copy of *Standard C Programmer's Quick Reference Manual*, by Plauger and Brodie (Microsoft Press, 1989), simply says of `malloc()` that "you can safely convert the return value to a data object pointer of any type" whose size is no bigger than the maximum allowed by `malloc()` (the maximum being implementation dependent). No mention is made of performance requirements.

However, in *C: A Reference Manual*, by Harbison and Steele (Prentice-Hall, 1995), we find a section on alignment restrictions: "The C programmer is not normally aware of alignment

restrictions, because the compiler takes care to place data on the appropriate address boundaries." Just what is meant by "appropriate" here is unclear. We know that on some machines, inappropriate alignment can cause a crash. Is a 4-byte alignment appropriate for an Intel machine? Or is that merely sufficient? Is sufficient enough?

Daniel Boulet of Boulet Fermat Associates sent us Internet mail on this matter. He told us that the Unix System V Interface Definition (the third edition of SVR4) man page on `malloc()` reads: "The function `malloc()` returns a pointer to a block suitably aligned for any purpose." Then Boulet makes this point: If performance implications don't play a part in the definition of "suitably aligned," then why not just implement `malloc()` to return arbitrarily aligned data on architectures that support it?

The Release

Boulet's question is a good one, but we're still unsure of where the blame—if you can call it that—lies. Should we have known better? If so, shame on us. Should the compiler vendors have known better? If so, shame on them.

For yourself, if your current programming project includes algorithms that manipulate large arrays, be warned—particularly if you're working with Intel machines and you deal with data types that are larger than the bit size of the OS. (We suspect that the reason `malloc()` on Windows 95 and NT returned memory aligned to 4-byte boundaries is that those OSes are being touted as 32-bit OSes.) Although our experience was with an array of floating-point doubles, we suspect that an array of data structures might experience similar problems if one of the structure's elements fell on an inappropriate address boundary.

For ourselves, we've "fixed" the BYTEmark. And although it may cause us to sigh over our unnecessary work, we hope that the next release of our favorite 32-bit C++ compilers from Microsoft and Watcom will include a slightly modified version of the runtime library routine `malloc()`. ■

Editor's note: As of this writing, the source to the updated BYTEmark suite is available for downloading from the BYTE Web Site (<http://www.byte.com>).

ACKNOWLEDGMENTS

Thanks to Mike Spertus, Rob Barris, and Daniel Boulet. Also, the compilers whose `malloc()` routine exhibited the behavior described were Visual C++ 2.0 from Microsoft and Watcom C++ 10.5 from Watcom. Other compilers may or may not produce similar results.

Rick Grehan, who developed the BYTEmark benchmark suite, is a senior technical editor for BYTE reviews. You can reach him on the Internet or BIX at rick_g@bix.com.

Do performance implications play a part in the definition of "suitably aligned"?

Internet-Aware Applications

Modified products are in the works that will let companies further exploit the Internet-as-backbone phenomenon

SALVATORE SALAMONE

Businesses have been struggling for at least a decade to extend their corporate backbone networks to corporate partners and the public. With 37 million U.S. and Canadian users now on the Internet (according to a fall 1995 CommerceNet/Nielsen survey), companies no longer have to wonder which network to bet on.

Yet the Internet is still underexploited by most companies, used mainly for E-mail and file transfer. And the problem isn't just security. Internet-aware, packaged applications have been rare, but not for long. Remember when LAN-aware applications transformed PC-based computing in the early 1990s? A flood of Internet- and World Wide Web-aware applications will soon do the same for networking beyond the company walls. Whether it's a beauty parlor scheduling its customers or a chip maker publishing real-time part-availability data from corporate databases, many more firms will soon be doing it with shrink-wrapped software and on the Internet.

Opening the Floodgates

Internet phone applications, introduced last year, were the first products that exploited the "free" bandwidth of the Internet (see "Dial 1-800-Internet," February BYTE). These products take an analog voice signal, compress and digitize it, and send it out over the Internet. The reverse process occurs at the other end of the connection, allowing two people to hold a phone conversation. Such products have algorithms that buffer incoming packets to help smooth out the unpredictable delays packets may experience while traversing the Internet.

The next type of product we're likely to see modified to run over the Internet is group-scheduling software. Campbell Services is modifying its OnTime Enterprise so that you can use it for intercompany scheduling running over the Internet. The new product is called OnTime Web Server, which is implemented as a Common Gateway Interface (CGI) application that will run on Windows 3.x, Windows 95, and Windows NT Web servers that support CGI.

Such intercompany group scheduling would, for example, help coordinate meetings between an advertising agency and the marketing department of a corporation. It could also be used by an

industry consortium to plan its meetings.

Group scheduling over the Internet would work this way: A company would maintain a Web server running a modified version of OnTime Enterprise. Users pointing their browsers at that site would be able to view schedules in the form of Hypertext Markup Language (HTML) pages (see the screen below).


Security issues are a concern when using such a system. Imagine what the stock market would do if someone got to a scheduling Web site and saw that Bill Gates and Lou Gerstner were meeting for lunch five days in a row.

For this reason, Campbell Services will use the existing security and access-control features of OnTime Enterprise to prevent such abuse. These features include management tools for adding, modifying, and deleting users. Any part of the user community that's also on NetWare can be easily added through OnTime's NetWare Bindery integration capabilities.

Microsystems Software has slightly different plans for its enterprise group-scheduling product called CaLANdar. One idea that Microsystems has is aimed at intra-company scheduling, where users could pick up a revised schedule from any place they have Internet access. A salesperson could dial into a Web site from a hotel room and get a list of the next day's appointments that incorporates any last-minute changes entered in the home office.

Such access to group scheduling could be useful for a virtual corporation. For example, a consortium of vendors might use it to post its meeting schedule on one vendor's Web site for all to see.

continued



Need a publicly accessible calendar? Campbell Services' group scheduler will let anyone with a Web browser view the latest updates to his or her schedule.

Nigel Spicer, president and COO of Microsystems, sees scheduling programs being used in another way. "When it comes to getting a haircut or your oil changed, these programs used over the Internet could replace what you do on the telephone," says Spicer.

Internet service providers might offer this type of group-scheduling service for communities. The idea would be to let people browse through the local Jiffy Lube's or beauty salon's schedule of appointments. A user can then make an appointment from his or her PC.

Privacy issues are involved in a plan like this. For instance, you probably wouldn't want any person with a browser to see that you spend three afternoons a week at your psychiatrist's office. Similarly, you wouldn't necessarily want everyone to know that you'll be out of your home for 2 hours tomorrow afternoon getting your brakes repaired.

CaLANdar, like many group-scheduling products, has built-in security features that deal with these potential problems. For example, it lets an administrator import an E-mail user directory into CaLANdar, where he or she can then determine who has access to the group-scheduling system (rather than building such a list from scratch). CaLANdar also lets you hide a message or note. In that way, you can reserve a time slot so others can see that the slot is taken, but no one knows it's taken by you.

Microsystems has one large corporate client (which does not want to be identified) interested in a different scheduling-over-the-Internet project. The client is a greeting card company, and its plan is to offer a calendaring host service for its customers. Each person reaching the company's Web site would enter such information as the birthdays and anniversaries of friends and relatives. The system would send early-warning E-mail to give you enough time to buy a card and present. The company would also send you an on-line version of its catalog of gifts. This company sees the Internet used in this way as a free, global communications channel.

Come Together

It's one thing to give users a view at meeting schedules over the Internet, but how about setting up the meetings in the first place? You would need a contact management program to pull the meetings off.

Elan Software's latest version of GoldMine, a contact manager for workgroups, already has many of the tools you'll need. A new feature in GoldMine for Windows 95 (introduced last fall) was the ability to send and receive Internet E-mail. When you re-

ceive a message from one of your contacts, the message is automatically linked to the contact's GoldMine record.

You can compose messages off-line. These messages are queued up to be sent automatically when the next Internet connection is made.

Additionally, users can now synchronize databases over the Internet. Originally, GoldMine allowed point-to-point synchronization, a feature that was typically used by one person with a laptop and a desktop system. That concept evolved into a many-to-one product, called GoldSync, which allowed groups of users to synchronize databases of client contacts, conversation history, and appointments.

GoldSync works with dial-up phone lines or over a corporation's WAN. A natural extension was to modify the program to run over the Internet. The result is GoldMine for Windows 95's Internet-connectivity features, which let users send database updates over the Internet.

Get That Data

For many corporate users, the real impact of Internet-enabled applications will come in the DBMS arena. Larry Ellison, Oracle's chairman and CEO, has made it clear that the Internet is the way to go for accessing corporate data. He is one of the major proponents of the stripped-down, networked PC that's geared toward retrieving information over the Internet.

Oracle's product line already includes Web-server software and a browser. The company is also developing a server-based applications suite that will include database and Web-server technology, systems management tools, and a messaging server with text search tools and E-mail.

Last fall, Computer Associates announced CA-Unicenter/ICE (Internet Commerce Enabled). This set of products, once available, will be the foundation for a Web-centric database that lets you build Web pages incorporating company data and that makes this information available to anyone with a Web browser.

Computer Associates plans to offer a tightly integrated set of products under the CA-Unicenter/ICE architecture. Using the tools, a company might set up a Web-based catalog of its products. When a customer places an order over the Internet, the inventory database would be updated and an E-mail message could be sent to the customer when the order is shipped.

The point is to make existing information available without having to do much extra work. Along those lines, Sybase has announced a database application that dynamically generates Web pages from an existing database.

Basically, we're about to see the first wave of products that have been modified to run over the Internet. And some organizations, like the greeting card company mentioned earlier, are already thinking about new ways to use this capability.

Security seems to be the only obstacle standing in the way of an explosion in the use of Internet-enabled applications. Many of the vendors who are modifying their programs to run over the Internet are addressing security up front by linking access control and user rights to existing security systems, such as user rights assigned for LAN access. How well a job vendors do in this area will determine whether these Internet-enabled applications are embraced by large corporations. ■

Salvatore Salamone is a BYTE news editor based in New York and author of Reducing the Cost of LAN Ownership (Van Nostrand Reinhold, 1995). You can contact him on the Internet or BIX at ssalamone@bix.com.

Campbell Services

Southfield, MI
(800) 559-5955
(810) 559-5955
fax: (810) 559-1034
<http://www.ontime.com>

Computer Associates International

Islandia, NY
(800) 225-5224
(516) 342-5224
fax: (516) 342-5734
<http://www.cai.com>

Elan Software

Pacific Palisades, CA
(800) 654-3526
(310) 454-6800
fax: (310) 454-4848
<http://www.goldminesw.com>

Microsystems Software, Inc.

Framingham, MA
(800) 489-2001
(508) 879-9000
fax: (508) 626-8515
<http://www.microsys.com>

Oracle

Redwood Shores, CA
(800) 633-0596
(415) 506-7000
fax: (415) 506-7200
<http://www.oracle.com>

Sybase

Emeryville, CA
(800) 792-2731
(510) 922-3500
fax: (510) 922-9441
<http://www.sybase.com>

A Universe of Connections



New SmarTerm® Enterprise Suite gets you connected to the Internet and your company's hosts around the world! SmarTerm lets you standardize your company's connectivity software by providing everything you need in one package.

SmarTerm Enterprise Suite provides top-notch connectivity to UNIX, IBM, and Digital hosts **PLUS** X server connectivity **PLUS** Windows Sockets TCP/IP and LAT **PLUS** PPP/SLIP access to the Internet **PLUS** Netscape Navigator and newsreader **PLUS** free technical support beyond 90 days. You don't need to purchase anything else.

**Connect to the universe
for only \$295: call your
software dealer today!**

Persoft, Inc., 465 Science Dr., P.O. Box 44953, Madison, Wisconsin 53744-4953 U.S.A.
Phone (608)273-6000, Fax (608)273-8227, 1-800-368-5283, or sales@persoft.com,
World Wide Web: <http://www.persoft.com>

Persoft Inc, European Headquarters, Lower Woodend Barns, Fawley, Henley-on-Thames,
Oxfordshire, RG9 6JF, United Kingdom, Phone +44 (0)1491 638090, Fax +44 (0)1491 638010



persoft®

CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

Copyright 1995 Persoft, Inc. All Rights Reserved. SmarTerm and Persoft are registered trademarks of Persoft, Inc. All other trademarks are property of their respective owners.
Rev.11/95. US \$295 introductory price available through March 31, 1996.

Circle 124 on Inquiry Card.

PREVIEW 3-D ACCELERATOR CARDS

PCI Card Accelerates Mac 3-D Graphics

Late last year Apple introduced QuickDraw 3D, its Mac OS component that provides an API for manipulating and storing 3-D objects as well as managing how they're displayed. However, 3-D manipulation and rendering are computationally expensive processes. A Power Mac running QuickDraw 3D can work in real time with simple models only. To obtain real-time rendering with complex models, hardware support is necessary.

Enter the QuickDraw 3D Accelerator Card, a Peripheral Component Interconnect (PCI) card that comes equipped with 128 KB of cache static RAM (SRAM) and 512 KB of high-speed SRAM for storing texture maps. Two custom ASICs implement the rendering engine, which can render up to 120,000 triangles per second and up to 10 million tri-linearly filtered, mip-mapped texture pixels per second. The card boosts Gouraud shading, texture-mapping, transparency, and constructive-solid-geometry operations.

It took just a matter of minutes to install the card and load the software in a Power Mac 9500. I had only a few sample applications to play with, but the results were spectacular. Sample 3-D objects created with Specular Graphics' Infini-D 3.1 had complex texture maps, and I set the objects rotating and mousing about the screen effortlessly. Another sample application, a game from Reality Bytes called Havoc, features real-time animation of a vehicle that's traveling across a convulsed and rocky landscape.

The QuickDraw 3D Accelerator Card promises to promote ever-more-realistic 3-D imagery, whether it's for next-generation games or serious workstation applications. And check out the card's unworkstation-like price: \$399.

—Tom Thompson



QuickDraw 3D Accelerator Card \$399

Apple Computer, Inc.
Cupertino, CA
(800) 776-2333
(408) 974-1010
<http://www.apple.com/>
Circle 1031 on Inquiry Card.



120-MHZ PENTIUM TRAVELMATE

The TravelMate 5200 (about \$5199) combines an Intel 120-MHz Pentium processor with a 32-bit 30-MHz synchronous PCI bus architecture and 256-KB Level 2 cache. The notebook also comes with 8 MB of RAM, expandable to 32 MB (or to 104 MB with 64-Mb DRAM memory); a 1.2-GB hard drive; a 1.44-MB floppy drive; a 10.4-inch 800- by 600-pixel active-matrix SVGA color display with

65,000 colors and 2 MB of video memory; one PC Card slot, supporting one Type III or two Type I/II cards; a 16-bit sound card; an internal speaker; a dual-mode microphone; interfaces for audio I/O and real-time video with Intel Indeo software; a serial infrared port; and two lithium-ion battery packs.

Contact: Texas Instruments, Inc., Temple, TX, (800) 848-3927 or (817) 774-6001; <http://www.ti.com>.

Circle 1036 on Inquiry Card.

HIGH-AVAILABILITY PENTIUM FILE SERVERS

Two file servers for LAN and WAN applications, the MaxPro 1500 and MaxPro 800, support most NOSes and differing network configurations. The MaxPro 1500 (\$7600) features 12 removable 5¼-inch half-height and three internal 3½-inch drive bays. You can configure the fault-tolerant MaxPro 1500 unit as an integrated RAID server (supporting RAID 0-5) or as a CD-ROM-based server. The compact MaxPro 800 unit (\$6600) features six 5¼-inch half-height and two internal 3½-inch drive bays. Both file servers come equipped with 90- to 166-MHz Pentium-based motherboards; support for EISA, ISA, and PCI add-in boards; IDE and floppy drive controllers; 16 MB of on-board SIMMs, expandable to 384 MB; 256 or 512 KB of secondary cache memory; a dual, hot-swappable 300-W power supply; and error-detection and reporting capabilities.

Contact: CSS Laboratories, Inc., Irvine, CA, (714) 852-8161.

Circle 1034 on Inquiry Card.

MULTIFUNCTION ETHERNET HUB

The M208 Workgroup Print Server (US\$895) lets you connect up to three printers to your workgroup. A high-speed IEEE 1284-compliant parallel port provides load balancing, auto-sensing and switching, ASCII-to-PostScript conversion, header and trailer strings, banner/trailer page generation, monitoring and status reporting via SNMP and SMTP E-mail, multilevel password security, and data scrambling. The hub component provides eight 10Base-T UTP ports and one AUI port that, with an optional transceiver, allows you to connect to 10Base-5, 10Base-2, and 10Base-F Ethernet networks. The M208 provides simultaneous support for TCP/IP, IPX/SPX, AppleTalk,

and NetBIOS over TCP/IP. Through the M208's support for SLIP and PPP, the server can also connect a remote office to a LAN.

Contact: Microplex Systems, Ltd., Burnaby, British Columbia, Canada, (800) 665-7798 or (604) 444-4232; info@microplex.com.

Circle 1037 on Inquiry Card.

PC CARD MODEM WITH VOICE AND CELLULAR ▼

The DataVoice 3400 PC Card (\$399) features Direct Connect Cellular support for popular cellular phones and Radish Voice View technology, which enables you to alternate quickly between talking on the telephone and using a modem during the same call. Compatible with IBM PC laptops and Macintosh PowerBooks, the PC Card modem supports V.34 28.8-Kbps data transfer, 14.4-Kbps send-and-receive fax, and data compression and error correction. The DataVoice 3400 also has the ability to answer a telephone, play a prerecorded message, and record a caller's message and store it on the hard drive.

Contact: TDK Systems, Nevada City, CA, (800) 999-4835 or (916) 478-8421; answers@tsd.ssi.com.


Circle 1035 on Inquiry Card.



28.8 MODEM/FAX/ETHERNET LAN PC CARD

Mariner (\$599) offers connectivity to popular cellular phones and wireless messaging for one-way alphanumeric and Tango two-way paging systems, plus 10Base-T and 10Base-2 LAN connectivity. Mariner provides increased throughput, along with V.42bis/MNP 5 data compression, V.42/MNP 2-4 error correction, 14.4-Kbps fax operation, and Group 3 Class 1 and 2 fax-machine compatibility. A dual RJ-11 connector lets a PC and a telephone share a single telephone line.

Contact: Motorola, Inc., Schaumburg, IL, (800) 427-2624 or (708) 538-5200; <http://www.mot.com/mims/isg/>.
Circle 1047 on Inquiry Card.



BUSINESS-CARD READER ▲

The Smart Card Business Reader (\$299) can read business cards in landscape or portrait form at speeds up to 4 cards per minute at a resolution of 400 dpi in 8-bit gray scale (256 shades of gray). You can view images of the cards on your PC monitor, view the contacts in database format or as a list, and add notes to the cards and search for contacts based on the notes.

Contact: Seiko Instruments USA, Inc., San Jose, CA, (800) 688-0817 or (408) 922-5800; rajeeed_venkatapuram@seikosj.com.
Circle 1040 on Inquiry Card.

1200-DPI COLOR LASER PRINTER

At 5 ppm in color and 14 ppm in monochrome, the Phaser 550 (from \$6995) provides printing at 1200 by 1200 dpi. It offers workgroup shareability with its large toner capacities, three media trays, and Tektronix's PhaserLink World Wide Web-based printer management tool. The printer comes with a 32-MHz AMD 29040 processor, a memory-compression coprocessor, a plug-and-play bidirectional parallel port, and a SCSI port. Optional network cards support EtherTalk, Novell NetWare, TCP/IP, TokenTalk, and LocalTalk protocols. In addition to offering Adobe PostScript Level 2 support, the Phaser 550 includes HPGL and optional PCL 5 emulation, with automatic sensing and switching among printer languages.

Contact: Tektronix, Inc., Wilsonville, OR, (800) 835-6100 or (503) 682-7377; http://www.tek.com/color_printers/.

Circle 1032 on Inquiry Card.

MULTIFUNCTION DOCUMENT SYSTEM

The Konica 7050 (from \$24,950) is a 50-copy-per-minute digital laser copier that, with the optional Konica IP-201 Image Processor and KN-101 NIC (call company for prices), becomes a copier/network printer capable of printing 400 or 600 dpi. Its bidirectional parallel or serial ports or optional KN-101 NIC support TCP/IP, Ethernet, EtherTalk, Ethernet SNAP, or OS/2 LAN Manager/LANServer protocols. The unit's standard 16 MB of RAM is upgradable to 128 MB, and its five paper sources hold a maximum of 3650 sheets.

Contact: Konica Business Machines U.S.A., Inc., Windsor, CT, (800) 256-6422 or (203) 683-2222.

Circle 1041 on Inquiry Card.

120-MHZ PENTIUM NOTEBOOK

Combining a 120-MHz Pentium processor, multimedia capability, and modularity (with its NEC VersaBay II slot), the NEC Versa 4080H notebook (\$5499) lets you design a system tailored to your needs. The notebook comes with a 1-GB hard drive; 8 MB of user-upgradable memory; a recessed, full-size keyboard with a palm rest and a VersaGlide touchpad pointing device; a lithium-ion battery that provides up to 5 hours of computing time; two infrared ports; two stacked PC Card slots to accommodate

one Type III or two Type II cards; and docking options. Multimedia features include two stereo speakers, a microphone, a Sound Blaster Pro-compatible 16-bit sound card, four audio ports, a volume-control dial, full-motion video support, and a 10.4-inch 800-by-600-pixel TFT color display. The VersaBay II slot allows you to choose a floppy drive or optional CD-ROM drive, a second battery, or a second hard drive.

Contact: NEC Technologies, Inc., Mountain View, CA, (800) 632-8377 or (415) 528-6000; <http://www.nec.com>.

Circle 1042 on Inquiry Card.

3-D VR GRAPHICS ACCELERATOR

With 3D SymphonicVision (\$299), you get a 64-bit Windows graphics accelerator, stereoscopic 3-D glasses, and Spatializer surround-sound technology. For 486 and Pentium PCs, the 3D SymphonicVision comes with a PCI burst-mode graphics accelerator that delivers resolutions from 640 by 480 pixels with 16 colors up to 1280 by 1024 with 256 colors. The eye-glasses come with high-speed LCD lenses that you can synchronize with your monitor. The Spatializer audio technology has the capability of delivering a 3-D sound experience from two standard speakers.

Contact: Ahead Systems, Inc.,



Fremont, CA, (800) 997-7711 or (510) 623-0900; ahead@ix.netcom.com.

Circle 1043 on Inquiry Card.

HIGH-END 3½-INCH DISK DRIVES ▼

Available in 4- and 8-GB versions and in a variety of Ultra SCSI-3 and SSA configurations, the 7200-rpm Conner Filepro Performance drives offer magnetoresistive heads, PRML read-channel electronics, and Conner Peripherals' proprietary media to increase data density to more than 850 MB per disk. The CFP4217 (about \$999), which includes five disks and 4.29 GB



of storage capacity, and the CFP8717 (about \$1799), which includes 10 disks and 8.77 GB of storage capacity, provide data rates up to 110 Mbps, Tagged Command Queuing, Rotational Positioning Optimization, and average seek times of 8 ms.

Contact: Conner Peripherals, Inc., San Jose, CA, (800) 426-6637 or (408) 456-4500; <http://www.conner.com>.

Circle 1044 on Inquiry Card.

WHAT'S NEW Hardware

PC CARD-BASED SPEECH RECOGNITION ▼

The Phonetic Engine 1000 is a PC Card that allows mobile computers to run speech-driven applications using Speech Systems' continuous-speech, speaker-independent, speech-recognition technology. The PE1000 (\$595) is a Type II Extended PC Card that receives incoming speech through a microphone and converts it to speaker-independent phonetic codes that it uses for recognizing speech. The Voice-Match SDK software (\$595), a set of programming tools, helps you develop speech applications under Windows. SpeechWizard (\$295) is a software tool that lets you attach speech-input features to existing Windows-based applications.

Contact: Speech Systems, Inc., Boulder, CO, (303) 938-1110; <http://www.speechsys.com>.

Circle 1048 on Inquiry Card.



28.8 FAX MODEM FOR THE MAC

A data communications solution that incorporates the V.34 standard to enable communications speeds up to 28.8 Kbps, the SupraExpress 288 (about \$200) provides maximum throughput speeds of 115.2 Kbps, fax-transmission speeds up to 14.4 Kbps, and FAXcilitate fax software. The software includes Smart Phonebooks, which make it easy to fax from a variety of locations and allow you to juggle multiple area and country codes and credit-card numbers; SmartIcons, which show you fax-software status; and Fax Broadcast, which lets you send hundreds of faxes with a single transmission.

Contact: Supra Corp., Vancouver, WA, (360) 604-1400; <http://www.supra.com/>.

Circle 1045 on Inquiry Card.

1700- AND 2550-MB DESKTOP DRIVES

The Quantum Sirocco 1700 (\$265) and 2550 (\$395) drives offer 1700 and 2550 MB of storage, respectively. The 3½-inch drives combine magneto-resistive head technology and PRML. The ATA-2 interface supports local-bus AT programmed-I/O mode 4 and multiword DMA mode 2 data transfers at speeds up to 16.6 MBps with a rotational speed of 4500 rpm, as well as fast SCSI-3 data transfer rates up to 10 MBps.

Contact: Quantum Corp., Milpitas, CA, (800) 624-5545 or (408) 894-4000; <http://www.quantum.com>.

Circle 1039 on Inquiry Card.

6.7-SPEED CD-ROM DRIVES

The Toshiba XM-3701 Series of 6.7-speed CD-ROM drives support a data transfer rate of 1000 Kbps. The XM-3701B internal (\$415) and TXM-3701D external (\$515) drives employ the variable-speed playback system, which allows the drives to read data before the disk reaches a specific rotational speed of 1, 2, or 6.7 times the standard rotational speeds. You can use either of the drives as a CD-audio player independent of your PC. The drives support CD-DA transfers over the SCSI bus for maximum bandwidth utilization and feature a 256-KB data buffer.

Contact: Toshiba America Information Systems, Inc., Irvine, CA, (714) 457-0777; <http://www.toshiba.com>.

Circle 1046 on Inquiry Card.

ID CARD PRINTER

Using dye-sublimation technology, Fargo's Persona II ID Card

Printer (\$6995) prints directly onto both sides of blank PVC or polyester cards. Options include



a magnetic stripe encoder for high or low coercivity on Tracks 1-3 (\$495) and a smart card encoder (\$495). Fargo's CardMaker Software for Windows 2.5 (\$995) helps you design and print photo-ID cards and badges.

Contact: Fargo Electronics, Inc., Eden Prairie, MN, (612) 941-9470; <http://www.fargo.com>.

Circle 1038 on Inquiry Card.

300-DPI COLOR INK-JET PLOTTER

The DesignJet 750C large-format color plotter has new modes to create smooth area fills and images for renderings or presentations with virtually no banding. The plotter (D-size, \$6495; E-size, \$7495) can queue vector plots for overnight plotting or for network use, and it can nest those

plots to make optimal use of media space. The DesignJet 750C comes with 4 MB of memory, upgradable to 68 MB. SIMMs are available in increments of 4, 8, 16, or 32 MB.

Contact: Hewlett-Packard Co., Santa Clara, CA, (800) 851-1170 or (208) 323-2551; <http://www.hp.com>.

Circle 1120 on Inquiry Card.

ISDN TERMINAL ADAPTER

The Sportster ISDN 128K is a PC-based terminal adapter that provides connectivity to ISDN-based services. The \$549 unit includes TurboPPP, which enhances the data transmission of PPP applications, negotiating the use of two B channels (64 Kbps each) via Multilink PPP for an aggregate throughput of 128 Kbps. It supports multiple forms of data compression for ISDN transmission. The Sportster ISDN 128K also supports NDIS, ODI, Packet Driver, and TAPI interfaces for use with popular Internet, remote LAN access, and data communications packages. Contact: U.S. Robotics, Inc., Skokie, IL, (800) 877-2677 or (708) 676-7010.


Circle 1121 on Inquiry Card.


HP'S HAND-HELD ORGANIZER

Small enough to fit into a coat pocket, the HP OmniGo 100 (about \$349) combines the convenience of a pen and the familiarity of a keyboard with a rotatable screen that allows horizontal or vertical display. The unit comes with 1 MB of RAM, 3 MB of ROM, one PC Card Type II slot, and a serial port; it runs on two AA batteries. Available solutions include Pocket Quicken; HP OmniGo 100 Connectivity Pack, for automated file management, backup, and synchronization between the OmniGo 100 and a desktop PC; HP OmniGo 100 Clip & Go, for data transfer to a desktop PC's spreadsheet, word processing, or paint programs; and six strategy games.

Contact: Hewlett-Packard Co., Corvallis, OR, (800) 443-1254 or call local HP dealer; <http://www.hp.com>.

Circle 1033 on Inquiry Card.





INTRODUCING THE \$300 BOX THAT'S SAVING JOHNSON CONTROLS MILLIONS.




You can print your drawings in any standard size including ANSI A-E and ISO A4-A0.

If you're looking for a fast, easy and flexible way to do technical drawings at your office or in the field, you have two choices. You could try to make CAD software fit your needs. Or, you can draw from Johnson

Controls' experience and use new Visio® Technical 4.0.

A SIMPLE SOLUTION TO A COMPLEX PROBLEM.

Johnson Controls® discovered that by standardizing on Visio Technical as part of their Windows® desktop, they could save millions per year in engineering costs. With Visio Technical, engineers went from using 4,000 CAD symbols to just 200 Visio SmartShapes® — greatly simplifying the drawing process and dramatically increasing productivity. Visio Technical also enabled Johnson Controls' sales force to create and modify technical drawings on-site with their




Visio Technical includes over 2,000 SmartShapes for engineering, architecture, and design. Simply drag SmartShapes from stencil to page. It's that easy.


laptops — something they couldn't do with CAD.

FULLY INTEGRATED FOR THE WINDOWS DESKTOP.

Johnson Controls' engineers found Visio's OLE 2.0 connectivity makes it easy to integrate Visio Technical drawings into their documents, presentations and proposals. The capability to import and export DWG and DXF formats allows them to work with existing CAD files. Plus, Visio Technical 4.0 offers Windows 95, Windows NT, and Windows 3.1 versions in one box.



With Visio Technical 4.0, Johnson Controls' engineers can create on-site engineering drawings on their laptops.



EXPERIENCE VISIO TECHNICAL 4.0 FOR YOURSELF.

Visio Technical 4.0 also comes with a 60-day money-back guarantee, so you have nothing to lose. Need more convincing? Call for the Johnson Controls study. Or, order Visio Technical for \$299 by contacting your local reseller or calling 800-24-VISIO ext. E23. Then, visit us on the web at <http://www.visio.com>.

WHAT'S NEW Software

PREVIEW E-MAIL FOR THE MACINTOSH

Efficiently Rule Your Inbox


Good news, Mac cc:Mail users: Release 3 makes your wishes for more control over the ever-increasing number of messages in your E-mail inbox come true. The new Mac client for cc:Mail, Lotus's LAN-based E-mail program, takes the advanced-rules technology from the Windows cc:Mail client and improves it. As you can with the Windows version, you can set up your cc:Mail for Macintosh E-mail inbox to automatically delete junk mail, place messages in specific folders (depending on criteria ranging from subjects to specific text strings in the message's body text), or forward messages when you are away.

But I find the current Windows version's interface too cumbersome to automate anything but the most basic messages without spending an inordinate amount of time programming a given rule. I found the new Mac version's approach to rules easier and more intuitive. Within 5 minutes, I had written several complex rules to forward and archive messages based on subject header, author, and content.

Other handy features include droplets, which let you place mailing lists on the desktop for easy access when you are sending a message, and 150 new file viewers, which let you read and print files created in other applications without launching the application.

Lotus cc:Mail for Macintosh release 3 is available for PowerPC- and 680x0-based Macs. Mac users of cc:Mail need no longer look with envy at the rules technology of their Windows cousins; in fact, the shoe is now on the other foot.

—Dave Andrews



Lotus cc:Mail for Macintosh release 3

single user, \$95; 10-user workgroup license, \$495
Lotus Development Corp.
Cambridge, MA
(800) 343-5414
(617) 577-8500
<http://www.lotus.com>
Circle 991 on Inquiry Card.

WINDOWS 95 DESKTOP-ENHANCEMENT UTILITY

PowerDesk for Windows 95 (\$49.95) combines a customizable toolbar (including eight tools) with ExplorerPlus, which is an enhanced and expanded version of the Windows 95 Explorer. The program provides a drivebar giving one-click access to any drive; format, copy, and move commands; built-in PKZip-compatible file compression; quick entry of DOS commands without opening a DOS window; enhanced file viewing; and multiple windows, auto-tiled or cas-

caded, for drag-and-drop file management.

Contact: MicroHelp, Inc., Marietta, GA, (800) 777-3322 or (770) 516-0899; <http://www.microhelp.com>.
Circle 994 on Inquiry Card.

PC MESSAGES TO PAGERS

PC Beep (about \$39.95) sends text messages from your PC to alphanumeric pagers. The Windows package, which works with most pagers and pager services, sends up to 4500 characters at a time, performs group paging, and

keeps a log of your messages. You can send data from other programs to the pager. Pro Beep (about \$59.95) adds the ability to send simultaneous messages to numeric and alphanumeric pagers and delayed-broadcast capabilities. It can also convert a PC fax image into text and forward that to your pager. Pro Beep can also look for messages with certain text, or from E-mail addresses that you specify, and forward those messages to your pager.

Contact: Integra Software, Inc., Greenville, SC, (864) 627-5000; <http://www.integra.com>.
Circle 1008 on Inquiry Card.

INTERACTIVE MESSAGING FOR WEB SITES

Now you can add off-the-shelf interactive messaging to World Wide Web sites. Web Crossing 1.0 (Mac and Windows NT, \$395; Unix, \$695) installs on the same machine as the Web-site server and works with the Web-server software.

The program allows you to post and review messages in a structured forum that threads topics and subtopics into conversations, access these dialogues, browse the most recent messages or read the entire conversation, and create a new conversation in any topic.

Contact: Lundeen & Associates, Alameda, CA, (510) 521-5855; <http://webx.lundeen.com>.
Circle 996 on Inquiry Card.

ISDN VOICE MAIL AND CALL MANAGEMENT

Phoneware-ISDN (\$199) offers voice-mail and call management capabilities to ISDN subscribers with Windows PCs. Inbound callers can access their own private mailboxes, leave messages in department mailboxes, or lis-

ten to prerecorded information. Phoneware-ISDN systems log the date, time, duration, and telephone number of incoming and outgoing calls. You can attach notes to individual call records, which automatically pop up when you receive calls.

Contact: Tetas, Inc., Cupertino, CA, (408) 973-7835; 73076,1177
@compuserve.com.
Circle 997 on Inquiry Card.

SURVEYS OVER THE INTERNET

With Decisive Survey (\$495), you can develop custom surveys and send them to customers, employees, resellers, and suppliers over a network. The program runs over the Internet, a LAN-based E-mail system, a host-based system, or a commercial on-line service. After the recipients complete and return the questionnaire, Decisive Survey automatically tabulates and graphs the responses for easy presentation and analysis. The program works with the following: Microsoft Mail, Lotus cc:Mail, Lotus Notes, and Novell GroupWise on Windows 3.1 or 95.

Contact: Decisive Technology Corp., Palo Alto, CA, (800) 987-9995 or (415) 528-4300; <http://www.decisive.com>.
Circle 993 on Inquiry Card.

ENHANCE EXCEL DATA-FILTER CAPABILITIES

A fuzzy-logic-based information search tool for Excel 5.0, Flex-Filter (\$40) lets you search and organize data records by their degree of overall fit with search criteria. The program analyzes the data in multiple fields of each record and then orders all records by their degree of fit with the chosen criteria.

Contact: Omron Advanced Systems, Inc., Santa Clara, CA, (408) 727-6644; <http://www.oas.omron.com>.
Circle 1001 on Inquiry Card.

VISUAL BASIC TOOLKITS

You can enhance the performance of your applications with the control-replacement functions and subroutines of Visual CodeBank 1.0 (\$149). A code library manager, the program includes 200 royalty-free BASIC functions and subroutines to handle tasks such as database operations, graphics, multimedia, sorts, optimization, security, and text management and effects. You can add custom functions and subroutines to the central repository. Developers can create custom BAS modules with just a few mouse-clicks.

Source control software from ViewPoint Technologies, Visual SourceWorks 4.0 (\$249) provides full support for Visual Basic 4.0, including new syntax and 16- and 32-bit versions. Available from Visual Components, version 4.0 provides an interface that emulates the Windows Explorer, support for private puts, expanded system administrator and user identity controls, new checks for existing projects, and easier tracking of projects with support for complex structures of folders and subfolders.

Contact: Visual Components, Inc., Lenexa, KS, (913) 599-6500; 72204,3521

@compuserve.com.

Circle 1004 on Inquiry Card.

INTERNET SERVER FOR WINDOWS NT

Integrating Web-server software with an applications-deployment architecture, Durand's MindWire NT (\$1495) allows you to distribute client/server applications over the Internet. A 32-bit multithreaded Internet server for Windows NT Server, the program automatically updates and launches applications files each time a user connects to a MindWire server. MindWire NT includes built-in security and auditing; groupware communications, such as Internet E-mail, chat, and public message forums; a developers guide for Internet applications; and a drawing utility for creating multimedia Windows menus.

Contact: Durand Communications Network, Inc., Santa Barbara, CA, (805) 961-8700; <http://www.durand.com>.

Circle 1003 on Inquiry Card.

UPS MANAGEMENT

Liebert offers two power-monitoring packages for UPSes. SiteNet 2 (\$69 to \$199) adds support for Unix and Windows platforms, while SiteNet SNMP Manager (\$499) adds support for IBM NetView on AIX and Hewlett-Packard OpenView on HP-UX platforms.

SiteNet 2 offers power surveillance and shutdown features, graphical displays of current power flow for utility and battery, remote functionality, flexible settings for alarm-notification parameters, event logging and management, and pinpoint accuracy of the units on a network. SiteNet SNMP Manager provides a GUI, automatic alarm notification, remote on/off capabilities, and multiple options, including test and diagnostic routines and battery and I/O power information.

Contact: Liebert Corp., Columbus, OH, (800) 877-9222 or (614) 888-0246; <http://www.liebert.com>.

Circle 999 on Inquiry Card.

PC TO ALPHANUMERIC PAGING DISPATCHER

To turn your PC into an alphanumeric paging dispatch station, you simply select the pager owner's name or names from a list, type the message, click to send, and Pronto (\$49.95) does the rest. Pronto keeps a log of messages, with an icon that lets you see at a glance whether or not each paging attempt was successful. You can delete and resend messages from the log. In addition to alphanumeric pagers, Pronto works with digital and tone pagers.

Contact: Amtelco, McFarland, WI, (800) 242-1100 or (608) 838-4194; <http://www.amtelco.com/pronto/>.

Circle 1006 on Inquiry Card.

Software Update

With the **AuditTrack 2.5** network-auditing software package, you can save report definitions, schedule report production, and combine multiple audit sets for consolidated reports and exported files. Version 2.5 includes capabilities for network administrators to run it on NetWare SFT III servers, to easily distinguish user security information, and to leverage Novell's new additive purchasing program for NetWare licenses. A 25-user server, \$595.

Contact: On Technology Corp., Cambridge, MA, (800) 767-6683 or (617) 374-1400; <http://www.on.com>.

Circle 1016 on Inquiry Card.

A videoconference scheduling and control tool, **VC Wizard 4.1** lets you view or print the schedule of rooms, people, equipment, or ports in an hourly, daily, weekly, or customized format; manage and display the status of all conferences; filter the conferences you wish to display by conference name, status, company, or other options; and control conferences in progress. Stand-alone version, \$9500; client/server version, from \$13,000.

Contact: AC&E, Ltd., Chantilly, VA, (800) 733-2238 or (703) 968-5700; <http://www.aceltd.com>.

Circle 1011 on Inquiry Card.

Running on Windows PCs and Unix workstations, **Look-In+ 2.0** works over LANs and WANs, including the Internet, to support visual communication between participants in a CAD conference. Version 2.0 provides geometry measurement tools, store-and-forward features, cut-plane tools, and a direct interface to PDGS systems. Client version, \$695; server version, \$2995.

Contact: C-Tad Systems, Inc., Ann Arbor, MI, (313) 665-3287; john@ctad.com.


Circle 1012 on Inquiry Card.

INTERNET VIRUS PROTECTION FOR WINDOWS

Integrating a browser and E-mail capabilities, WebScan prevents you from downloading virus-infected files and E-mail from the Internet. In addition to detecting known, boot, file, multipartite, stealth, encrypted, and polymorphic viruses, WebScan (\$65) can also scan Microsoft Word DOC files and compressed file formats.

Contact: McAfee, Santa Clara, CA, (408) 988-3832; <http://www.mcafee.com>.

Circle 992 on Inquiry Card.



The BYTE Site brings you today's hottest technologies with extended product and technology coverage that's the perfect complement to BYTE magazine.



THE BYTE SITE

<http://www.byte.com>

The World's Technology Authority Online!

■ The BYTE Archive

Two years of BYTE, more than 3,000 full-text articles, illustrations, and photos... all indexed for quick retrieval!

■ The BYTE Network Project

The BYTE Site... a living laboratory showcasing the best tools for building Web applications. Read about it in BYTE... try it out online!

■ The Virtual Press Room

Instant access to vendor press releases and white papers! Links to vendor web sites!

■ BYTEMarks

FREE Benchmark! Download the BYTEMarks – the benchmark with teeth!

■ Direct Access to Advertisers

Contact Byte advertisers DIRECTLY through the online advertiser index!

**BYTE**

The BYTE Site. The World's Online Technology Authority.

A Division of The McGraw-Hill Companies





BYTE

BUYER'S GUIDE

**Essential Products
and Services for
Technology Experts**

Mail Order

Top mail-order vendors offer the latest hardware and software products at the best prices.

162

Hardware/Software Showcase

Your full-color guide to in-demand hardware and software products, categorized for quick access.

196

Buyer's Mart

The BYTE classified directory of computer products and services, organized by subject so you can easily locate the right product.

206

Get the best, most accurate diagnostics for problem PCs...

Low-Level Formats IDE Drives!

the UNIVERSAL DIAGNOSTICS TOOLKIT

Compatible with any PC & Operating System!



Call Now for Information on Special Pricing:

1-800-864-8008

or Fax (818) 547-0397



1100 East Broadway, Suite 301, Glendale, California
Phone 818/547-0125 • Fax 818/547-0397

Web Page: <http://www.micro2000.com>

International Orders please call:


Micro 2000 Australia.....61-42-574-144

Micro 2000 UK.....44-462-483-483

Micro 2000 Amsterdam31-206-384-433

New Releases:

Call about our Tutorial
and TroubleShooting
Series on video cassettes!
A wealth of technical
help at your fingertips.



Micro-Scope 6.1

UNIVERSAL DIAGNOSTIC SOFTWARE

Fully O/S independent
diagnostic software...

Call for upgrade pricing &
complete new features list!

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market. Patterned after super-mini and mainframe diagnostic routines, MICRO-SCOPE runs independently of any standard operating system, and is therefore at home on any machine in the Intel world. Speed, ease-of-use, and razor sharp **ACCURACY** are a few of the advantages that arise from this system independence. **Jerry Pournelle** awarded MICRO-SCOPE & POST-PROBE the User's Choice Award in the May 1994 issue of Byte Magazine, saying: "You name it, this tests it. If you maintain PCs you'll love it."

- ◆ **LOW-LEVEL FORMAT**—Performs Low-level format on all drive types including IDE drives. This function cannot hurt IDE drives.
- ◆ **TRUE HARDWARE DIAGNOSTICS**—Accurate testing of CPU, IRQ's, DMA's, memory, hard drives, floppy drives, video cards, etc.
- ◆ **IRQ CHECK**—Talks directly to hardware and shows I/O address and IRQ of devices that respond.
- ◆ **O/S INDEPENDENT**—Does not rely on O/S for diagnostics. Talks to PC on hardware level. All tests are full function regardless of O/S (i.e. Windows, Novell, UNIX, OS/2).
- ◆ **IRQ DISPLAY**—Show bits enabled in IRQ chip for finding cards that are software driven (Network, Tape Backup, etc.).
- ◆ **MEMORY EXAMINE**—Displays any physical bit of memory under 1 Meg. Very useful for determining memory conflicts and available memory space.
- ◆ **AND MUCH MORE...** We don't have enough space here for everything this software can do!

Post-Probe

First Ever Universal P.O.S.T. Card for All PCs!

Use this Power-On Self-Test card to debug
any "dead" PC that won't boot...

"This is the only card that will function in every system on the market. The documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored by the card." —**Scott Mueller** from his globally recognized book, 'Upgrading & Repairing PCs, Second Edition'

- ◆ Includes pads for voltmeter to attach for actual voltage testing under load.
- ◆ 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc.
- ◆ Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure.
- ◆ Monitors I/O Write and I/O Read to distinguish between write and read errors.
- ◆ Accurately monitors progress of POST for computers *without* POST codes.
- ◆ Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA.
- ◆ Compatible with Micro Channel computers.
- ◆ Dip switch allows easy selection of I/O ports to read.
- ◆ Includes tri-state **LOGIC PROBE** to determine actual chip failures.
- ◆ Manual includes chip layouts and detailed POST procedures for all major BIOS's.
- ◆ **AND MUCH MORE...** call for more details.



Govt. Serv. #: GS-00K-94AGS-5396

MICRO 2000

When disaster strikes your computer, be prepared with advanced technology from MICRO 2000...

All computer equipment will eventually fail...

It may take years before your hard drive crashes. It may be months before you have any serious data loss, problems with your memory or experience chip failure. Then again, it could be today!

At MICRO 2000 we are constantly thinking ahead to provide you with the products you'll need to protect yourself from hours of frustration and downtime. Our expanding line of products can assist you to recover data from a crashed disk when all the others have failed.

We can help you diagnose what's wrong with your PCs in a flash, on-site or remotely—without a modem!

Tech Support you can count on in the crunch...

Good products are one thing, but how about someone to walk you through the tough stuff? Even though a large percentage of our clients are professional technicians and power users, we regularly receive calls from novice users who need help getting started. After all, these are tomorrow's power users and technicians.

Advanced technology based on what you need...

You can help us to serve you. If you use any of our products, please let us know what you like about them, or what improvements we could make. We will try to fulfill as many needs and wishes as possible, because your business and success are important to us. Give us a call or write to us with any comments or suggestions.

Call Now for Pricing on Our Complete Product List:
1-800-864-8008

Micro-Scope CLIENT™

A MUST-HAVE REMOTE DIAGNOSTICS TOOL for PC Service

Technicians everywhere. Supply your customers with this inexpensive software and let CLIENT diagnose what's wrong with their PCs without leaving your office! When your customer calls you with a service problem, simply have him boot his PC with the Micro-Scope CLIENT floppy disk in drive A and select either the Quick Test or the Extensive Test. Then just look up the resulting error codes in your CLIENT manual and you'll know exactly what's wrong and be able to bring the correct replacement chips, drives, cables, etc. Ensures complete system compatibility. Available in packs of 10, 50 and greater.



Micro-Scope CENSUS™

LETS YOU KEEP TRACK OF HUNDREDS or even thousands of computers and know each one's exact hardware and system

configuration at a glance. Many technicians and MIS Directors use this software tool to save hours of downtime in companies with multiple computers.

Simply load the supplied disk into each computer on site (up to 100 PCs recordable on each disk). CENSUS automatically records complete system information and assigns each PC a unique ID number. The data can now be downloaded from the disk

into any database program so it's ready to

retrieve at a moments notice. For even greater productivity and speed, use CENSUS in combination with MICRO-SCOPE CLIENT to remotely diagnose each PC and arrive with the exact parts required, fully compatible. You'll be in and out in a flash with a greater profit margin. Call us for information on increasing productivity.



Micro-Scope BURN-IN™

A PROVEN WAY TO INCREASE QUALITY CONTROL. Completely accurate and thorough diagnostic routines repeatedly test the

system's resources to the fullest extent to find any hidden bugs or problems. Essential for OEMs and Repair Facilities—reduces the number of returned PCs dramatically! Runs

with or without a monitor or keyboard. User definable run time. Detailed system log written to disk after testing.



All products are
Windows 95 Compatible



Circle 144 on Inquiry Card.


**MICRO
2000**

**Lost data.
And a whole lot of questions!**

Now there's a smart, low-cost answer from DPT, the leader in high-performance SCSI RAID technology. Introducing **SmartCache IV**, the ideal *hardware* RAID solution for your entry- to mid-range server needs. And the great news is that it's priced at \$550* (estimated street price).

Hardware vs. Software RAID

SmartCache IV's hardware RAID eliminates problems like Operating System dependence, lack of a "Hot-Swap" capability, and slow performance that are normally associated with software RAID.



SmartCache IV with RC4040 RAID/Caching Module

The DPT **SmartCache IV** RAID Kit comes with support for RAID 0, 1 and 5 and room for up to 64MB of cache memory for improved I/O performance. And you also get Storage Manager, DPT's award-winning software utility that makes RAID setup and maintenance as easy as "point-and-click."

Ultimate Solution, Ultimate Deal

Find out more about how DPT's **SmartCache IV** RAID can solve your important storage needs. For a limited time, call and request a copy of the DPT CD-ROM (while supply lasts). At the same time, ask if you qualify for our Ultimate Deal—great one-time pricing on **SmartCache IV**. **SmartCache IV**—it's the Smart Choice.

1-800-322-4378

DPT
Distributed Processing Technology

What you'd pay to avoid at any cost

you can now escape for a very low price.
***\$550**



140 Candace Drive Maitland, FL 32751 • Tel: 407-830-5522 • Fax: 407-260-6690 • sales@dpt.com • <http://www.dpt.com>



Made in the U.S.A.

B9603

Circle 132 on Inquiry Card.

Control PC, Macintosh, and Sun Computers from 1 Console!

- Supports any mixture of PC/Macintosh computers and Sun workstations - up to 4 in all
- Any platform's peripherals work with any type of computer in the system
- Full multimedia capabilities; keyboard, mouse, video, microphone, speakers, and serial port available
- Multiple users can access different computers simultaneously
- Convenient desktop size unit



COME SEE US AT
Networks Expo in Boston, MA. Feb. 13 - 15, Booth #119
CeBIT in Hannover, Germany Mar. 14 - 20, Hall 11, Booth #C3, C4

AUTOBOOT
COMMANDER 1XP™

An
**Inc.
500**
Company

Cybex Corporation
4912 Research Drive Huntsville AL 35805 USA
(205) 430-4000 (205) 430-4030 fax
<http://www.cybex.com/>



PC is a registered trademark of International Business Machines Corporation. Macintosh is a registered trademark of Apple Computer, Inc. Sun is a trademark of Sun Microsystems. Cybex, Commander, AutoBoot, and 1xP are trademarks of Cybex Corporation.

Dealer Program Available


Made in USA

Circle 130 on Inquiry Card (RESELLERS: 131).

TOSHIBA

**120MHz
Pentium
with PCI bus**

**BIG!
11.3"
Screens**



Portégé 610CT

WIN95
INSTALLED

Portégé 610CT

- Pentium 90MHz processor
- 9.5" True Color display for optimum color
- Built-in 16-bit sound (SoundBlaster Pro compatible), microphone & speaker
- Lithium Ion battery technology
- Accupoint stick for easy control

Processor	Screen	RAM/HD	Price
Pentium 90MHz	9.5" True Color	8/720MB	\$3939

Tecra 700

- Pentium 120MHz processor—fastest available on a notebook!
- PCI bus architecture (internal & external)
- 11.3", 800x600 high resolution displays
- Optional 4X CD-ROM Drive (swap floppy & CD-ROM)
- Multimedia docking station with PCI bus (optional accessory, priced separately)
- Built-in 16-bit sound, microphone, 2 speakers & MIDI
- HUGE, 1.13GB hard drives

Processor	Screen	RAM/HD	Price
Pentium 120	11.3" Dual Scan	8MB/1.13GB	\$4679
Pentium 120	11.3" Active	16MB/1.13GB	\$5949



Tecra 700



Satellite Pro 410

Satellite Pro 410

- Built-in 4X CD-ROM Drive (Swap floppy & CD-ROM) (Active model only - optional on Dual Scan)
- Built-in 16-bit sound, microphone, speaker & MIDI
- EDO RAM memory, exp. to 40MB
- Built-in AC adapter - small, sleek design & reduced weight
- Integrated Accupoint - small, accurate & easy to use
- Lithium Ion battery technology
- Built-in infrared for wireless communications


Processor	Screen	RAM/HD	Price
Pentium 90	11.3" Dual Scan	8/772MB	\$3499
Pentium 90	11.3" Active	8/772MB	4679

Satellite 2130CS/100CS

Processor	Screen	RAM/HD	Price
486DX4/75	10.4" Dual Scan	8/500MB	\$1969
Pentium 75	10.4" Dual Scan	8/500MB	CALL*

*EDO RAM

Satellite 2130CS/100CS



IBM®



ThinkPad® 365

- 10.4" Active & 10.4" Dual Scan
- Built-in infrared for no-hassle printer connections
- Multimedia models include built-in 2X CD-ROM, SoundBlaster compatible audio, speaker, microphone & MIDI/joystick port
- MS Windows 95 or Selecta System models available

Processor	Screen	RAM/HD	Price
486DX4/75	10.4" Dual Scan	8/540MB	\$1999
486DX4/75	10.4" Active	8/540MB	2599
486DX4/75	10.4" Dual Scan	8/540MB	2499*
486DX4/75	10.4" Active	8/540MB	3099*

*Multimedia Models

ThinkPad® 365CD



ThinkPad® 760

- Up to 120MHz Pentium with 32-bit local bus
- 12.1" Active displays with 800x600 resolution (selected models)
- 4X CD-ROM Drive, MPEG-2 support, & full motion video (ThinkPad760CD only*)
- Built-in 28.8 fax/modem
- SoundBlaster-compatible audio & telephony
- Lithium Ion battery technology

Processor	Screen	RAM/HD	Price
Pentium 90	10.4" Active	8/720MB	\$5349
Pentium 90	12.1" Active	8/720MB	6049
Pentium 120	12.1" Active	8/720MB	6599
Pentium 90	12.1" Active	8MB/1.2GB	7449*

*Features built-in CD-ROM drive

WIN 95 models available. Call for details.



ThinkPad® 760CD

Call about NEW ThinkPad® 760 Models

NEC

Versa 2000

Processor	Screen	RAM/HD	Price
486DX4/75	9.5" Active	4/350MB	\$2099*
486DX4/75	9.5" Active	8/350MB	2399
486DX4/75	9.5" Active	8/540MB	2599

*14.4 fax/modem not built-in



NEC Versa 4000

NEC Versa 4000

- Built-in CD-ROM Drive! (Standard on some models, optional on others)
- Up to 120MHz Pentium processors
- 256KB Level 2 Cache to optimize performance
- Unbelievable displays—65K color Dual Scan, 16.8 million color Active (High resolution Active Matrix displays available—800x600 res.)
- Built-in 16-bit sound, microphone, MIDI and 2 built-in speakers
- Multimedia docking station with outstanding Altec Lansing 4 speaker array (optional accessory, priced separately)

NEW 120MHz Pentium Model!

Processor	Screen	RAM/HD	Price
Pentium 75	10.4" Dual Scan	8/540MB	\$3499
Pentium 75	10.4" Dual Scan	8/540MB	3799
Pentium 75	10.1" Active	8/540MB	3999
Pentium 90	10.1" Active	8/810MB	4649
Pentium 90	10.4" High Res.	8/810MB	4799
Pentium 120	10.4" High Res.	8MB/1GB	5499

*Features built-in CD-ROM drive

© PCs Compleat. All prices subject to change and do not include shipping. All products or brand names are trademarks of their respective companies. PCs Compleat, 34 St. Martin Drive, Marlborough, MA 01752. Phone (508) 624-6400. Not responsible for typographical errors. All trademarks and registered trademarks are the sole property of their respective owners.

ONLY at PCs COMPLEAT ✓ Lowest Price Guarantee ✓ 30-Day Money Back Guarantee ✓ Free Tech Support ✓ Free Software Installation ✓ Free Configuration

LEAT LINEUP

**CALL
for
Guaranteed
Lowest
Price
on
Systems**

**PCs
COMPLEAT**
800-298-4727

COMPAQ

Contura 430

Processor	Screen	RAM/HD	Price
486DX4/100	10.4" Dual Scan	8/720MB	\$2369
486DX4/100	10.4" Active	8/720MB	2939

LTE 5000 Series

- Up to 120MHz Pentium power w/PCI bus & 256KB cache
- 32-bit PCI Local bus graphics
- 8MB RAM exp. to 72MB
- Built-in 16-bit sound, microphone & 2 speakers
- MultiBay - holds CD-ROM, 2nd HDD, Floppy, or 2nd battery
- Up to 1.35GB hard drives (2.7GB max. capacity)
- Built-in infrared for wireless communications
- Optional MPEG and TV video adapter

**WIN95
INSTALLED**


Processor	Screen	RAM/HD	Price
Pentium 75	10.4" Dual Scan	8/510MB	\$3799
Pentium 75	11.3" Dual Scan	8/810MB	4439
Pentium 75	10.4" Active	8/810MB	4729
Pentium 90	10.4" Active	8/810MB	5339
Pentium 90	10.4" Active	8/810MB	5599*
Pentium 120	10.4" Active	8MB/1.35GB	6149

*Features Built-In CD-ROM drive



LTE 5000

**hp HEWLETT
PACKARD**



HP OmniBook
600 Notebook PC

HP OmniBook 600

- Weights **ONLY 3.8 pounds!**
- Built-in 16-bit sound, microphone & speaker (active model only)
- Built-in infrared for no-hassle printer connections
- Lithium Ion battery technology
- Instant "ON" ready-to-work state - lasts for months on a charge


Processor	Screen	RAM/HD	Price
486DX4/75	8.5" Dual Scan	8/340MB	\$2539
486DX4/75	9.5" Active	8/340MB	2999

HP OmniBook 5000

- Up to 120MHz Pentium with 32-bit PCI Local bus
- 1.2GB drives available for high capacity storage
- High resolution - 800x600 resolution on notebook display
- Built-in 16-bit sound, microphone & speaker

Processor	Screen	RAM/HD	Price
Pentium 90	10.4" Active	8MB/1.2GB	\$5329
Pentium 90	10.4" Active	16MB/1.2GB	5889
Pentium 120	10.4" Active	16MB/1.2GB	6539

HP OmniBook 5000 Notebook PC



AST
Authorized Reseller

Ascentia 950N

- Up to 120MHz Pentium - for blazing performance
- High Res. SVGA displays - 800x600 res. on notebook (selected models)
- Built-in 16-bit sound, microphone & speaker
- Lithium Ion battery technology
- Built-in infrared for no-hassle printer connections

Processor	Screen	RAM/HD	Price
Pentium 75	10.4" Active	8/800MB	\$2849
Pentium 75	10.4" Active	8MB/1.2GB	3229
Pentium 90	10.4" Active (SVGA)	8/800MB	3899
Pentium 90	10.4" Active (SVGA)	8MB/1.2GB	4279
Pentium 120	11.8" Active (SVGA)	8/800MB	4469
Pentium 120	11.8" Active (SVGA)	8MB/1.2GB	4849

Additional models available. Call for details.

Ascentia 950N



NEW!

**UP TO
120MHz
PENTIUM**

Ascentia J Series

- 10.4", SVGA (800x600 res.) on notebook display
- Up to 100MHz Pentium w/PCI bus and 256KB cache
- Long-lasting Lithium Ion battery technology

Call for Details!

AST, AST logo are trademarks of AST Research, Inc. All rights reserved.

**TEXAS
INSTRUMENTS**

TravelMate 5100/5200

Processor	Screen	RAM/HD	Price
Pentium 90	10.4" Active	8MB/1.2GB	\$3699
Pentium 120	10.4" Active	8MB/1.2GB	5099


Extensa 560CD/ 560CDT

- 75MHz Pentium w/PCI bus & 256KB cache
- Built-in 4X CD-ROM drive
- Built-in 16-bit sound, microphone & speaker
- Integrated touchpad pointer
- 10.4" Active Matrix & 10.4" Dual Scan
- Built-in infrared for wireless communications

Processor	Screen	RAM/HD	Price
Pentium 75	10.4" Dual Scan	8/810MB	\$3199
Pentium 75	10.4" Active	8MB/1.2GB	3879

Extensa 560 Product differs slightly from photo

**75MHz
Pentium
with PCI BUS**



**WIN95
INSTALLED**

**hp HEWLETT
PACKARD**

HP DeskJet 340 \$289.99

C2655A



HP LaserJet Printers

HP LaserJet 5P printer (IBM, 6ppm, 600dpi)	\$879.99
C3150A	
HP LaserJet 5L printer (IBM, 4ppm, 600dpi)	479.00
C3941A	

HP InkJet Printers

HP DeskJet 340 printer (portable) C2655A	\$289.99
HP DeskJet 600 printer C2184A	289.99
HP DeskJet 600C printer C4547A	299.00
HP DeskJet 660C printer C2164A	389.99
HP DeskJet 660Cse printer C4548A	399.00
HP DeskJet 855C printer C4551A	499.00
HP DeskJet 1600C printer C3540A	1349.99

Home Office Products

HP OfficeJet C2890A	\$599.99
HP OfficeJet LX C2891A	689.99
HP FAX-700 C3530A	509.99

*Includes Family Font Package



HP LaserJet 5L \$479.00

C3941A

BYTE 3/96

**More Brand Names, peripherals and software
available. If you don't see it, CALL!**

International 508-624-6400
Internet: sales@pcscmpleat.com
Open 24 Hours weekdays. 8am-8pm weekends.

800-298-4727

Circle 150 on Inquiry Card.



Altex Electronics

1-800-531-5369

Since 1980

11342 IH-35 North • San Antonio, TX 78233
(210) 637-3200 • FAX: (210) 637-3264
8am-6:30pm M-F, 9-5pm Sat
1-5pm Sunday CST

10731 Guildale • San Antonio, TX 78216
(210) 828-0503 • FAX: (210) 340-2409
8am-6pm M-F, 9-5pm Sat CST

10705 Metric Blvd. • Austin, Texas 78758
(512) 832-9131 • FAX: (512) 835-1328
8am-6pm M-F, 9-5pm Sat CST

15207 Midway Road • Dallas, Texas 75244
(214) 386-8882 • FAX: (214) 386-9182
8am-7pm M-F, 9-5pm Sat CST

2650 S.P.D. • Corpus Christi, TX 78415
(512) 814-8882 • FAX: (512) 814-8812
8am-6pm M-F, 9-5pm Sat CST

1-800-531-5369 FAX: 210-637-3264 • Hours 8am-6:30pm M-F • 9-5pm Sat, 1-5pm Sunday CST

BOCA

ETHERNET "Plug & Play" ADAPTER Cards

High performance and jumperless design for easy installation in varying Bus systems. Offers 1 Link Status & 1 Programmable diagnostic LED, IEEE802.3 compliance, drivers for NOVELL NetWare ODI, LANtastic, NDIS, IBM LAN Server, Banyan Vines & PCNFS.

BEN120	BOCALANcard Combo (16-bit)	
	RJ45 & BNC	
BEN110	BOCALANcard TP (16-bit)	
	RJ45 Only	
BEN1P1	BOCALANcard PCI (64-bit)	
	RJ45 & BNC	

\$70

64

83

SIMM MEMORY MODULES

Part#	Description	Each
1MEGSP2-70	256 x 36 Single, 70NS	\$59
4MEGSP2-70	1x 36 Single, 70NS	148
4MEGSP2-60	1 x 36, Single, 60NS	153
8MEGSP2-60	2 x 36, Double, 60NS	278
1MEGX-70A	30-Pin, 1 Mb x 9, 70NS	40
4MEGX-60A	30-Pin, 4 Mb x 9, 60NS	153

16-Port 10BASE-T Concentrator

- Reliable
 - Compact
 - Cost-effective!
- Offers Sixteen 10BaseT ports with RJ45 connectors, One BNC and One AUI port for cascading hubs or connection to existing backbone, has 21 LED indicators for confirming status and operations. IEEE802.3 compliant.

BEN220	BOCAHUB-16 PLUS	
	10Base-T Concentrator	\$264
BEN210	BOCAHUB-8 (Eight Port)	
	10Base-T Concentrator	135

NETWORKING

NITC 10BASE-T/BNC Adapter Card

Features software selectable I/O, interrupt & PROM address (Jumperless). NE2000/IEEE 802.3 compliant with LED indicators for activity & link detection. Supports NOVELL, Microsoft and SCO UNIX. Compatible with all Bus systems, 10Mbps transfer & is FCC certified.

300-017-01	10BaseT/BNC Adapter (8/16bit)	\$39
300-023-01	PCI 10 BaseT/2 Card	69



Made in U.S.A.

NITC 16-PORT HUB (10BaseT) CONCENTRATOR

Offers IEEE802.3 Compliance, BNC and AUI ports are active for simultaneous connection, LEDs for port connection, link status, activity and collisions. Features auto polarity detection and connection on TP ports, Wall Mountable, Rugged Case and Auto partitioning disable/reconnect. UL/CSA/FCC certified. Limitations: UTP (100meters/24AWG), BNC (185m/RG58AU).

400-006-01	16-Port 10BaseT Hub	\$264
400-004-01	8 Port 10BaseT Hub	\$135



CATEGORY 5

(UTP) Unshielded Twisted Pair	1-99'	100-999'	1000'
VDC5-4 Level 5, 4 Pair, Unshielded CL-2 PVC	\$0.16	\$0.11	\$90
VDC5-4P Level 5, 4 Pair, Plenum	0.50	0.42	330

CATEGORY 5 (100Mbps Standards)

Colored Cable ONLY (No Boot)

* Simply fill in with one of following cable colors desired:

Altex No.	Length	70 (Gray)	73 (Green)	71 (Black)
73-66 -3	3 ft			\$4.00
73-66 -7	7 ft			\$3.56
73-66 -15	15 ft			5.25
73-66 -25	25 ft			4.67
73-66 -50	50 ft			7.80
				6.93
				11.03
				9.80
				18.25
				16.22

CAT 5 Surface Mount Jacks (8P8C)

Part #	Desc.	Each	25
--------	-------	------	----

SM8-2-5	Dual	\$5.99	\$4.99
SM8-5	Single	4.50	3.90

19" Patch Panels With 110 Punch Down Blocks

Part #	Desc.	1-4	5-9
PP824-5	8 Wire, 24 Port	\$99	\$96
PP848-5	8 Wire, 48 Port	199	194

Part #	Description	1-9	10-24	25-99
KWP-1	1 Port	\$1.49	\$1.34	\$1.22
KWP-2	2 Port	1.49	1.34	1.22
KWP-3	3 Port	1.49	1.34	1.22
KWP-4	4 Port	1.49	1.34	1.22
KWP-6	6 Port	1.49	1.34	1.22

110 Type RJ45 Jack INSERTS			
Available Colors: White, Ivory, Black, Red, Green, Yellow, Orange & Blue			
KJ-110WH	(White)	\$5.50	\$5.00
		\$4.58	

Other Type Inserts			
Part #	Description	1-9	10-24
KP-IN	Blank Ivory	\$0.30	\$0.25
KP-INW	Blank White	0.30	0.25
KP-BNC	BNC Feed through		
	Ivory	3.00	2.73
KP-BNCW	BNC Feed Thru White	3.00	2.73
KP-ST	ST Insert	6.50	5.91
		5.42	
Wall Plate Mounting Boxes			
Part #	Description	1-9	10-24
MB-IV	Ivory	\$2.50	\$2.27
MB-WH	White	2.50	2.27
		\$2.08	

CREATIVE LABS "4X BlasterValue" Edition Kit

Featuring CD-ROM Drive and 16-bit Sound Card with Software. Provides the power for today's newest, most dynamic applications and games like AirCombat, Ultima VII Black Gate, Seven Cities of Gold, Wing Commander, Groliers Award Winning Encyclopedia and Ultima UnderWorld.

- Quad Speed CD-ROM Drive with IDE interface
- 600Kbps data transfer with 250ms access
- Multisession/XA compatible
- Stereo Recording & Playback, 20 Voice FM Synthesis
- Stereo Line/CD Audio Interface
- MIDI interface connector, MPU-401 UART compatible

CREATIVE
CREATIVE LABS, INC.

\$289

STEREO-CDV

DATA/COMMUNICATION Line Surge Protectors

Protect your crucial network equipment from lightning, ground surge, faulty wiring - reducing glitches, lockups & damage.

Part #	Description	Each
D10BT	RJ45	\$24
DTL2	RJ11 Two Line	23
DB25	Serial RS232 (Pin 1-8, 20)	23
DB9	Serial RS232 (Pin 1-9)	21



UPS POWER PROTECTION

BC "Personal" & "PRO" Battery Back-Up Systems provide excellent basic power protection, guards against blackouts/brownouts, surges or spikes thus saving data and hardware! Designed for Home or Small Office application. Features micro-processor controlled "Pulse Width Modulated Waveform" for increased backup time. \$25K Ultimate and 2 Yr Mfg Warranty.

BCPERS280	280VA/175W Personal UPS (2 Outlets)	\$104	BCPERS500	500VA/350W Personal UPS (4 Outlets)	181
BCPRO675	675VA/425W LAN UPS (4 Outlets)	231	BCPRO850	850VA/570W LAN UPS (4 Outlets)	305
BCPRO1400	1400VA/990W LAN UPS (6 Outlets)	434			

OMNIPRO LINE INTERACTIVE UPS feature Pulse Width Modulated Output & Ultimate Life Insurance. DB9 LAN Port.

Part#	Output (Volts/Watts)	NEMA5-15R Outlets	DB9 LAN Port	Backup Time (Half Load)	Each
OMNIPRO280	280/175	4	No	17	\$149
OMNIPRO450	450/280	4	Yes	17	207
OMNIPRO675	675/425	4	Yes	17	254
OMNIPRO850	850/570	4	Yes	21	355
OMNIPRO1050	1050/705	6	Yes	23	385
OMNIPRO1400	1400/940	6	Yes	24	459



More Great Power Protection Devices from TRIPP LITE

SUPER7	7 Outlet, 18,000 amp spike, LEDs, 7' cord	\$18
IB6	ISOBAR, 6 Outlet, 6'cord, 3 Filter Banks	51
IB6ULTRA	ISOBAR 6 Outlet, 3 Filter Banks	56
IB6ULTRA	ISOBAR 8 Outlet, 4 Filter Banks	61
ISOTELULT6	Modem/Fax, 6 Outlet, 3 Filter Banks	61
ISOTELULT8	Modem/Fax, 8 Outlet, 4 Filter Banks	69
SK6-6	Spike Block, 6 Outlet, 6' Cord	\$28
TERM-6	Super Surge Alert 6 Outlet, 36,000A	\$32
TERM-6FM	6 Outlet, Fax/Modem	38
Line Conditioners/Stabilizers		
LC-1800	1800W, 4 Outlet Conditioner	\$188
LC-2400	2400W, 6 Outlet, 110V Conditioner	243
LS-600	600W, 2 Outlets Low Voltage Stabilizer	77
LS-604	600W, 4 Outlets Low/High Voltage	98

TERMS: For C.O.D. orders add \$5 per package. Minimum \$25. Cash or Cashiers Check only. For orders over \$99 add \$3 handling charge. Orders \$99 or more no handling fee. All shipping is FOB San Antonio, Texas and will be added to your invoice. Texas residents add 7-1/4% sales tax. All returns require RMA# and must be returned in original condition. A 15% restocking fee will be assessed on product returned in non-resaleable condition. No returns on memory, cut cable or custom cable assemblies. Prices subject to change without notice. We are not responsible for typographical errors.

THE RAID COMPANY


The PCI Wide SCSI controllers from ICP have arrived! When using modern and fast hard disk drives you can now achieve data transfer

Concerning:

rates on the SCSI bus of up to 20 MB/sec. The ICP PCI Wide SCSI controllers are available with disk mirroring and disk duplexing capabilities. Or, you choose one of the other vari-

ants to build a RAID 4/RAID 5 disk array with one, two, three, or five SCSI channels. Naturally, they are all downwards compatible. The cache RAM can be upgraded with up to 64 MB, optionally with ECC support (IBM ECC SIMM).

It is possible to run 8 bit & 16 bit devices simultaneously because ICP has thought of those users who want to connect Fast SCSI disks, too. Consequently, there are both a 50 pin and a 68 pin connector for internal connections. Any more questions? ICP will gladly answer them!



Intelligent Computer Peripherals®

ICP

vortex Computersysteme GmbH • Falterstr. 51-53
74223 Flein • Germany • Phone: +49-7131-5972-0
Fax.: +49-7131-255063 • Mailbox: +49-7131-5972-15
E-mail: sales@vortex.de • Compuserve: 100015,330

CeBIT'96
HANNOVER
14. — 20. 03. 1996
Hall 11 — Stand D03

C o m p e t e n c e i n C o n t r o l l e r s

Circle 158 on Inquiry Card (RESELLERS: 159).

Intel OVERDRIVE PROCESSORS
With Intel OverDrive™ processors, you can afford to upgrade.

Make Windows® 95 Run Faster!

OverDrive processors are available in a range of price/performance options. Boost your software's speed in any PC operating system: Windows®, MSDOS, OS/2 and Unix.

Overdrive 486DX4/75	\$142
Overdrive 486DX4/100	\$183
Overdrive Pentium-63, 63MHz	\$183
Overdrive Pentium-83, 83MHz	\$259

MEGAHERTZ
28.8BPS PCMCIA FAX/MODEM WITH XJACK®

• 14.4 or 28.8 data transmission
• Hot swappable
• XJACK connector
• 5 year warranty

XJACK 14.4 Fax/Modem \$117
XJACK 28.8 Fax/Modem \$282
Combo 14.4 Fax/Modem + 10 BT Ethernet \$317
Combo 28.8 Fax/Modem + 10 BT Ethernet \$423

CIRQUE
GLIDEPOINT WAVE KEYBOARD FOR IBM

• Split-key keyboard with built-in wristrest.
• Windows 95 keys
• An integrated GlidePoint trackpoint gives you easy, one-touch cursor control
• Connect to any IBM PC-compatible computer with AT, serial, and PS/2 connectors!

GlidePoint Portable \$59
GlidePoint Desktop \$69
GlidePoint Wave Keyboard \$98

TOSHIBA
SATELLITE PRO T410

• High performance 90MHz Pentium CPU
• Quad speed CD-ROM drive (optional on CS models)
• 11.3" color display
• 16-bit sound
• Lifespan Ion Battery

TOSHIBA
T410CS- Pentium/90, 8MB/100, 11.3" DS, 810MB \$3,390
T410CDT- Pentium/90, 8MB/100, 11.3" Active, 810MB, CD-ROM \$4,552

First SOURCE International
The Computer Hardware & Software

DISCOUNT PRICES
Name brand products at discount prices. Always call FSI before you buy!

HUGE SELECTION
More than 36,000 computer products from over 850 of the world's top hardware manufacturers and software publishers.

OVERNIGHT DELIVERY
Fast and inexpensive delivery with Federal Express or UPS.

FREE SUPPORT
Free technical support and customer service available Monday through Friday from 7:00AM to 5:00PM PST.

SATISFACTION GUARANTEED
Take advantage of our money back guarantee if you're not completely satisfied with your purchase.

PLUS...
No surcharge on credit cards
Corporate PO's welcome
Government & Educational pricing

FIRST SOURCE OFFERS OVER 36,000 NAME BRAND HARDWARE & SOFTWARE PRODUCTS AT DISCOUNT PRICES!

PROCESSORS

CYRIX
386-486 Upgrades \$184

KINGSTON
Lightning 486 upgrades 386DX to a 486 \$179
Turbo Chip 100MHz upgrades any 486 system \$179

PRINTERS

CANON COLOR BUBBLEJET
BJC-70 \$350 BJC-210 \$266
BJC-610 \$532 BJC-4100 \$355

OKIDATA
OKIJET 2010 \$366 OL600e \$399
OL610e \$488 OL810e \$755
OL1200 \$1,098

EPSON
IO 1070 Plus \$405 LG 1170 \$681
IO 870 \$438 Stylus 1000 Inkjet \$473
Stylus color II Inkjet \$727

HP
KP1150 \$134 KP2023 \$182
KP1250 \$205 KP4440 laser \$1,029
KP6100 laser \$384 KP6500 \$509

TEXAS INSTRUMENTS
MicroLaser WIN/4, Appm, 600dpi, Post Win95 \$422

HEWLETT-PACKARD
Deskjet 340 \$296 Deskjet 600 \$294
Deskjet 600C \$388 Deskjet 850C \$534
Laserjet SLF5 \$504 Laserjet 5P \$874
Laserjet SMP \$1,024

FAX/MODEMS

US ROBOTICS
Sportster II 14.4 Int/Ext \$49/\$59
Sportster 14.4 data/fax Int/Ext \$93/\$110
Sportster IV 14.4, email Int/Ext \$112/\$131
Sportster 28.8 Int/Ext \$185/\$204
Sportster IV 28.8 Int/Ext \$204/\$223

ZYXEL (ISDN Fax/Modem)
Elite 286/486 ext. v.34 up to isdn \$427
Elite 286/486/112 128kbps 2-wire leased line \$541
Elite 286/486 int. 128kbps 2-wire leased line \$582

PRACTICAL PERIPHERALS
PC144HC/MT 14.4 Int/Ext \$75/\$91
PW288HC/MT 28.8 Int/Ext \$169/\$189

ZOOM
14.4 Int/Ext \$59/\$85
28.8 Int/Ext \$144/\$189

TAPE BACKUP
Colorado T1000 800mb Int/Ext \$180/\$210
Conner TapeStar 3200mb Int/Ext \$155/\$249
Conner TapeStar 3200mb Int/Ext \$73/Call
Imaging Dillo Easy 800mb Int/Ext \$146/\$146
Imaging Dillo 3200 Int/Ext \$284/\$386
MicroBackups Back 800mb to Int \$159
3M Travan Tape Cartridge 800mb/3200mb \$31/\$35

NETWORKING
Multiple packs available

3COM
Etherlink III ENET ISA-16 10mba r45 up to \$104
Etherlink III ENET ISA-16 10mba r45 bnc and combo \$123
Etherlink III ENET PCI 10mba r45 non-pc \$124
Etherlink III ENET PCI 10mba r45 bnc and combo \$166
Etherlink III ENET PCMCIA 10mba r45 6ft cable \$158

INTEL
Ethernet Pro/10 16bit 10BT, thin flash upgd. \$103
Ethernet Pro/10 16bit 10BT, thin, thick flash upgd. \$117
Ethernet Pro/10 PCI ENET 32bit to only \$141
Ethernet Pro/10 PCI ENET 32bit combo \$166
Ethernet Pro/100 PCI ENET 32bit 10bt \$219
Ethernet hubs \$29

SMC
EtherNET 16bit 10bt plug & play ISA adapter \$92
EtherNET 16bit 10bt, thin, thick flash upgd. \$104
EtherPower ENET PCI 10bt single pack \$135
EtherPower ENET PCI 10bt/10bt2 combo single \$147

HARD DRIVES

MAXTOR
850MB EIDE \$220 1GB EIDE \$244
1.6GB EIDE \$305

SEAGATE
850MB FASTATA \$218 1GB FASTATA \$244
1GB SCSI \$288 2.1GB FASTATA \$425
4.2GB SCSI \$1,094

CONNER
850MB EIDE \$223 1.2GB EIDE \$283
1.04GB SCSI \$327 1.6GB EIDE \$336

WESTERN DIGITAL
850MB EIDE \$211 1.0GB EIDE \$248
1.2GB EIDE \$296 1.6GB EIDE \$350

SAMSUNG
850MB EIDE \$206 1.0GB EIDE \$228
1.2GB EIDE \$263

FUJITSU
1.0GB EIDE \$237
420MB hd \$324 850MB hd \$383
1.2GB hd \$446

NOTEBOOKS

TOSHIBA
T2130CS, 486DX4/75, 8MB, 10.4" DS, 520MB \$1,936
T610CT, Pentium/90, 8MB, 9.5" Active, 720MB \$3,874
Teca 700CS, Pentium/120, 8MB/100, 11.3" DS, 1260MB \$4,552
Teca 700CDT, Pentium/120, 10MB/100, 11.3" Active, 1260MB \$5,810

TEXAS INSTRUMENTS
Extensa 450, 486DX4/75, 4MB, 10.4" DS, 340MB \$1,661
Extensa 450T, 486DX4/75, 4MB, 9.5" Active, 320MB \$2,052
Extensa 550, Pentium/75, 8MB, 10.4" DS, 524MB \$2,443
Extensa 550CD, Pentium/75, 8MB, 10.4" DS, 524MB \$2,931
Extensa 550CDT, Pentium/75, 8MB, 10.4" Active, 524MB \$3,518
TMS500, Pentium/75, 8MB, 10.4" Active, 727MB \$3,518
TMS500, Pentium/75, 8MB, 10.4" Active, 1.2GB \$3,689
TMS100, Pentium/90, 8MB, 10.4" Active, 1.2GB \$3,689
TMS200, Pentium/120, 8MB, 10.4" Active, 1.2GB \$5,049

NEC
Versa 2000C, 486DX4/75, 4MB, 10.4" DS, 350MB \$1,767
Versa 2000C, 486DX4/75, 4MB, 9.5" Active, 350MB \$1,953
Versa 2000C, 486DX4/75, 8MB, 9.5" Active, 350MB \$2,232
Versa 2000C, 486DX4/75, 8MB, 9.5" Active, 540MB \$2,418
Versa 4000C, Pentium/75, 8MB, 10.4" DS, 540MB \$3,255
Versa 4000C, Pentium/75, 8MB, 10.4" DS, 540MB \$3,576
Versa 4000C, Pentium/75, 8MB, 10.4" Active, 540MB \$3,720
Versa 4000C, Pentium/90, 8MB, 10.4" Active, 810MB \$4,427
Versa 4000C, Pentium/90, 8MB, 10.4" Active, 810MB \$4,570

IBM
ThinkPad 365CS, 486DX4/75, 8MB, 10.4" DS, 340MB \$1,674
ThinkPad 365CD, 486DX4/75, 8MB, 10.4" DS, 340MB \$2,325
ThinkPad 701C, 486DX4/75, 8MB, 10.4" DS, 360MB \$2,510
ThinkPad 701C, 486DX4/75, 8MB, 10.4" Active, 360MB \$3,067
ThinkPad 755CD, Pentium/75, 8MB, 10.4" Active, 810MB \$4,712
ThinkPad 760C, Pentium/90, 8MB, 10.4" Active, 810MB \$4,986
ThinkPad 760C, Pentium/120, 8MB, 12.1" Active, 720MB \$6,282
ThinkPad 760CD, Pentium/90, 8MB, 12.1" Active, 1.2GB \$7,092

AST
Ascenda 950N, Pentium/75, 8MB, 10.4" DS, 500MB \$2,604
Ascenda 950N, Pentium/75, 8MB, 10.4" Active, 800MB \$3,767
Ascenda 950N, Pentium/90, 8MB, 10.4" DS, 800MB \$3,209
Ascenda 950N, Pentium/90, 8MB, 10.4" Active, 800MB \$4,140
Ascenda 950N, Pentium/120, 8MB, 10.4" Active, 800MB \$3,906
Ascenda 950N, Pentium/120, 8MB, 10.4" Active, 1.2GB \$4,279

CD-ROM

GoldStar 4X, Int. EIDE \$129
TEAC 4X, Int. EIDE \$211
TEAC 6X, Int. EIDE \$211
Toshiba 4X, Int. EIDE \$208
Toshiba 6X, SCSI Int. Ext. \$344/\$412
New 6X, SCSI Int. Ext. \$341/\$487
Plextor 4X, SCSI Int. Ext. \$345/\$440

BATT. BACKUP/UPS

AMERICAN POWER CONVERSION
Back UPS Pro 280, Ww/95 \$154
Back UPS Pro 400, Ww/95 \$238
Back UPS Pro 650, Ww/95 \$294

VIDEO CARDS

All Graphics Xpression 1mb/2mb \$140/\$187
All Winstar 2mb \$270
All Graphics Turbo 2mb/4mb \$317/\$446
Diamond Stealth 64 2120/2120H \$119/\$147
Diamond Stealth 64 3200/3240 \$258/\$340
Diamond Stealth 64 3400K \$493
Jazz Multimedia Jaktara MPEG \$371
Magma MGA Millennium 32 2mb/4mb \$312/\$452
Number 9 9FX Vision 320 1mb/2mb \$132/\$177
Number 9 9FX Motion 531 1mb/2mb \$177/\$220
Number 9 9FX Motion 771 2mb/4mb \$291/\$441
Number 9 Imagine 128 2mb/4mb \$486/\$822

E-IDE & SCSI CONTROLLERS

GS1
Model 18, Co-Resident IDE Accelerator \$49
Model 21, Combo IDE, Floppy, Accelerator \$69
Model 32, Multi-Port IDE, w/12 16550 Uart \$129

ADAPTEC
AHA 1515 k SCSI 16bit no floppy w/cable w/w \$185
AHA 1520a SCSI 16bit no floppy w/cable \$185
AHA 1540a SCSI 16bit no floppy w/cable \$185
AHA 2842a k FASTSCSI VIB 28bit w/cable \$241
AHA 2940 FASTSCSI PCI no floppy w/cbl w/w \$217

SCANNERS

KODAK
DC 40 Digital Camera w/sw \$699
DC 50 Digital Camera w/sw \$999

MICROTEK
PageWiz for windows 300dpi pagesuite OCR w/sw \$189
ScanMaster II 600dpi 24bit or 32bit w/sw \$377
ScanMaster II 1200dpi 24bit or 32bit w/sw \$565
ScanMaster II 1200dpi 60 70dpi 32bit w/sw \$2,023
Call for pricing on all transparency adapters

PLAY INCORP.
Snappy Video Frame Grabber 24bit dr print port w/sw \$189

UMAX
Bizzard reader 400dpi parallel port \$169
PageFolio 300dpi 256-gray SCSI II w/pagemgr \$323
Vista 7630 PC flat 600dpi 16-bit or 32bit w/sw \$410
Vista 56 PCIE2 color flat 600dpi 24bit w/sw \$564
Vista 58 PCIE2 flat 800dpi dr 32bit w/sw \$668
Powerlook pepco flat 1200dpi 32bit w/sw \$2,769

HEWLETT-PACKARD
Scanjet 3c flatbed 600dpi 24bit or 32bit w/sw \$934

MONITORS

NEC
Multisync XV15 15" 28mm 1280x1024 60Hz flat \$459
Multisync XV17 17" 28mm 1280x1024 60Hz flat \$761

ADI SYSTEMS
Microscan 4GP 15" 28mm 1280x1024 flat MPRI \$363
Microscan 5EP 17" 28mm 1280x1024 flat MPRI \$633
Microscan 17K 17" 28mm 1024x768 flat MPRI \$898

NOKIA
Energy 17" multi 28mm 1024x768 flat MPRI \$685

VIEWSONIC
Viewsonic 1705 17" 27mm 1280x1024 flat \$729
Viewsonic 1705 17" 27mm 1024x768 flat up \$772
Viewsonic 1795 17" 25mm 1600x1280 60Hz flat \$902

GOLDSTAR
Energy 15", 28mm, 1024x768 flat, flat, MPRI \$338
Energy 17", 28mm 1280x1024 flat, flat, MPRI \$672
Multimedia 1527 15" 28mm 1280x1024 flat MPRI \$409

REMOVABLE STORAGE

SYQUEST
EZ135 Drive Int EIDE/Ext. SCSI \$198/\$229
EZ135 135mb cartridge \$19

PINNACLE MICRO
RCD-100PCA 2x SCSI Int/Ext \$129/\$147
RCD 74 blank CD 74 single unit \$21

IOmega
Zip Drive 100mb Int/Ext/Parallel \$199
Zip Drive 1GB SCSI Int/Ext \$488/\$586
Zip PC 100MB single 100mb preformatted for pc \$19
Zip 540MB 3.5 single pack \$69
Zip 1GB 3.5 single pack \$129

PC CARDS (PCMCIA)

EPSON
14.4 Fax/Modem \$118
14.4 Fax/Modem with FaxPort \$132
14.4 Fax/Modem for Motorola Call \$184
Ethernet 10baseT/Combo \$103/\$129
170MB PC Card /260MB PC Card HD \$360/\$404
SRAM 5MB - 2MB/FLASH 2.5MB - 40MB \$103/\$129

MEGAHERTZ
XJACK 14.4 Fax/Modem/28.8 Fax/Modem \$117/\$282
Ethernet XJACK 10baseT/Combo \$122/\$158
Ethernet + 14.4 Modem XJACK 10baseT \$317

XIRCUM
CreditCard IPS Ethernet, 10baseT/Combo \$138/\$185
CreditCard Ethernet + 14.4 Modem, 10baseT \$352
CreditCard Ethernet + 28.8 Modem, 10baseT \$450

CASES

TARGUS
Notebook \$35 Leather Case \$79*
Universal Case \$68 Convertible Back Pack \$68
Premier Notebook \$78 Business Computer \$123
Prestige Leather Case \$228 Encore Nylon Case \$98
Encore Leather Case \$168 Business Traveller \$198
Sherpa Rolling Travel Case \$198

CREATIVE LABS Plug-N-Play
SoundBlaster 16 Value IDE \$95
SoundBlaster 32 IDE \$159
Discovery CD16 4X \$312
Performance CD16 6X \$386

SEE US ON THE INTERNET
www.firstsource.com

CALL NOW FOR YOUR FREE CATALOG!

TERMS & CONDITIONS: Credit card orders shipped only to your verified billing address. Unopened products may be returned within 15 days of invoice date for a full refund excluding shipping and insurance. All other returns must be in new, resalable condition, including all original packaging, warranty cards, manuals and accessories and may be subject to a 20% restocking fee. FSI will not accept returns on: printers if toner/ink cartridge has been installed, opened software, or custom configured systems. A Return Merchandise Authorization (RMA) number is required for all returns, please contact our customer service department. Sorry, no refunds after 15 days, credit or exchange only. Freight and insurance charges are non-refundable. Memory products are third party, manufacturer's numbers are for your convenience. Due to I.T.C. tariffs placed on some monitors, there, memory pricing may be higher than advertised. Prices and availability subject to change without notice. Purchase prices of the time of order are final. FSI cannot be responsible for errors in typography or photography. Trademarks and registered trademarks are of their respective companies.

MAIL OR FAX ORDERS TO:
(714) 448-7750 • FAX: (714) 448-7760
EMAIL ADDRESS: sales@firstsource.com
WORLD WIDE WEB: <http://www.firstsource.com>
First Source International
7 Journey • Aliso Viejo, California 92656

HOURS
Monday - Friday • 7am - 5pm, PST
Saturday, 9am - 3pm (orders only)

Call the Upgrade Experts
ORDER NOW
800-505-9866
International Orders Call 714-448-7750

FedEx Economy Two-Day Service
Up to 30%
FedEx
Federal Express

Circle 133 on Inquiry Card (RESELLERS: 134).


You'll find it in the heartland of America.

**...in the hot and dusty cab of a giant combine,
using a GPS and recording crop yields**

You'll find it in demanding environments.

**...such as hospitals supplying critical Point-Of-Care
information at the touch of a finger**


When faced with selecting a PC for control or data processing systems, designers usually must choose between a desktop system, notebook or an expensive single board industrial computer.



DATALUX now offers an alternative with the essential PC system components in a series of unique packages that both save space and are easy to integrate.

THE DATABRICK from DATALUX

A **tough, compact PC** solution that offers the modularity of a desktop system and the **small size** of a notebook.



Stand-Alone LCD Monitors

DATALUX is in its 4th year of LCD monitor manufacture and is an industry leader. Its new LCD Monitors use brighter 10.4" diagonal Dual-Scan or TFT Color panel in a rugged, sealed, yet attractive housing with a selection of 8 wall or base mounting options. Resolution is 640 x 480. The monitors can be driven directly from a Databrick or through an ISA bus controller. No external power is required. An integrated resistive **Touch Screen** is optional with input through one of the Com Ports. Monitors may be extended to 50' from the CPU.



Keyboards

The Space-Saver keyboard is the smallest full function 100 key keyboard available. With standard left right spacing touch typing is easy yet the overall size is only 6" x 10.75". It is available in a flat, panel mount or desktop model. The Glidepoint® pointing device is available as an option.



Databrick Vertical Systems

The new DATALUX Databrick Vertical System (DVS) combines the Databrick, LCD Monitor and the Space-Saver Keyboard in a unique enclosure for Wall, Swing Arm, or Pedestal Mounting. The all aluminum housing provides compactness and security. The monitor screen tilts to accommodate the height of the user. A variety of options include bar code and mag stripe readers, speakers, or a small printer. The DVS measures 13.5" x 19.6" x 3.2".

Databrick

The Databrick is the heart of the DATALUX system. In performance and features it is more like a desktop unit, in size comparable a notebook (10.25" x 4.8" x 2"), yet more rugged and more easily mounted than either.

Specifications:

486DX2/66 or DX4/100 CPU
2-64 Meg Standard SIMM DRAM
Internal or External FDD
Internal HDD to 540 Meg
SVGA CRT and LCD Video Ports w/1Meg
2 Serial, 1 Extended Parallel Port

Options:

2 slot PCMCIA
100 Ethernet LAN
Com Ports 3 & 4
DC-DC Power converter



DVS shown here on Rolling Stand

**FAX BACK
DATA SHEETS
(540) 662-1675**

Circle 233 on Inquiry Card.

DATALUX

Datalux Corporation


155 Aviation Drive
Winchester, Virginia 22602
Phone: (540) 662-1500
Fax: (540) 662-1682
Toll Free: 1-800-328-2589
(1-800-DATALUX)

Datalux International, LTD

Euro House Curtis Road,
11 Old Water Yard
Dorking, Surrey
UNITED KINGDOM RH41EJ
Phone: 44+(1)306-876718
Fax: 44+(1)306-876742

Just Plug & Phone!

The true PC integration of all communication features
Telephony + Sound / Voice / Modem / Fax



MARCH 14 - 20, 1996

CeBIT'96
HANNOVER

**Make your own product based on ready to use Galileo™ chipset
by Analog Devices® and MediaPhonics®
or have your own trade name finished board directly produced
by MediaPhonics®**

General specifications:

ISA 16 bits Plug & Play PC96, powerful proprietary interface (COM port independent), totally evolutive (DSP based), auxiliary COM port emulation for full compatibility with any communication software. Win95 and DOS drivers. TAPI/MAPI compliance.

External I/O connections:

Microphone input, line-in, CD-in, line-out, motherboard speaker in, speakers out, phone line, handset line.

Integrated Telephony:

Twin independent lines (handset/local fax and external phone line), powerful handset management, full duplex handset and/or speakerphone, spy mode, recording and replay phone conversation, PBX management directly from the PC (calls transfer and routing). Caller ID. Mixing telephone signal with other sources. Voice over data. Full duplex voice over network.

Audio & Sounds:

16 bits Stereo / 48 KHz sound and OPL3 synthesis, MPC II & Microsoft Sound System compatible, Sound Blaster and Ad Lib games compatibility, MPU 401 MIDI Interface (uart), IDE CD-ROM interface.

Voice Mail System:

Countless Voice servers and Answering machines, Fax on demand and remote querying / DTMF keys.

Fax / Modem 14400 / 28800:

V34, V32bis, V32, V22bis, V22, V42, V42bis. Terminal emulation and transfer. V17, V29, V27ter, V21, V23. Std. COM port, Class 1 & 2 protocols.


Software:

All functions are fully integrated and managed by the powerful native software under Windows 95.

Mediaphonics S.A.

Ch. de Buchaux 34, CH-2022 Bevaix (NE)
SWITZERLAND
Tel: +41-38-462 035 Fax: +41-38-462 450
CompuServe : 100063,2624

Come and see us at :
CeBIT'96, Hall 2, Booth n° D02 and,
CTI'96, Booth n° 1473



Microsoft®
SOLUTION PROVIDER

MediaPhonics®

**ANALOG
DEVICES**

PTT approval in more than 15 worldwide countries in process. Competitive price policy. OEM and integrators welcome.

Circle 160 on Inquiry Card (RESELLERS: 161).



NEW!

Turtle Beach TBS-3001

Internal quad-speed
3 CD changer

- ◆ 600KB per second transfer rate ◆ 200ms access time
- ◆ Supports single and multi-session photo CDs ◆ Disc change time: less than 2.5 seconds ◆ Buffer size: 256KB
- ◆ Complete front panel audio controls ◆ Includes all cables and drivers ◆ IDE interface (interface card sold separately)

ONLY!

\$179.98

CDW 63218



WHY PAY RETAIL?

CDW® SELLS FOR LESS

TOSHIBA

Satellite Pro
410CS and
410CDT

Multimedia
versatility and
Pentium® processor
power

- ◆ 90MHz Intel Pentium® processor ◆ 8MB EDO RAM std., 40MB max ◆ 772MB hard drive ◆ 11.3" dual scan color display (410CS) or 11.3" active matrix color display (410CDT) ◆ Internal quad-speed CD-ROM: swaps with standard floppy drive (410CDT only)
- ◆ Integrated audio: .WAV, MIDI and Sound Blaster™ Pro compatible

\$3377.52

CDW 61734



HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

SOFTWARE

Academy Backup for Windows 95	58.17
Caere OmniPage Pro V6.0 WIN upg	117.85
Connectix RAM Doubler for WIN	56.21
Corel Gallery 2 CD	63.10
Corel Print House V1.0 WIN95 CD	25.04
CorelDRAW V6.0 WIN95 CD	226.82
CorelDRAW V6.0 WIN95 CD	429.95
Clarif FileMaker Pro V2.1 Deluxe WIN	117.93
Dataform Procomm Plus V2.01 DOS	91.06
Delrina WinFax Pro V4.0	77.39
Delrina WinFax Pro V7.0 WIN95	77.56
Delrina WinFax Pro V7.0 WIN95 CD	77.56
Lotus 1-2-3 V5.0 WIN	299.09
Lotus 1-2-3 V5.0 WIN upgrade	93.62
Lotus cc-Mail Mobile V2.2 WIN	126.18
Lotus Organizer V2.1 WIN	89.16
Lotus Organizer V2.1 WIN vers upg	49.87
McAfee VirusScan V2.2 WIN	43.95
Microcom Carbon Copy V3.0 WIN95	84.21
Microhelp Uninstaller V3.0 WIN	33.10
Microsoft Access V2.0 WIN	291.90
Microsoft Access V2.0 WIN dev kit	292.88
Microsoft Access V2.0 WIN upg	113.02
Microsoft Access WIN95 upg	93.14
Microsoft Encarta Encyclopedia 1996 WIN CD	45.52
Microsoft Excel V5.0 WIN	291.39
Microsoft Excel V5.0 WIN comp upg	112.83
Microsoft MS-DOS V6.22 upg	49.61
Microsoft Office Pro V4.3 WIN	529.87
Microsoft Office Pro V4.3 WIN CD w/Bookshelf	529.82
Microsoft Office Pro V4.3 WIN license	449.70
Microsoft Office Pro V4.3 WIN upg	347.62
Microsoft Office Pro w/Bookshelf WIN95 CD	529.85
Microsoft Office Pro w/Bookshelf WIN95 upg CD	309.00
Microsoft Office Std WIN95 upg	221.00
Microsoft Office Std WIN95 upg CD	221.00
Microsoft Office V4.2 WIN	441.07
Microsoft Office V4.2 WIN license	374.84
Microsoft Office V4.2 WIN upg	264.64
Microsoft Plus! WIN95	45.26
Microsoft Plus! WIN95 CD	45.26
Microsoft Project V4.0 WIN	408.72
Microsoft Project WIN95 upg	131.04
Microsoft Publisher CD Deluxe WIN95	68.24
Microsoft Publisher V2.0 WIN	68.23
Microsoft Win/Wrkgroups V3.11	131.18
Microsoft Win/Wrkgroups V3.11 add-on	44.71
Microsoft Win/Wrkgroups V3.11 resource kit	29.45
Microsoft Windows 95	179.93
Microsoft Windows 95 upg	89.95
Microsoft Windows 95 upg CD	89.95
Microsoft Windows V3.11	89.95
Microsoft Windows V3.11 license	77.31
Microsoft Word V6.0 WIN	291.39
Microsoft Word V6.0 WIN upg	113.40
Norton Lambert Close-Up V6.0	116.96
Norton PerfectOffice Std V3.0 WIN vers upg	182.41
Novell Quattro Pro V6.0 WIN upgrade	47.80
Novell WordPerfect V6.1 WIN	256.03
Novell WordPerfect V6.1 WIN comp upg	114.65
Novell WordPerfect V6.1 WIN vers upg	89.41
ProCD Select Phone 1996 WIN/MAC CD	84.59
Quarterdeck OEMM V8.0 WIN95/WIN3.1	62.79
Symantec ACT V2.0 WIN	172.35
Symantec Norton Anti Virus V3.0 DOS/WIN	51.35
Symantec Norton AntiVirus WIN95	72.87
Symantec Norton AntiVirus WIN95 upg	32.45
Symantec Norton Utilities V8.0 DOS/WIN	113.25
Symantec Norton Utilities WIN95	116.90
Symantec Norton Utilities WIN95 upg	58.55
Symantec pcAnywhere V2.0 WIN	119.98
Symantec pcAnywhere V6.0 DOS	121.90
Symantec pcANYWHERE32 WIN95/NT	132.65
Symantec pcANYWHERE32 WIN95/NT upg	63.33

NETWORKING PRODUCTS

NOVELL Network V4.1

5 User CD	658.33
10 User CD	1489.91
25 User CD	2198.39

Network V4.1 upgrade

5 User to 5 User CD	274.95
10 User to 10 User CD	551.60
10 User to 25 User CD	1182.51
25 User to 25 User CD	807.70

Network V3.12

5 User 3.5"	650.33
10 User 3.5"	1487.55
25 User 3.5"	2199.49

Microsoft BACKOFFICE

WINDOWS NT

Windows NT Server, CD	616.28
Single client license	37.26
20 client license pack	562.49

SQL SERVER

SQL Server, CD	871.30
SQL Server upgrade, CD	437.78
Single client license	133.04
20 client license pack	2065.30

SYSTEMS MGMT SERVER

SMS Server, CD	573.00
SMS Server upgrade, CD	573.55
Single client license	48.76

SNA SERVER

SNA Server, CD	352.84
Single client license	58.04
20 client license pack	862.71

MAIL SERVER

Mail Server, CD	234.79
Mail Server upgrade, CD	291.39
5 client license pack	236.11

3Com

3C509B Etherlink III coax	113.71
3C509B Etherlink III coax 10BT	105.23
3C509B Etherlink III 10BT 5pk	422.95
T-Runner 8-port 11 10BT	157.50
3C509B Etherlink III 10BT + AUI 5pk	448.41
3C509B Etherlink III combo	125.89
3C509B Etherlink III combo 5pk	519.87
3C509B Etherlink III PCI 10BT	128.10
3C509B Etherlink III PCI combo	169.10
3C595 Fast Etherlink PCI 10/10BT	169.25
3C16170 Linkbuilder TP12 port	319.34
3C16670 Linkbuilder FMS12 12 port	538.34

Artisoft

NodeRunner/SI 2000A	87.13
NodeRunner/SI 2000T	73.62
NodeRunner Pro combo	79.45
T-Runner 8-port 11 10BT	157.50
T-Runner II 16-port 10BT	287.79
LANtastic V6.0	79.50
LANtastic V6.0 5 user	329.87
LANtastic V6.0 Starter Kit, coax	229.13
LANtastic V6.0 add-on kit, coax	117.86
LANtastic V6.0 add-on kit, 10BT	117.86

Also, NEW from Artisoft: LANtastic for Windows® 95, call CDW today for details

ASP

Intelligent AutoSwitch, 2 comp to 1 printer	26.50
Intelligent AutoSwitch, 4 comp to 1 printer	39.55
SNAP starter kit-2 computers, 1 printer	119.10
SNAP add-on transmitter	49.50

IBM

Token Ring Adapter II 16/4 ISA	214.50
Token Ring Adapter 16/4 ISA	238.57
IBM Token Ring MAU	398.42

intel

EtherExpress PRO/100Mbps PCI	219.19
EtherExpress PRO/100Mbps EISA	246.52
EtherExpress PRO/100 Fish 10BT	108.01
EtherExpress PRO/100 Fish 10BT 5pk	419.98
EtherExpress PRO/100 Fish combo	115.07
EtherExpress PRO/100 Fish combo 5pk	472.00
EtherExpress 16 10BT	183.04
EtherExpress 16 10BT 5pk	466.41
EtherExpress 16 combo	122.33
TokenExpress PRO ISA LAN adapter	248.84
NetPortExpress EL Ethernet	376.90

NETWORKING PRODUCTS

Bay Networks

SynOptics System 800 10BT 8-port hub	209.24
SynOptics System 800M 10BT 8-port hub	539.70

SMC

EtherEZ 10BT	94.47
EtherEZ coax	94.47
EtherEZ combo	107.06
EtherPower 10/100BT PCI	155.96
EtherPower 10BT PCI	125.88
EtherPower 10BT PCI	149.97
TigerHub TP6 6 port + AUI	164.24
TigerHub TP6B 6 port + BNC	179.87
TigerHub TP12 12 port + AUI	344.98
3608 Ethernet 8 port hub 10BT	298.65
3512 Ethernet 12+2 port hub 10BT	548.55
PC600WS ARCNET coax	119.93
TokenCard Elite 16/4	221.27

TERMINALS

TC6245 ARCNET card	179.99
TC5055 Ethernet 8 port hub 10BT	338.28

MULTIMEDIA AND CD

Link MC5 amber/green/white	273.65
Wyse 55 amber/green/white	219.87
Wyse 60 amber/green/white	336.64
Wyse 160 amber/green/white	533.13

Creative Labs

Discovery CD 4x PnP multimedia kit	314.42
Multimedia Home CD 4x kit internal	419.26
Blaster CD 4x kit	199.90
Sound Blaster Value CD 4x kit	287.72
Sound Blaster 16 value edition (IDE)	99.96
Sound Blaster 16 SCSI-2	167.90
Sound Blaster AWE32 PnP	228.61
Sound Blaster 32 (IDE)	137.28

ADS VGA to TV Elite external	198.83
Advent PP570 speakers 35W	245.97
Advent PP622 2pkrs/subwoofer	168.84
Altec Lansing ACS500 surround system	308.19
Connectix QuickCam for Windows	228.67
Diamond Multimedia Kit ULTRA 6X CD	519.47
Diamond Multimedia Kit 4400 4X CD int	287.88
Jensen JPS35 speakers 5W	54.88
Jensen JPS45 speakers 10W	59.95
MicroSolutions 4X CD parallel w/sound	459.09
Minolta Snappy video still capture	199.24
NEC 6X	315.86
NEC 6X	339.43
NEC 4Xc 4X 7 disc changer	339.43
NEC 4Xc 4X 4 disc changer	269.28
Pioneer DPM624X 4X 6 disc changer	425.00
Plexitor 6X internal	386.23
Sony PRD-150 portable PCMCIA Discman	349.32
Sony 4X internal w/IDE interface	183.04
Sony 4X internal w/SCSI-2 interface	289.29
Toshiba 3701B SCSI 6.7X internal	349.99
Turtle Beach Tropez	193.67
Turtle Beach TBS-3001 4X 3-speed	179.98

TAPE & REMOVABLE MEDIA DRIVES

Jumbo 350 internal	119.63
Jumbo 1400 internal	228.15
Trakker 350MB parallel port w/tape	176.67
T1000E 800MB parallel port	216.37
T1000 800MB Travan w/tape	179.76

CONNER

TapeStor 800MB Travan internal	172.74
TapeStor 800MB Travan parallel	299.57
TapeStor 850MB internal	219.87
TapeStor 850MB parallel	365.25
TapeStor 3200MB internal	119.76

ioemga

Zip drive 100MB parallel interface	199.00
Zip drive 100MB SCSI interface	199.00
Zip disks 100MB, 5pk	49.00
Ditto 420MB tape drive internal	99.00
Ditto Easy 800MB Travan tape drive external	149.95
Ditto Easy 800MB Travan tape drive internal	149.95

TAPE & REMOVABLE MEDIA DRIVES

Xircom

PE310BC pocket Ethernet coax	317.26
PE310BT pocket Ethernet 10BT	277.51
PT316CTP pocket Token Ring III	476.63

MICROSOLUTIONS

Backpack 3.5" 1.44MB floppy parallel	146.32
Backpack 800TD 800MB Travan parallel	157.26

SyQuest

EZ135 135MB internal IDE interface	194.42
EZ135 135MB external SCSI interface	229.90
EZ135 135MB cartridge	21.49
EZ135 135MB external parallel interface	239.83

INPUT DEVICES

ALPS

Desktop Glidepoint	67.19
GlidePoint Windows 95 keyboard	99.36

EPSON

ActionScanning System II	478.64
ES-1000C	727.70

HEWLETT PACKARD

ScanJet 4S	359.34
ScanJet 4C	602.62
ScanJet 4C document feeder	477.65

MICROTEK

PageScan Color Scanner	359.22
TrackMan Marble	87.65
TrackMan Libre cordless pointer	123.55

VISIONEER

Scanmaker IISR color	477.46
Scanmaker IISR color	748.98

PAPERPORT VXX

Mag Innovation DX1585 PnP 15"	379.94
Mag Innovation MXP17F	883.81
Mag Innovation DX1795 PnP 17"	715.70
Mag Innovation MX21F	1689.47
Magnavox CM2089 14" 28 Ni	234.48
Magnavox CM2099 14" 28 Ni	246.85
Magnavox CM2015 15" 1024	322.79
Magnavox CM4015 15" 1280	379.94
Magnavox CM4018 17" 28	669.25
NEC XV1515 15"	448.43
NEC XV1717 17"	744.26
NEC XV1515 15"	574.79
NEC XV1717 17"	999.50
NEC XV2121 21"	1789.26
NEC XV1717 17"	1024.64
NEC XV2121 21"	2148.74
Samsung 150L 15"	466.00
Samsung 17GL 17"	749.00
Samsung 17GL 17"	949.00
Sony 155FH 15" PnP	499.94
Sony 155X 15" PnP	467.67
Sony 175FH 17" PnP	877.30
Sony Multiscan 20sfl PnP	1797.50
Sony 20SE1 20"	1929.28
ViewSonic 150S 15"	435.26
ViewSonic 17GS 17"	709.64
ViewSonic 21PS 21"	1759.10

MONITORS

ATI Graphics Xpression ISA 2MB	189.36
ATI Graphics Xpression VLB 2MB	189.36
ATI Graphics Xpression PCI 2MB	189.36
ATI Graphics Pro Turbo PCI 2MB	319.87
ATI Graphics Pro Turbo PCI 4MB	449.88
Diamond SpeedStar Pro ISA 1MB	85.59
Diamond SpeedStar 64 ISA 2MB	199.00
Diamond SpeedStar 64 ISA 1MB	135.55
Diamond Edge 2120XL 1MB DRAM	267.67
Diamond Edge 2200XL 2MB DRAM	326.11
Diamond Edge 3240XL 2MB VRAM	419.22
Intel Smart Video Recorder Pro	398.99
Matrox Millennium PCI 4MB VRAM	518.59
Matrox Millennium PCI 4MB VRAM	429.88

VIDEO CARDS

ATI Graphics Xpression ISA 2MB	189.36
ATI Graphics Xpression VLB 2MB	189.36
ATI Graphics Xpression PCI 2MB	189.36
ATI Graphics Pro Turbo PCI 2MB	319.87
ATI Graphics Pro Turbo PCI 4MB	449.88
Diamond SpeedStar Pro ISA 1MB	85.59
Diamond SpeedStar 64 ISA 2MB	199.00
Diamond SpeedStar 64 ISA 1MB	135.55
Diamond Edge 2120XL 1MB DRAM	2

COMPAQ

Prolinea 575e

Entry-level quality and reliability

- 75MHz Intel Pentium® processor
- 8MB RAM std., 136MB max.
- 630MB hard drive
- Internal expansion slots: one
- PCI/ISA; two ISA; one Compaq option slot
- Drive bays: two externally accessible; one internal
- PCI local bus video, 1MB DRAM std., 2MB max.
- PCI Enhanced IDE controller
- Plug and Play compliant
- Included software: Pre-loaded Windows 95 and more
- Three-year limited warranty



Monitor sold separately

ONLY! \$1395.00 CDW 60601
The Intel Inside® Logo and Pentium® are Registered Trademarks of Intel Corporation

WHY SETTLE FOR LESS?

CDW®
SERVICES YOU BETTER

NEC

NEC Versa™ V/50C

Superior performance, Versa® flexibility and NEC value

- SL-enhanced IntelDX2™
- 50MHz CPU
- 4MB RAM std., 20MB max.
- 340MB hard drive
- 9.5" active-matrix color display
- PCMCIA slots: 2) Type II or 1) Type III

CDW Blowout



Active-matrix display!

ONLY! \$1499.00 CDW 44301
Hurry, supplies are limited!

CDW® CARRIES OVER 20,000 PRODUCTS. IF YOU DON'T SEE IT, CALL!

COMPUTERS

TOSHIBA

T2130CS DX4/75 330MB pas color	1657.29
T2130CS DX4/75 500MB pas color	1948.96
T2130CT DX4/75 500MB act color	2412.94
T2150CDS DX4/75 500MB pas color CD	2437.73
T2150CDS DX4/75 500MB act color	2437.73
Portege 610CT 5/90 720MB act color	1888.85
4100C 5/90 8MB 772MB pas color	3377.52
4100CT 5/90 8MB 772MB act color	4560.40
Tetra 700CS 5/120 8MB 1.2GB pas color	4535.74
Tetra 700CT 5/120 16MB 1.2GB act color	5888.54

AST

Advantage! portables	
Explorer 4/100 8MB 540MB act color	2089.23
Ascentia portables	
Ascentia 950N 5/75 500MB act color	2559.49
Ascentia 950N 5/75 600MB act color	2944.48
Ascentia 950N 5/75 1.2GB act color	3223.19
Ascentia 950N 5/75 600MB act color	3548.03
Ascentia 950N 5/75 1.2GB act color	3925.96
Advantage! desktops	
Advantage! 614 5/100 850MB 8MB CD	1694.15
Advantage! 812 5/100 1.2GB 8MB CD	1805.81
Advantage! 814 5/100 1.2GB 16MB CD	2089.23
Advantage! 816 5/100 1.6GB 16MB CD	2549.34
Advantage! 818 5/133 1.6GB 16MB CD	2639.76
AST Bravo Desktops	
Bravo 5/75 850MB 8MB WIN95	1626.24
Bravo 5/100 850MB 8MB WIN95	1948.89
Bravo 5/120 1.2GB 16MB WIN95	2584.55
Bravo 5/133 1.6GB 16MB WIN95	2676.54

CDW also carries a complete line of AST Bravo mini-towers. Call today for details.

COMPAQ

COMPAQ PORTABLES

Contura 420C 4/75 8MB 420MB dual scan	2117.00
Contura 420CX 4/75 8MB 420MB act color	2399.00
Contura 430C 4/100 8MB 720MB dual scan	2408.00
Contura 430CX 4/100 8MB 720MB act color	2979.00
LTE Elite 4/75C 4/75 8MB 340MB dual scan	2789.00
LTE Elite 4/75C 4/75 8MB 510MB dual scan	3169.00

COMPAQ DESKTOPS

ProLinea Series Desktops	
ProLinea 575e 5/75 8MB 630MB	1395.00
ProLinea 575e 5/75 16MB 1.06GB	1387.00
ProLinea 5100e 5/100 8MB 630MB	1657.00
ProLinea 5100e 5/100 16MB 1.06GB	1818.00
ProLinea 5120e 5/120 8MB 630MB	1779.00
ProLinea 5120e 5/120 16MB 1.06GB	2038.00
ProLinea 575e 5/75 8MB 630MB	1605.00
ProLinea 575e 5/75 16MB 1.06GB	2102.00
ProLinea 590 5/90 8MB 630MB	1859.00
ProLinea 590 5/90 16MB 1.06GB	2357.00
ProLinea 5100 5/100 8MB 630MB	1888.00
ProLinea 5100 5/100 16MB 1.06GB	2395.00
ProLinea 5120 5/120 16MB 1.06GB	2667.00

ProLinea Series Mini-Towers

ProLinea 575 MT 5/75 8MB 630MB	1649.00
ProLinea 575 MT 5/75 16MB 1.06GB	2147.00
ProLinea 5100 MT 5/100 8MB 630MB	2429.00
ProLinea 5133 MT 5/133 1.6GB	2938.00

Deskpro Series Desktops

Deskpro 575 5/75 8MB 630MB	1818.00
Deskpro 575 5/75 16MB 1.06GB	2357.00
Deskpro 590 5/90 8MB 630MB	2114.00
Deskpro 590 5/90 16MB 1.06GB	2811.00
Deskpro 5100 5/100 8MB 630MB	2119.00
Deskpro 5100 5/100 16MB 1.06GB	2617.00
Deskpro 5120 5/120 16MB 1.06GB	2922.00
Deskpro 5133 5/133 1.6GB	3148.00

CDW also carries a complete line of Compaq Deskpro mini-towers. Call today for details.

digital

multimedia mini-towers

911 5/75 8MB, 1.2GB CD WIN95	1699.00
917 5/100 8MB, 1.2GB CD WIN95	1899.00
931 5/100 16MB, 1.6GB CD WIN95	2499.00
933 5/120 16MB, 1.6GB CD WIN95	2699.00
940 5/133 16MB, 1.2 GB CD WIN95	2799.00

NEC

Versa V 4/50 4MB, 250MB dual cir	1499.00
Versa V 4/50 4MB, 340MB act cir	1499.00
Versa 2000D 4/75 4MB, 350MB dual cir	1899.00
Versa 2000C 4/75 4MB, 350MB act cir	2099.00
Versa 2000C 4/75 8MB, 350MB act cir	2399.00
Versa 4000D 5/75 540MB dual cir CD	3799.00
Versa 4000C 5/75 720MB act color	3999.00
Versa 4050C 5/90 720MB act color CD	4649.00
Versa 4050C 5/90 810MB hi-res cir	4799.00

COMPUTERS

IBM

ThinkPad portables

701C DX2/50 360MB act color	1899.00
701CS DX4/75 540MB pas color	2789.00
701C DX4/75 360MB act color	1999.00
701C DX4/75 540MB act color	2399.00
7550C DX4/100 810MB act color	3099.00
7550C (SB) 5/75 540MB act color	2749.00
7550C 5/75 540MB act color	4489.00
7550C 4/100 540MB act color	4749.00
7550CDV 4/100 810MB act color CD	5699.00
760C 5/90 8MB 720MB 10.4 act color	3349.00
760C 5/90 8MB 720MB 10.4 act color	3549.00
760C 5/90 8MB 720MB 12.1 act color	3649.00
760C 5/120 8MB 720MB 12.1 act color	6599.00
760CD 5/90 8MB 1.2GB 12.1 act color	7449.00

PC300/700 Series desktops

PC300 5/75 8MB, 540MB	1622.00
PC300 5/90 16MB, 850MB	2294.00
IBM PC300 5/75 8MB	1409.00
PC350 5/75 16MB, 850MB	2139.00
PC350 5/90 16MB, 850MB	2312.00
PC750 5/90 16MB, 540MB	2953.00
PC750 5/133 16MB, 1GB	3349.00

TEXAS INSTRUMENTS

Extensa 450 DX4/75 340MB dual color	1625.94
Extensa 450T DX4/75 340MB act color	2399.00
Extensa 550 5/75 524MB dual color	2399.35
Extensa 550CD 5/75 524MB dual cir CD	2865.30
Extensa 550CDT 5/75 524MB act cir CD	3442.65
Extensa 560CD 5/75 610MB dual cir CD	2399.75
Extensa 560CDT 5/75 1.2GB act cir CD	3917.07
TM4000M DX4/75 524MB act color	2594.78
TM4000M DX4/100 524MB act cir	2788.89
TM5000 5/75 524MB dual color	3599.98
TM5000 5/75 810MB act color	3385.75
TM5100 5/90 1.2GB act color	3696.42
TM5200 5/120 1.2GB act color	4975.74

PRINTERS

OKIDATA

184 Turbo	225.07	ML590	448.59
ML320	319.20	ML591	609.39
ML321	449.70	Pacemaker 3410	1254.49
ML360	284.45	OL600E	399.00
ML395	399.19	OL810E	759.79
ML520	385.15	OL1200	1099.72
ML521	499.84	OKJET 2010	526.38

Canon

BJ30 mono	259.88	BJC610	549.00
BJC70 color	355.65	BJC4100	379.00
BJC210	269.00		

EPSON

LX300	165.82	DFX5000 Plus	1398.95
LQ570+	246.86	DFX8000	2353.18
FX870	289.19	Stylus Color I	244.83
FX1170	277.81	Stylus Color II	399.00
LQ1070+	384.00	Stylus Color Pro	599.00
LQ870	444.14	Stylus Pro XL	1799.00
LQ1170	669.85	ActionLaser 1100S	582.62
LQ2550	963.89		

LEXMARK LASER PRINTERS

WinWriter 150C thermal inkjet	317.73
4039 10 Plus 10ppm	1099.86
Optra R Plus 16ppm	1423.21
Optra R Plus 16ppm, 2 paper trays	1915.17
Optra LX Plus 16ppm	2207.66
Optra LX Plus 16ppm	2868.64

Panasonic

1150	135.57
2030	182.58
2123	204.60

HEWLETT PACKARD

DeskJet 340 portable	295.74
DeskJet 600	223.37
DeskJet 650C	376.86
LaserJet 4V	1948.15
LaserJet 5L	519.33
LaserJet color	6925.82
OfficeJet inkjet fax/copier/printer	589.86

COSTAR

LabelWriter LX WIN	149.34
LabelWriter LX Plus WIN	224.89

PRINTERS

TEXAS INSTRUMENTS

microLaser 600	855.10
microLaser PowerPro/12	1419.87
microLaser ProB	1149.49
microLaser WIN/4	446.64

HARD DRIVES & CONTROLLERS

Maxtor

850MB Fast-ATA	222.31
1.6GB Fast-ATA	319.61

MICROPOLIS

4221 2GB SCSI-2	749.75
3243 4.3GB SCSI-2	1209.59

CONNER

540MB EIDE	104.88
850MB Fast-ATA	204.75

Seagate

428MB Fast-ATA	164.60
545MB Fast-ATA	179.35
1GB Fast SCSI-2	394.69

WESTERN DIGITAL

Caviar 635MB EIDE	189.70
Caviar 853MB EIDE	199.95
Caviar 1GB EIDE	259.95
Caviar 1.2GB EIDE	299.24
Caviar 1.62GB EIDE	409.88

CONTROLLERS

Accugolic SIDE-3+ w/on-board BIOS	48.90
Accugolic SIDE-4+ w/par, 2ser, game	35.06
Accugolic SIDE-4V EIDE, 16550 serial	29.76
Adaptec 1542CP SCSI Master Kit	299.73
Adaptec AVA1505 SCSI-2 CD Kit	54.95
Adaptec 2842 VLB SCSI-2	249.83
Adaptec PCI Ultra Wide SCSI Kit	259.80
Promise 2300+ EIDE VLB	99.87

INTEL OVERDRIVES

Intel OverDrive DX2/50	119.56
Intel OverDrive DX2/66	127.34
Intel OverDrive DX4/75	127.34
Intel OverDrive DX4/100	137.75
Intel OverDrive Pentium 63MHz	179.31
Intel OverDrive Pentium 63MHz	259.83

MEMORY UPGRADES

Simple

Compaq Prolinea 4MB	CALL
Compaq Prolinea 8MB	CALL
Compaq Prolinea 16MB	CALL
HP LaserJet 4P 4MB	CALL
HP LaserJet 4P 8MB	CALL
HP LaserJet 4 4MB	CALL
HP LaserJet 4 8MB	CALL
IBM ThinkPad 755 8MB	CALL
IBM ThinkPad 755 16MB	CALL
NEC Versa 4MB	CALL
NEC Versa 8MB	CALL
NEC Versa 16MB	CALL
Toshiba 1900-4600 4MB	CALL
Toshiba 1900-4600 8MB	CALL
Toshiba 1900-4600 16MB	CALL
Toshiba T2100, T2150 4MB	CALL
Toshiba T2100, T2150 8MB	CALL
Toshiba T2100, T2150 16MB	CALL

MODEMS & COMMUNICATIONS

Robotics

SPORTSTER MODEMS

14.4K internal w/fax	94.81
14.4K external w/fax	111.00
28.8K V.34 internal w/fax	179.88
28.8K V.34 external w/fax	179.88
28.8K V.34 internal w/fax & voice	199.86
Vi 14.4K internal w/fax & voice	108.41
Vi 14.4K external w/fax & voice	128.89
Vi 28.8K V.34 internal w/fax & voice	167.60
Vi 28.8K V.34 external w/fax & voice	217.14
Vi DVSVD V.34 internal w/fax & voice	278.82

COURIER MODEMS

V.34 internal w/fax	357.69
V.34 external w/fax	419.58

MODEMS & COMMUNICATIONS

HAYES

ACCURA 144 internal w/fax	85.87
ACCURA 144 external w/fax	88.91
ACCURA 288 V.34 internal w/fax	173.70
ACCURA 288 V.34 external w/fax	208.89
OPTIMA 288 V.34 internal w/fax	368.14
OPTIMA 288 V.34 external w/fax	416.44
OPTIMA 288 V.34 Business Modem ext w/fax	447.24

PRACTICAL PERIPHERALS

14.4 internal w/fax	73.85
14.4 Mini Tower w/fax	89.76
V.34 28.8 internal w/fax	164.54
V.34 28.8 Mini Tower w/fax	184.87

BOCA

Online Express 14.4 internal w/fax	
------------------------------------	--

IBM

ThinkPad 755CX Pentium 75MHz 8/810MB DISK, active color \$ 4270	Thinkpad 365CD DX4/75MB DISK, active color CD rom drive \$ call
ThinkPad 755CD Pentium 75MHz 8/810MB DISK, active color \$ call	Thinkpad Power PC 850 & 830 100mhz, 16 or 32MBRAM, 540 or 810 or 1GB disk with or without Windows NT/AIX \$ call
ThinkPad 701C Pentium 75MHz 8/540MB DISK, active color \$ call	Power PCDesktop 100mhz/120mhz/133mhz, 16/32mb ram, 1gb disk, windows NT or AIX PC300 & 700 Pentium 75mhz.....call Pentium 100mhz.....call Pentium 133mhz.....call
ThinkPad 760C Pentium 90MHz 8/720MB DISK, active color \$ 5599	IBM PC SERVER PC server 300 PC server 310 PC server 320 PC server 500 PC server 720
ThinkPad 760C Pentium 120 MHz 8/720MB DISK, active color \$ 6199	Call for Price
ThinkPad 760CD Pentium 90MHz 8/1.2GB DISK, active color \$ call	
ThinkPad 365C DX4/75MHz 8/540MB DISK, active color \$ call	Before you buy any IBM ...call

BRAND NAME
LOW PRICES LEADER
SINCE 1983
We export with international warranty

HEWLETT PACKARD

Printers

HP DESKJET 340	\$299
HP DESKJET 600	\$279
HP DESKJET 660C	\$379
HP DESKJET 850C	\$510
HP DESKJET 1200C	\$929
HP DESKJET 1600C	\$call
HP LASER 5L(new)	\$489
HP LASER 4+/4M	\$1349/call
HP LASER 4V/4MV	\$call
HP LASER 5P/5MP	\$825/call
HP SCANJET 3P/3C	\$310/899
HP LASER 5SI/5SIMX	\$call

HP OMNIBOOK

HP OMNIBOOK 400SERIES	CALL
HP OMNIBOOK 500SERIES	CALL
HP OMNIBOOK 5000	CALL

Vectra XU 6/150MHz
Vectra XU VT 6/150MHz
stock/stock/stock

HP VECTRA PC

HP VECTRA PENTIUM 75MHZ	CALL
HP VECTRA PENTIUM 90MHZ	CALL
HP VECTRA PENTIUM 100MHZ	CALL
HP VECTRA PENTIUM 120MHZ	CALL
HP VECTRA PENTIUM 133MHZ	CALL

HP SERVERS

HP NETSERVER LC	CALL
HP NETSERVER LH/LHZ	CALL

Authorized Dealer & Service Center
COMPAQ, IBM, TOSHIBA, HEWLETT PACKARD

COMPAQ

Contura Notebook Systems

Contura 420c	dx4/75	8/420	\$2043
Contura 420cx	dx4/75	8/420	\$2490
Contura 430cx	dx4/100	8/720	\$2315
Contura 430cx	dx4/100	8/720	\$2848

LTE Notebook systems

LTE 5000CSTN	P/75	8/810	\$4267
LTE 5000CTFT	P/75	8/810	\$4533
LTE 5100CTFT	P/90	8/810	\$5066
LTE 5100CTFT	P/90	8/810+CD	\$5315
LTE 5200CTFT	P/90	8/1.3GB	\$6199

Compaq Prolinea E series

Prolinea	P/75	8/630	\$1375
Prolinea	P/75	8/1080	\$1580
Prolinea	P/100	8/1080	\$1799
Prolinea	P/120	8/630	\$1999

Compaq 150MHz
Prolinea & Deskpro XL
Call for prices & availability

Compaq Deskpro XL

Deskpro XL/w P/100 16/1GB	\$call
Deskpro XL P/120 16/1GB	\$call
Deskpro XL/w P/133 16/1GB	\$call

Compaq Deskpro

Special hard drive + built in Network card
with choice of Token ring or Ethernet
Call for prices & availability

Compaq Servers

Prosignia 300 Pentium
Prosignia 500 Pentium
Proliant 1000 Pentium
Proliant 1500 Pentium
Proliant 4500 Pentium

CALL

NOVELL

3.12/4.1	5 USER	call
3.12/4.1	10 USER	1050
3.12/4.1	25 USER	1399/1399
3.12/4.1	50 USER	1699/1799
3.12/4.1	100 USER	2099/2399
3.12/4.1	250 USER	3250/3450

Special
Promotion.
Original
Red
Box

TOSHIBA

T2110CT	DX2/75	All MODELS IN STOCK WE Also Carry Refurb Model CALL for Prices
T2100CT	DX2/50	
T2130CS	DX4/75	
T2130CT	DX4/75	
T2155CDS	DX4/75	
T2155CDT	DX4/75	
T400CS	P/75	
T400CDT	P/75	
New Pentium		
T410CS	P/90MHz	call
T410CDT	P/90MHz	call
Tecra 700CT	P/120MHz	call
Tecra 700CS	P/120MHz	call

All B-stock Models,

*** call ***

SPECIAL

Modem

U.S. Robotics 28.8	\$179
Creative Lab 28.8	\$149

CD-ROM

Diamond 8x CD Kit	\$355
4X external parallel	
Port CD ROM	\$345
Panasonic 2x Portable	
CD+Interface kit	\$299

Software

Windows NT Server	\$615
MS office win 95	\$422
MS office win 311	\$442
Corel Draw 6.0 CD	\$356

Pcmcia

3com etherlink III combo	\$213
Adaptec AP 1460 acs	\$169
3Com token ring 16/4	\$239

Tape Drives

Jumbo 350MB (int)	\$335
Jumbo 700MB (int)	\$125
Jumbo 1400MB (int)	\$225

SyQuest

SQ 270MB Parallel port	\$445
SQ 270MB Int	\$549
SQ 270MB Ext	\$549

Monitors

Viewsonic 20"	\$1280
ViewSonic 21"	\$1625
Sony 20sf2 20"	\$1725
Mag 21sf 21"	\$1755

*** Special Discount for Resellers/Consultants ***

OPTICAL CD DRIVE

Recordable CD

Pinnacle RCD 5020 (int)	\$943
Pinnacle RCD 5020 (ext)	\$1192
Pinnacle RCD 1000 (int)	\$1199
Pinnacle RCD 1000 (ext)	\$1366
Sony Sypress 920 (int)	\$1485
Sony Sypress 921 (ext)	\$1785

Rewritable CD

Pinnacle 4.6GB (int)	\$1482
Pinnacle 4.6GB (ext)	\$call
Sony 1.3GB internal	\$1799
Sony 1.3GB external	\$1853
Fujitsu 230MB	call
Panasonic	call

CD Towers

Plextor 6X Hot Swapable 4	
CD Drives with 7 bay	\$2699
Plextor 4X Hot Swapable	
4CD Drive with 7	\$2199

Computerlane Inc.

Corporate Accounts
Volume
Discounts
Welcome

Outside California: 1-800-526-3482
Inside California: 818-884-8644 • Fax: 818-884-8253
SSOLIM01@INTERSERV.COM
7500 Topanga Cyn Blvd., Canoga Park, CA 91303
Hours: Monday - Friday 9-6, Saturday 10-5

Compaq is A Registered Trademark of
Compaq. IBM is A Registered Trademark of
International Business Machines.
All Quoted Prices Reflect A 5% Cash
Discount. VISA, MasterCard, Wire Transfer
Also Accepted.
Prices Subject to Change Without Notice.

HARD DISK EXCHANGE

BUY, SELL OR UPGRADE
YOUR HARD DISK & PC

(714) 505-3157

Int'l Orders / Tech Assistance Inquiries

UNIVERSITY, SCHOOLS,
GOVERNMENT &
CORPORATE P.O.'S WELCOME

WE BUY
MEMORY SIMMS
& HARD DISKS

HARD DISK LIQUIDATION

3.5" HARD DISKS

IDE
850MB \$189
1.08GB \$249
1.6GB \$299
Call for SCSI II &
SCSI III HDD

2.5" NOTEBOOK DRIVES

80MB \$89
120MB \$159
540MB \$399
810MB \$499

THINKPAD DRIVES

Case Not Included
340MB \$329
520MB \$399
810MB \$499

MEMORY

256x9 \$11.99
1x3 - 70 \$29.99
4x3 - 70/30 pins \$120.99
4MB - 72 Pins \$129.99
8MB - 72 Pins \$249.99
16MB - 72 Pins \$429.99

CALL FOR CURRENT PRICES

MULTIMEDIA KIT

2X CD ROM, 16 Bit,
Soundcard & Cables \$99
4X CD ROM, 16 Bit,
Speakers, Soundcard
& Cables \$169

MISC. ACCESSORIES

Math CO 387 SX/DX \$29
SIMM Converter \$29
CACHE Memory CALL

IDE	SCSI	IBM PS1/PS2
40MB \$59	ST-4380N \$129	325D Call
110MB \$79	ST-4766N \$399	325N Call
ESDI	MFM/RL	WD-387 Call
Micropolis 1355 \$79	ST-225R \$29	WD-3157 Call
XT-4380E \$129	ST-225 \$39	Floppies Call
ST-4766E \$399	ST-151 \$129	Accessories Call
COMPAQ	ST-251 \$79	We have the
CP 4041 \$249	XT-2190 \$299best prices!

MOTHERBOARDS

CPU INCLUDED
486 SXL/50 \$89
486 DX2/80 \$99
486 DX4/100 \$149
486 DX4/120 \$179
Pentium 100 \$399
586-100 by Cyn'x \$279
586-120 by Cyn'x \$319

CONTROLLERS, ETC.

MFM 8/16 Bit \$29
SCSI 8 Bit \$39
SCSI 16 Bit \$89
ESDI \$49

SPECIAL
20MB MFM &
Controller **\$59**

Refurb. Monitor
COLOR **\$149** VGA

DATA RECOVERY

By Experts
UNIX, DOS, NOVELL
MAC, OS/2
CALL US
FOR ESTIMATES

CALL FOR REPAIR ESTIMATES

Laser Printers,
All types of PC's,
(AST, COMPAQ,
IBM & More)

CPU

486DX2-80 \$59
486DX4-100 \$89
486DX4-120 \$109
Pentium 100-Intel \$279
Pentium 120/133 CALL
586-100 by Cyn'x \$139
586-120 by Cyn'x \$149

TAPE DRIVES

Jumbo 250 \$89
Jumbo 350 \$99
Jumbo 700 \$149

LET US HELP YOU CONFIGURE YOUR SYSTEMS!

EXTERNAL DRIVE

Runs on Printer Port.
1.08GB with case, cables
& software **\$399**

LET US HELP YOU CUSTOMIZE YOUR PC'S ... CALL TODAY!!

PS/2 System Refurb System

- ☐ 1MB RAM
- ☐ CASE
- ☐ Power Supply
- ☐ 20/30 MB Hard Disk
- ☐ VGA Card
- ☐ VGA Color Monitor

ONLY \$279

486 DX2 / 80
El Cheapo! Complete!

- ☐ 2MB RAM
- ☐ Minitower
- ☐ 1.44 FDD
- ☐ 120MB Hard Disk
- ☐ 256 VGA Card
- ☐ VGA Color Monitor
- ☐ 101 Keyboard

ONLY \$499

486 DX4/100
Value Purchase System

- ☐ 4MB RAM
- ☐ Minitower
- ☐ 1.44 FDD, 256 Cache
- ☐ 2S, 1P Ports
- ☐ 850MB Hard Disk
- ☐ 4x CD ROM
- ☐ 16 Bit Sound Card, Speakers
- ☐ 256 VGA Card
- ☐ 101 Keyboard

ONLY \$799

PENTIUM 100

Pentium Starter - Super Buy

- ☐ Mini Tower
- ☐ Pentium 100CPU
- ☐ Motherboard
- ☐ 256K Cache
- ☐ PCI IDE I/O
- ☐ FD/HD Controller
- ☐ 1.44 FDD
- ☐ 2S / 1P / 1 Game Port
- ☐ 101 Keyboard

Low \$499



486DX4 / 120

Working Person Special

- ☐ 8MB RAM
- ☐ 1.44 FDD
- ☐ 256K Cache
- ☐ 1.1GB HD
- ☐ 4x CD ROM
- ☐ 16Bit Sound Card, Speakers
- ☐ 101 Keyboard

FOR \$899

PENTIUM 120/133

Sumo / Samurai Series

- ☐ Mini Tower
- ☐ Triton Chip Set Motherboard
- ☐ 16MB RAM, 1.44 FDD
- ☐ 256K Cache
- ☐ 1.1GB Hard Disk
- ☐ 4X CD ROM
- ☐ 16 Bit Sound Card, Speakers
- ☐ 2MB PCI VGA Card
- ☐ Serial Mouse
- ☐ 101 Keyboard

\$1499 / \$1659

PENTIUM 100 by Intel

Ninja Series - Biggest Seller

- ☐ Mini Tower
- ☐ Pentium 100 CPU by Intel
- ☐ Triton Chip Motherboard
- ☐ 8MB
- ☐ 256K Cache
- ☐ 1.44 FDD
- ☐ 1.1GB Hard Disk
- ☐ 4 Speed CD ROM
- ☐ 16 Bit Sound Card, Speakers
- ☐ 2MB PCI VGA Card
- ☐ 101 Keyboard

FOR \$1,199

ASHTEK BEST BUY

**PENTIUM-120
Compatible**

- ☐ Mini Tower
- ☐ Pentium 120 Compatible
- ☐ CPU by Cyn'x
- ☐ 8MB RAM
- ☐ 1.1GB Hard Disk
- ☐ PCI IDE Controller for FD/HD
- ☐ 1.44 FDD
- ☐ 1MB PCI SVGA Card
- ☐ 101 Keyboard

only \$899

486DX4/120

Super Starter System

- ☐ Mini Tower
- ☐ DX4/120 CPU
- ☐ FD/HD Controller
- ☐ 2 serial, 1 parallel port
- ☐ 1.44 FDD
- ☐ 101 Keyboard

ONLY \$299

**FOR CUSTOMER SERVICE
CALL (714) 505-3157 - 11AM to 3PM**

CREDIT CARD ALERT!

Beware... Fraudulent users are caught by our security system. - 62 convictions pending.

800-801-9400

Call Toll Free for Orders Only

ASHTEK INC.

2600-B WALNUT AVE., TUSTIN, CA 92680

INTERNET: ashtek@AOL.com

THESE ARE CASH PRICES & SUBJECT TO CHANGE WITHOUT NOTICE.

SHIPPING BY FEDERAL EXPRESS AND U.S.P. C.O.D. - (There is a 20% re-stocking charge.)

714-505-2693

FOR FAX ORDERS



MEC Computer Express

800.632.6913

For these prices, mention this ad.

permeia (pc card):

Hayes 14.4 EZ-Jack	\$129.—
Simple 14.4	\$89.—
Megahertz XJack™ 1144	\$99.—
Megahertz XJack™ 2144	\$109.—
MultiTech 28.8	\$259.—
Hayes 28.8 pigtail	\$199.—
Hayes 28.8 EZ-Jack (Limited Time)	\$249.—
Megahertz XJack™ 2288	\$279.—
Megahertz 10BT/14.4, XJEMII44	\$349.—
Xircom 10BT IIPS	\$169.—
3COM Etherlink III B Combo	\$215.—
CardCam Video Capture	\$329.—
NewMedia Bus Toaster SCSI II	\$199.—

desktops:

Compaq:

Prolinea E 575: P/75, 630MB HD	\$1399.—
Prolinea E 575: P/75, 1GB HD	CALL
Prolinea E 5100: P/100, 630MB HD	\$1699.—
Prolinea E 5100: P/100, 1GB HD	CALL
Prolinea E 5120: P/120, 630MB HD	\$1899.—
Prolinea E 5120: P/120, 1GB HD	CALL



Don't be late—Order today!

monitors:

Magnavox:

CM2089: 14" 1024x768I	\$244.—
CM2099: 14" 1024x768NI	\$264.—
CM2015: 15" 1024x768NI	\$334.—
CM4015: 15" 1280x1024NI	\$374.—
CM4018: 17" 1280x1024NI	\$644.—
1766DC: 17" 1280x1024NI, stereo	\$744.—

NEC:

MultiSync XV14	\$309.—
MultiSync XV15	\$449.—
MultiSync XV15 plus	\$479.—
MultiSync XV17	\$749.—
MultiSync XV17 plus	\$799.—
MultiSync XE21	\$1839.—

NOKIA:

449E: 15" 1024x768NI	\$449.—
447L: 17" 1024x768NI	\$699.—
447X: 17" 1600x1200NI	\$939.—
445X-059: 21" 1024x768NI	\$2099.—
445X: 21" 1024x768NI	\$2499.—

AS/400:

IDEA:

CAH-5251: IBM register compatible bd.	\$149.—
5251+ Emulation board	\$289.—
12486-01 Terminal: amber or green	\$489.—
12487-01 Terminal: amber or green	\$629.—
12488-02D Color Terminal	\$769.—

Products may not be returned without a price. RETURN AUTHORIZATION NUMBER from MEC COMPUTER EXPRESS INC. All returns must be in new condition, properly packaged in the original boxes, with all manuals, warranty cards, cables, packing materials, etc. NO returns are permitted on products that have been used, software, and "special order" products. A "special order" product is a product that MEC does not normally keep in stock and that was ordered specifically for a particular customer. When a product is returned, this customer is responsible for freight and insurance. All returns for credit or refund must be within 30 days of purchase. Certain returns are subject to a restocking fee. NOT responsible for typographical errors. All prices are subject to change without notice.

notebooks:

NEC:

2000D: DX4/75, 4MB RAM, 350MB HD, 10.4" passive	\$1599.—
2000C: DX4/75, 8MB RAM, 350MB HD, 9.5" active, 14.4 modem	\$1899.—
2000C: DX4/75, 8MB RAM, 540MB HD, 9.5" active, 14.4 modem	\$2199.—
4000D: P/75, 8MB RAM, 540MB HD, 10.4" passive	\$2999.—
4000D: P/75, 8MB RAM, 540MB HD, 10.4" passive, CD-ROM	CALL
4000C: P/75, 8MB RAM, 540MB HD, 10.1" active, CD-ROM	\$3499.—
4050C: P/90, 8MB RAM, 810MB HD, 10.1" active, CD-ROM	CALL
4080H: P/120, 8MB RAM, 1GB HD, 10.4" active	CALL



Call for new lower prices!!

Compaq:

LTE 5000: P/75, 8MB RAM, 510MB HD, 10.4" passive	CALL
LTE 5000: P/75, 8MB RAM, 810MB HD, 11.3" passive	\$1199.—
LTE 5000: P/75, 8MB RAM, 810MB HD, 10.4" active	CALL
LTE 5100: P/90, 8MB RAM, 810MB HD, 10.4" active	\$5099.—
LTE 5100: P/90, 8MB RAM, 810MB HD, 10.4" active, CD-ROM	CALL
LTE 5200: P/120, 8MB RAM, 1.3GB HD, 10.4" active	\$5999.—

Texas Instruments:

Extensa 450: DX4/75, 4MB RAM, 340MB HD, 10.4" passive	\$1469.—
Extensa 450T: DX4/75, 8MB RAM, 340MB HD, 9.4" active	\$1999.—
Extensa 550: P/75, 8MB RAM, 524MB HD, 10.4" passive	\$1999.—
Extensa 560CD: P/75, 8MB RAM, 810MB HD, 10.4" passive, 4x CD-ROM	\$2799.—
Extensa 560CDT: P/75, 8MB RAM, 1.2GB HD, 10.4" active, 4x CD-ROM	\$3699.—
TM5000: P/75, 8MB RAM, 810MB HD, 10.4" active	\$2899.—
TM5100: P/90, 8MB RAM, 810MB HD, 10.4" active	\$3399.—
TM5200: P/120, 8MB RAM, 1.2GB HD, 10.4" active, 2 lithium ion batteries, 3-year warranty	\$4699.—



Happy St. Patrick's Day

Unbelievable Prices on:

AS/400 peripherals, Monitors,
Printers, Terminals
Network boards & hubs.

Call for Information

take-off in '86 with these mec specials



Compaq:

DeskPro XE 560: P/60, 270MB HD, 3-year warranty	\$899.—
DeskPro XE 560: P/60, 525MB HD, 3-year warranty	\$999.—

Epson:

ActionNote 660CX: 486DX2/66, 8MB RAM, 340MB HD, 9.5" active, 1-year limited warranty	\$1799.—
--	----------

NEC:

Versa V: 486DX2/50, 4MB RAM, 340MB HD, 9.5" active, 3-year warranty	\$1499.—
Versa P/75HC: 8MB RAM, 540MB HD, 9.5" high resolution TFT color, 3-year warranty	\$2799.—
Versa P/75C: 8MB RAM, 540MB HD, 10.4" active-matrix TFT color, 3-year warranty	\$2899.—

Brother:

MFC-4500: 5-in-1 with 512K	\$969.—
MFC-5500: 5-in-1 with 1MB	\$999.—



Toshiba:

T4900CT NEW & remanufactured: P/75, 8MB RAM, 800MB HD, 10.4" active, 3-year and 1-year warranty	CALL
Docking Station for 4900:	CALL
T1950CT: 486DX2/40, 4MB RAM, 200MB HD, 8.4" active, 1-year warranty	\$1499.—
T405CS (factory remanufactured): P/75, 8MB RAM, 810MB HD, 10.4" passive, 1-year warranty	\$2199.—
T2110CS (factory remanufactured): DX2/50, 4MB RAM, 350MB HD, 10.4" passive, 1-year warranty	\$1399.—

306

MEC Computer Express

A subsidiary of Manchester Equipment Co. Inc.

50 Marcus Blvd • Hauppauge, NY 11788

800.632.6913

T. 516.435.1109 F. 516.435.2113



MEGAHERTZ is a leading manufacturer of data/fax modems for **MOBILE COMPUTERS**. The company is customer driven, integrating emerging technologies with innovative designs to provide solutions tailored to mobile computer users. The **MEGAHERTZ** patented XJack™ connector has raised PCMCIA standards by eliminating the need for extra cords and connectors. **MEGAHERTZ** also manufactures a 10BaseT PCMCIA card, affording an economical way to attach a notebook computer to your ethernet network.



XJack 1144: 14,400 bps	\$99.00
XJack 2144: 14,400 bps, gold	\$109.00
XJack 2288: 28,800 bps	\$279.00
Ethernet/Modem:	\$329.00



What do you need in a desktop printer? Do you want high speed? How about color? Is crisp graphics output a necessity? Whatever your requirements, look to Manchester Equipment Co., your local authorized HP dealer, for the solution.



LASER PRINTERS:

HP LaserJet 5L-F5 printer	\$489.00
4ppm, 600 x 600dpi, straight paper path	
HP LaserJet 5P printer:	\$879.00
6ppm, 600 x 600dpi, 45 scalable typefaces	

INKJET PRINTERS:

HP Deskjet 340 printer	\$279.00
up to 3ppm, up to 600 x 300dpi, portable	
HP Deskjet 600 printer	\$229.00
up to 4ppm, up to 600 x 600dpi, optional color kit	
HP Deskjet 660C printer	\$379.00
Color printer, up to 1.5ppm in color, 4ppm in black	
HP Deskjet 850C printer	\$479.00
Color inkjet, up to 2ppm in color, 6ppm in black	
HP Deskjet 1600 printer	\$1369.00
Color printer, up to 4ppm in color, 9ppm in black	



Where quality & performance go hand in hand.

EPSON STYLUS COLOR II

Epson's award winning color inkjet printer

\$399.00

- ✕ 720 x 720 dpi photo quality color
- ✕ True black laser quality text
- ✕ Prints up to 4ppm in black
- ✕ Holds 2-ink cartridges color & black
- ✕ 2-year limited warranty



EPSON STYLUS COLOR IIS

A cost-effective color inkjet printer

\$249.00

- ✕ 720 x 720 dpi mode
- ✕ Prints up to 2.5ppm
- ✕ Uses color or black ink cartridge
- ✕ 2-year limited warranty

Manchester also carries the complete line of high quality Epson dot matrix printers at very attractive prices. CALL for a price quote.



"The Memory Leader...Worldwide."



WHY PNY?

- PERFORMANCE** - Increase your speed
- PRODUCTIVITY** - Advanced software applications & operating systems demand more memory.
- COMPATIBILITY** - The largest variety of upgrades with **GUARANTEED COMPATIBILITY**.
- WARRANTY** - **LIFETIME WARRANTY** on ALL products.
- QUALITY** - Novell Certified, ISO 9001 registered

ISO 9001



LIFETIME WARRANTY

CALL your **MANCHESTER** representative today for pricing!

Memory available for most laptops, computers and printers, including Compaq, IBM, NEC, Texas Instruments, Toshiba & many more!



HAYES is a recognized leader in computer communications. Millions of **HAYES** products are in use all over the world. When you use **HAYES** products, there is never any concern about compatibility.



Accura 14.4 internal:	\$79.00
Accura 14.4 external:	\$99.00
Accura 28.8 internal:	\$169.00
Accura 28.8 external:	\$199.00
14.4 PCMCIA with EZ-Jack:	\$129.00
28.8 PCMCIA with EZ-Jack:	\$249.00
28.8 PCMCIA with Pigtail: <i>SPECIAL</i>	\$199.00



TOSHIBA continues to lead the portable computer marketplace. Their leadership and quality are evident in their implementation of breakthrough technology to advance portable computing. **TOSHIBA's** current product line features the most advanced technologies together with compact, durability and their lightweight designs. Best of all, these computers are available from **MEC COMPUTER EXPRESS**.

Call for new **LOWER** prices!



T2130CS: DX4/75, 4MB RAM, 500MB HD, 10.4" passive	\$1999.00
400CS: P/75, 8MB RAM, 810MB HD, 10.4" passive	\$2999.00
400CDT: P/75, 8MB RAM, 810MB HD, 10.4" active, CD-ROM	\$3999.00
410CS: P/90	CALL
410CDT: P/90, CD-ROM	CALL
Portege 610CT: P/90, 8MB RAM, 720MB HD, 9.5" active	\$3899.00
TECRA 700CS: P/120, 8MB RAM, 1.2GB HD, 11.3" passive	CALL
TECRA 700CT: P/120, 16MB RAM, 1.2GB HD, 11.3" active	CALL

MEC Computer Express Inc.

A subsidiary of Manchester Equipment Company Inc.

800.632.6913

50 Marcus Blvd. Hauppauge, NY 11788

T. 516.435.1109 F. 516.435.2113

Circle 231 on Inquiry Card.



Polywell Alpha Workstations

275MHz to 333MHz from \$3,995



Polywell introduces
the Alpha Server/
Workstation
to the PC market.

Mainframe
performance at
PC prices!

Operating Systems:
Windows NT,
DEC UNIX (OSF/1),
OpenVMS

Supports:
Video/Animation/
Image Editing,
3D Graphics,
CAD/CAM,
Internet/ Networking/
FileServer.

digital
SEMICONDUCTOR

ALPHA
GENERATION

- 275MHz (128-bit DEC Alpha 21064A) basic system with 1GB HD From \$3,995
- 266MHz (256-bit DEC Alpha 21164) standard system with 2GB HD From \$9,885
- 300MHz (256-bit DEC Alpha 21164) advanced system with 4GB HD From \$12,500
- 333MHz (256-bit DEC Alpha 21164) super system with 9GB HD From \$18,500

Polywell also carries a line of Alpha Portables, Disk Array Subsystems.
Polywell specializes in custom configurations.

800-300-Poly (7659)

Tel: 415-583-7222 Fax: 415-583-1974

Internet: www.polywell.com

e-mail: polywell@ix.netcom.com

Polywell Computers, Inc. 1461 San Mateo Ave., So. San Francisco, CA 94080, USA

Circle 137 on Inquiry Card.



Service & Warranty:
5-Year in-house Labor,
2-year standard parts,
10-year toll-free tech support.

Up to 4 Users can Access Multiple PC, Macintosh and Sun Computers from a Central Location!

- **Multiuuser**

Up to 4 users have simultaneous access to any attached computer!

- **Multiplatform**

Supports any combination of PC, Macintosh and Sun computers; use any platform's peripherals to access any type of computer in the system.

- **Multimedia**

Every user has full multimedia capabilities; supports keyboard, mouse, video, speakers, microphone and serial port.

COME SEE US AT
Networks Expo in Boston, MA.
Feb. 13 - 15, Booth #119
CeBIT in Hannover, Germany
Mar. 14 - 20, Hall 11, Booth #C3, C4



AUTOBOOT
COMMANDER 4XP™

Cybox Corporation
4912 Research Drive • Huntsville, AL 35805 USA
(205) 430-4000 • FAX (205) 430-4030
<http://www.cybox.com/>



PC is a registered trademark of International Business Machines Corp. Macintosh is a registered trademark of Apple Computer, Inc. Sun is a trademark of Sun Microsystems. Cybox, Commander, AutoBoot and 4xP are trademarks of Cybox Corporation.
Dealer Program Available

Made in USA

400,000 families in 7,000 communities
count on World SHARE and World SHARE
counts on DataFlex.

DATA FLEX[®] MEANS BUSINESS

When you choose the DataFlex application development system, you can count on delivering powerful solutions. DataFlex's greatest strength is in the language, a 4GL strong enough to sustain anything you can build on it. Powerful enough to take you far beyond the point at which most other products leave you stranded.

Over 350,000 installations and 2,000,000 users in 40 countries make DataFlex a proven solution for a wide range of business applications for companies like Mercedes-Benz, Coca-Cola, and World SHARE.

"World SHARE turns streets and strangers back into vibrant neighborhoods. Each month 400,000 families in 33 states volunteer to improve their communities in exchange for 50% savings on groceries. As a not-for-profit business, there's no margin for error on large investments like application software. World SHARE's developer, Comware Computers, chose DataFlex because nothing else compared in power or reliability. Our DataFlex application's versatility has allowed SHARE's membership to grow from a local concern to nearly a half-million families nationwide. It continues to let us concentrate on expanding our business of building caring communities."

Andrew J. Morikawa
President, World SHARE

DataFlex means business. We speak your language because we want you to speak ours. Call us today for a free information kit.



If you want to help World SHARE, call.
619-220-6266
e-mail: mmedugno@aol.com

In the United States, Phone 1-800-451-3539 For Sales Information

Country	Telephone	Fax
Australia	1-800-65-3545	(09) 481-1874
	1-800-63-3539	(03) 888-9950
Belgium/Luxembourg	(02) 270.27.60	(02) 270.27.50
Brazil	(011) 872-9266	(011) 653-899
Canada	416-226-2181	416-226-4341
Denmark	36 72 46 46	36 72 46 47
England	0181-426-1416	0181-866-3725
	0181-742-8055	0181-742-7843
	01222-763773	01222-763774
Germany	06172-9568-0	06172-9568-12
Greece	(1) 6517945	(1) 6536891
Italy	(0184) 231.606	(0184) 231.243
Japan	(3)-3296-7324	(3)-3296-7329

Country	Telephone	Fax
Malta	356-241246	356-230631
Mexico	(525) 631-4663	(525) 631-4538
Netherlands	074-55 56 09	074-50 34 66
Northern Ireland	01762-362002	01762-362003
Norway	(22) 55 99 66	(22) 56 28 25
Poland	(42) 30 76 43	(42) 30 76 46
Scotland	0141-554-1185	0141-554-6183
Spain	(1) 372-95-17	(1) 372-81-56
Sweden	(0) 300-511.10	(0) 300-709.10
Thailand	662 370 1313	662 370 1307
Trinidad	(809) 628-9330	(809) 628-9259
Wales	(01222) 763-773	(01222) 763-774

DATA ACCESS
CORPORATION

CompuServe: GO DACCESS - Internet (WWW): <http://www.daccess.com>
Phone (305) 238-0012

ON  Seagate
YOUR CHOICE
2.1GB SCSI OR 3GB SCSI \$650
ST12400N ST43400N
HALF HEIGHT FULL HEIGHT

NOTEBOOK

1-800-457-6937



COMPAQ
LTE 5200
PENTIUM 120
10.4" Color Active
1.35GB 8/72RAM
\$6379



NEC
Versa 4000
PENTIUM 75
10.4" Color Dual Scan
540MB 8/40RAM
\$3799



TOSHIBA
SATELITE PRO410 CDT
PENTIUM 90
10.4" Color Active
772MB 8/40EDO RAM
\$4679



Simple
TECHNOLOGY
INCORPORATED

•Data: 28.8K bps (V.34 and V.FCI)•Fax: 14.4K bps send and receive•V.42 bis data compression•Cellular telephone compatible
•Voice recording functions

14.4" **\$97**
Communicator

28.8" **\$257**
Communicator



NOTEBOOK MODEL	PROCESSOR Type/Speed	SCREEN SIZE	RAM Std/Max	HARD DRIVE	PC CARD Qty/Type	POINTING DEVICE	VIDEO RAM	SIZE WxDxH	WEIGHT LBS.	PRICE
COMPAQ										
Contura 420C	486DX4/75	10.4" Color Dual Scan	8/32	420MB	2/II or 1/III	Bit-In TrackBall	1MB	11.9x9x2.2	6.25	\$2089
Contura 430CX	486DX4/75	10.4" Color Active	8/32	420MB	2/II or 1/III	Bit-In TrackBall	1MB	11.9x9x2.2	6.25	2559
Contura 420C	486DX4/100	10.4" Color Dual Scan	8/32	720MB	2/II or 1/III	Bit-In TrackBall	1MB	11.9x9x2.2	6.25	2369
Contura 430CX	486DX4/100	10.4" Color Active	8/32	720MB	2/II or 1/III	Bit-In TrackBall	1MB	11.9x9x2.2	6.25	2939
LTE Elite 4/75C	486DX4/75	9.5" Color Dual Scan	8/32	510MB	2/II or 1/III	Bit-In TrackBall	1MB	11.8x8.9x2	6.9	2999
LTE Elite 4/75CXL	486DX4/75	10.4" Color Active	8/32	810MB	2/II or 1/III	Bit-In TrackBall	1MB	11.8x8.9x2	6.9	4427
LTE5000	Pentium75	10.4" Color Dual Scan	8/72	510MB	2/II or 1/III	EasyPoint II	1MB	12.2x9x2	6.25	3799
LTE5000	Pentium75	11.3" Color Dual Scan	8/72	810MB	2/II or 1/III	EasyPoint II	1MB	12.2x9x2	6.25	4439
LTE5000	Pentium75	10.4" Color Active	8/72	810MB	2/II or 1/III	EasyPoint II	1MB	12.2x9x2	6.25	4729
LTE5100	Pentium90	10.4" Color Active	8/72	810MB	2/II or 1/III	EasyPoint II	1MB	12.2x9x2	6.25	5399
LTE5100CD	Pentium90	10.4" Color Active	8/72	810MB	2/II or 1/III	EasyPoint II	1MB	12.2x9x2	6.25	5599
LTE5200	Pentium120	10.4" Color Active	8/72	1.35GB	2/II or 1/III	EasyPoint II	1MB	12.2x9x2	6.25	6379
NEC										
Versa 2000	486DX4/75	9.5" Color Active	4/32	350MB	2/II or 1/III	Glide Touch Pad	1MB	11.8x9.4x2.1	6.4	\$1999
Versa 2000	486DX4/75	9.5" Color Active	8/40	350MB	2/II or 1/III	Glide Touch Pad	1MB	11.8x9.4x2.1	6.4	2399
Versa 2000	486DX4/75	9.5" Color Active	8/40	540MB	2/II or 1/III	Glide Touch Pad	1MB	11.8x9.4x2.1	6.4	2599
Versa 2000 (Modem)	486DX4/75	9.5" Color Active	8/40	350MB	2/II or 1/III	Glide Touch Pad	1MB	11.8x9.4x2.1	6.4	2599
Versa 2000 (Modem)	486DX4/75	9.5" Color Active	8/40	540MB	2/II or 1/III	Glide Touch Pad	1MB	11.8x9.4x2.1	6.4	2799
Versa 4000	Pentium 75	10.4" Color Dual Scan	8/40	540MB	1/III or 2/II	Glide Touch Pad	1MB	9.5x11.7x2.1	6.3	3499
Versa 4000CD	Pentium 75	10.4" Color Dual Scan	8/40	540MB	1/III or 2/II	Glide Touch Pad	1MB	9.5x11.7x2.1	6.3	3799
Versa 4000	Pentium 75	10.4" Color Active	8/40	810MB	1/III or 2/II	Glide Touch Pad	1MB	9.5x11.7x2.1	6.3	3999
Versa 4050CD	Pentium 90	10.4" Color Active	8/40	810MB	1/III or 2/II	Glide Touch Pad	1MB	9.5x11.7x2.1	6.3	4649
Versa 4050 High Res.	Pentium 90	10.4" High Res.	8/40	810MB	1/III or 2/II	Glide Touch Pad	1MB	9.5x11.7x2.1	6.6	4799
Versa 4080 High Res.	Pentium 120	10.4" High Res.	8/40	1GB	1/III or 2/II	Glide Touch Pad	1MB	9.5x11.7x2.1	6.6	5499
AST										
Ascentia 950N	Pentium 75	10.4" Color Dual Scan	8/40	500MB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	\$2639
Ascentia 950N	Pentium 75	10.4" Color Dual Scan	8/40	800MB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	2879
Ascentia 950N	Pentium 75	10.4" Color Dual Scan	8/40	1.2GB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	3249
Ascentia 950N	Pentium 75	10.4" Color Active	8/40	800MB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	3799
Ascentia 950N	Pentium 75	10.4" Color Active	8/40	1.2GB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	4199
Ascentia 950N	Pentium 90	10.4" Color Dual Scan	8/40	800MB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	3259
Ascentia 950N	Pentium 90	10.4" Color Dual Scan	8/40	1.2GB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	3639
Ascentia 950N	Pentium 90	10.4" Color Active	8/40	800MB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	4199
Ascentia 950N	Pentium 90	10.4" Color Active	8/40	1.2GB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	4579
Ascentia 950N	Pentium 120	11.8" Color Active	8/40	800MB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	4919
Ascentia 950N	Pentium 120	11.8" Color Active	8/40	1.2GB	2/II or 1/III	TrackPoint Stick	1MB	11.5x8.5x1.8	6.4	5199
TOSHIBA										
Satellite T2110CS	486DX4/75	10.4" Color Dual Scan	4/28	320MB	2/II or 1/III	AccuPoint Stick	1MB	11.8x7.9x2.1	6.8	\$1679
Satellite T2130CS	486DX4/75	10.4" Color Dual Scan	8/32	500MB	2/II or 1/III	AccuPoint Stick	1MB	11.8x7.9x2.1	6.8	1969
Satellite T2130CT	486DX4/75	10.4" Color Active	8/32	500MB	2/II or 1/III	AccuPoint Stick	1MB	11.8x7.9x2.1	6.8	2419
Satellite Pro 400CS	Pentium 75	10.4" Color Dual Scan	8/40	772MB	2/II or 1/III	AccuPoint Stick	1MB	11.7x8.8x2.2	6.8	2899
Satellite Pro 400CDT	Pentium 75	10.4" Color Active	8/40	772MB	2/II or 1/III	AccuPoint Stick	1MB	11.7x8.8x2.2	7.3	3999
Satellite Pro 410CS	Pentium 90	11.3" Color Dual Scan	8/40EDO	772MB	2/II or 1/III	AccuPoint Stick	1MB	11.7x8.8x2.2	6.8	3379
Satellite Pro 410CDT	Pentium 90	11.3" Color Active	8/40EDO	772MB	2/II or 1/III	AccuPoint Stick	1MB	11.7x8.8x2.2	7.3	4539
Portege 610CT	Pentium 90	9.5" True Color	8/32	720MB	1/III or 2/II	AccuPoint Stick	1MB	9.9x7.9x2.0	4.8	3939
TECRA 700CS	Pentium 120	11.3" Color Dual Scan	8/40	1.13GB	1/III or 2/II	AccuPoint Stick	1MB	11.8x9.1x2.3	7.3	4539
TECRA 700CT	Pentium 120	11.3" Color Active	16/48	1.13GB	1/III or 2/II	AccuPoint Stick	1MB	11.8x9.1x2.3	7.3	5799
DIGITAL										
HiNote	486DX2/50	9.5" Color Active	4/20	240MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.6	5.5	\$2239
HiNote	486DX4/75	9.5" Color Dual Scan	4/20	510MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.6	5.5	2239
HiNote	486DX4/75	9.5" Color Active	4/20	340MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.6	5.5	2239
HiNote	486DX4/75	9.5" Color Active	4/20	510MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.6	5.5	2239
HiNote Ultra	486DX2/50	9.5" Color Dual Scan	4/20	340MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.2	4	2549
HiNote Ultra	486DX2/50	9.5" Color Active	8/24	340MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.2	4	3079
HiNote Ultra	486DX4/75	9.5" Color Dual Scan	8/24	528MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.2	4	3079
HiNote Ultra	486DX4/75	9.5" Color Active	8/24	340MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.2	4	3319
HiNote Ultra	486DX4/75	9.5" Color Active	8/24	528MB	2/II or 1/III	Bit-In TrackBall	1MB	8.5x11x1.2	4	3639

Ethernet 10Base-T
•Daisy-chain your mobile PC to any Ethernet LAN •Low power consumption
\$123

SCSI
•Daisy-chain up to 7 SCSI devices •Low power, high speed
\$103

PCMCIA Type III Harddrives
170 MB **\$379**
260 MB **\$499**

NEW MEDIA
Experts In Portable Computing Solutions

New Media 28.8 Netsurfer PCMCIA fax/modem
New Media's 28.8 Netsurfer PCMCIA Fax/modem is the standard for high speed communications on the go. The Plug and Play (PnP) compliant Netsurfer data throughput up to 115.2K bps. Auto Install, Win Fax and Win Comm LITE and a lifetime warranty
\$209

Sound/SCSI II Combo **\$399**
WAV/jammer Sound Card **218**
Bus Toaster SCSI II **185**
14.4 PCMCIA Fax Modem **109**
Ethernet LAN, 10BT **129**
Ethernet LAN, coax **149**

Megahertz
PC Card Ethernet Modem with XIAC **\$319**
PC Card Ethernet Adapters with RJ-45 XIAC connector
10Base-T X110BT **\$129**
Combo 10Base-T & 10Base-2 X110BC **\$155**

Hayes
Optima 144 • Fax with EZjack 02252 **\$165**
Optima 28.8 • Fax 14.4 with EZjack 02225 **\$289**

IBM
The New IBM Home and Away PCMCIA Adapter Card **\$349**
0H4707

WORLDWIDE TECHNOLOGIES
1-800-457-6937/1-215-922-0050 437 Chestnut Street, Philadelphia PA 19106

TERMS & CONDITIONS: Credit card orders shipped only to your verified billing address. All returns must be in new resalable condition, including all original packaging, warranty cards, manual and accessories. We will not accept returns on Custom configured systems. Returns are subject to a restocking fee of 10%. Freight charges are non-refundable. Return Address: (9844) number is required for all returns, please contact our customer service department. All prices are in U.S. dollars and are subject to change without notice. Purchase prices at time of order are final. Worldwide Technologies cannot be responsible for errors in typography or printing.

AUTHORITY

FAX ORDERS TO 1-215-922-0116

NOTEBOOK MODEL	PROCESSOR Type/Speed	SCREEN SIZE	RAM Std/Max	HARD DRIVE	PC CARD Qty/Type	POINTING DEVICE	VIDEO RAM	SIZE WxDxH	WEIGHT LBS.	PRICE
IBM										
ThinkPad 365CS	486DX4/75	10.4" Color Dual Scan	8/24	540MB	1/III or 2/II	TrackPoint III	1MB	4.7x8.3x2.0	5.8	\$1999
ThinkPad 365C	486DX4/75	10.4" Color Active	8/24	540MB	1/III or 2/II	TrackPoint III	1MB	4.7x8.3x2.0	5.8	2599
ThinkPad 365CSD	486DX4/75	10.4" Color Dual Scan	8/24	540MB	1/III or 2/II	TrackPoint III	1MB	4.7x8.3x2.0	6.3	2499
ThinkPad 365CD	486DX4/75	10.4" Color Active	8/24	540MB	1/III or 2/II	TrackPoint III	1MB	4.7x8.3x2.0	6.3	3099
ThinkPad 701C	486DX4/75	10.4" Color Dual Scan	8/24	360MB	1/III or 2/II	TrackPoint III	1MB	9.6x7.8x1.6	4.5	2469
ThinkPad 701C	486DX4/75	10.4" Color Dual Scan	8/24	540MB	1/III or 2/II	TrackPoint III	1MB	9.6x7.8x1.6	4.5	2849
ThinkPad 701C	486DX4/75	10.4" Color Active	8/24	360MB	1/III or 2/II	TrackPoint III	1MB	9.6x7.8x1.6	4.5	2924
ThinkPad 701C	486DX4/75	10.4" Color Active	8/24	540MB	1/III or 2/II	TrackPoint III	1MB	9.6x7.8x1.6	4.5	3199
ThinkPad 701C	486DX4/75	10.4" Color Dual Scan	8/24	720MB	1/III or 2/II	TrackPoint III	1MB	9.6x7.8x1.6	4.5	2847
ThinkPad 701C	486DX4/75	10.4" Color Active	8/24	720MB	1/III or 2/II	TrackPoint III	1MB	9.6x7.8x1.6	4.5	3399
ThinkPad 755CD	Pentium 75	10.4" Color Active	8/40	810MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.2	7.3	4949
ThinkPad 755CD	Pentium 75	10.4" Color Active	8/40	1.2GB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.2	7.3	5399
ThinkPad 755CX(Value)	Pentium 75	10.4" CA(no audio-modem-phone)	8/40	540MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.2	6.1	3749
ThinkPad 755CX(Value)	Pentium 75	10.4" CA(no audio-modem-phone)	8/40	810MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.2	6.1	4149
ThinkPad 755CX	Pentium 75	10.4" Color Active	8/40	540MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.2	6.1	3799
ThinkPad 755CX	Pentium 75	10.4" Color Active	8/40	810MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.2	6.1	4149
ThinkPad 755CX	Pentium 75	10.4" Color Active	8/40	1.2GB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.2	6.1	5699
ThinkPad 755CV	Pentium 75	10.4" Color Active	8/40	810MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.0	6.5	5949
ThinkPad 755CV	Pentium 75	10.4" Color Active	8/40	1.2GB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.0	6.5	5899
ThinkPad 755CDV	Pentium 75	10.4" Color Active	8/40	810MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.0	6.5	5999
ThinkPad 755CDV	Pentium 75	10.4" Color Active	8/40	1.2GB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.0	6.5	6449
ThinkPad 760C	Pentium 90	10.4" Color Active	8/40	720MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.0	6.1	5349
ThinkPad 760C	Pentium 90	12.1" Color Active	8/40	720MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.0	7.3	6049
ThinkPad 760C	Pentium 120	12.1" Color Active	8/40	720MB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.0	7.3	6599
ThinkPad 760CD(4X)	Pentium 90	12.1" Color Active	8/40	1.2GB	1/III or 2/II	TrackPoint III	1MB	11.7x8.3x2.0	7.3	7449

HEWLETT PACKARD

OmniBook 600C	486DX4/75	8.5" Color Dual Scan	8/16	340MB	2/II or 1/III	Pop-Up Mouse	1MB	11.1x7.3x1.6	3.8	2539
OmniBook 600CT	486DX4/75	9.5" Color Active	8/32	340MB	2/II or 1/III	Pop-Up Mouse	1MB	11.1x7.3x1.6	4.6	2999
OmniBook 5000C VL75	Pentium 75	10.4" Color Dual Scan	8/64	540MB	2/II or 1/III	Bit-In TrackBall	1MB	11.6x8.9x1.9	6.8	3279
OmniBook 5000CT VL75	Pentium 75	10.4" Color Active	8/64	1.2GB	2/II or 1/III	Bit-In TrackBall	1MB	11.6x8.9x1.9	6.8	3589
OmniBook 5000C VL90	Pentium 90	10.4" Color Dual Scan	8/64	810MB	2/II or 1/III	Bit-In TrackBall	1MB	11.6x8.9x1.9	6.8	3859
OmniBook 5000CT VL90	Pentium 90	10.4" Color Active	8/64	1.2GB	2/II or 1/III	Bit-In TrackBall	1MB	11.6x8.9x1.9	6.8	4889
OmniBook 5000CT	Pentium 90	10.4" Color Active	8/64	1.2GB	2/II or 1/III	Bit-In TrackBall	1MB	11.6x8.9x1.9	6.8	5234
OmniBook 5000CTS	Pentium 90	10.4" Color Active (800x600)	16/64	1.2GB	2/II or 1/III	Bit-In TrackBall	1MB	11.6x8.9x1.9	6.8	5797
OmniBook 5000CTS	Pentium 120	10.4" Color Active (800x600)	16/64	1.2GB	2/II or 1/III	Bit-In TrackBall	1MB	11.6x8.9x1.9	6.8	6539

TEXAS INSTRUMENTS

EXTENSA 450	486DX4/75	10.4" Color Dual Scan	4/32	340MB	1/II	Touch Pad	1MB	11.7x8.2x1.7	5.0	\$1627
EXTENSA 450T	486DX4/75	9.5" Color Active	4/32	340MB	1/II	Touch Pad	1MB	11.7x8.2x1.7	5.0	2014
EXTENSA 550	Pentium 75	10.4" Color Dual Scan	8/40	524MB	2/II or 1/III	Touch Pad	1MB	11.6x9x2.2	6.2	2394
EXTENSA 550CD	Pentium 75	10.4" Color Dual Scan	8/40	524MB	2/II or 1/III	Touch Pad	1MB	11.6x9x2.2	6.2	2867
EXTENSA 550CDT	Pentium 75	10.4" Color Active	8/40	524MB	2/II or 1/III	Touch Pad	1MB	11.6x9x2.2	6.4	3444
TM5000	Pentium 75	10.5" Color Dual Scan	8/32	524MB	2/II or 1/III	Point Stick	2MB	11x8.7x2.2	6.7	2769
TM5000	Pentium 75	10.4" Color Active	8/32	772MB	2/II or 1/III	Point Stick	2MB	11x8.7x2.2	6.7	3469
TM5100	Pentium 90	10.4" Color Active	8/32	1.2GB	2/II or 1/III	Point Stick	2MB	11x8.7x2.2	6.7	4199
TM5200	Pentium 120	10.4" Color Active	8/32	1.2GB	2/II or 1/III	Point Stick	2MB	11x8.7x2.2	6.7	4979

ZENITH

Z-Star	486DX4/100	10.4" Color Dual Scan	4/20	420MB	2/II or 1/III	Bit-In TrackBall	1MB	11x8.7x1.8	5.2	2329
Z-Note MX	486DX4/100	9.5" Color Dual Scan	8/32	420MB	2/II or 1/III	Pressure Pad	1MB	11.1x8.7x1.9	5.9	2499
Z-Note MX	486DX4/100	9.5" Color Dual Scan	8/32	540MB	2/II or 1/III	Pressure Pad	1MB	11.1x8.7x1.9	5.9	2599
Z-Note MX	486DX4/100	9.5" Color Dual Scan	8/32	810MB	2/II or 1/III	Pressure Pad	1MB	11.1x8.7x1.9	5.9	2799
Z-Note MX	486DX4/100	10.4" Active Color	8/32	810MB	2/II or 1/III	Pressure Pad	1MB	11.1x8.7x1.9	6.1	3499

SAMSUNG

SENS 700	486DX4/75	10.4" Color Dual Scan	8/32	520MB	2/II or 1/III	Bit-In TrackBall	1MB	11.3x8.9x2.2	6.2	\$1999
SENS 700	486DX4/100	10.4" Active Color	8/32	810MB	2/II or 1/III	Bit-In TrackBall	1MB	11.3x8.9x2.2	6.5	2499
SENS 800	Pentium 75	10.4" Color Dual Scan	8/32	520MB	2/II or 1/III	Bit-In TrackBall	1MB	11.3x8x2.1	6.2	2399
SENS 800	Pentium 75	10.4" Active Color	8/32	810MB	2/II or 1/III	Bit-In TrackBall	1MB	11.3x8x2.1	6.5	2999
SENS 800	Pentium 90	10.4" Active Color	8/32	1.3GB	2/II or 1/III	Bit-In TrackBall	1MB	11.3x8x2.1	6.5	3499

NOTEBOOK MEMORY

AST RESEARCH MEMORY

Ascentia 900N 4/50, 4/75, 910N	4MB	\$189
Ascentia 900N 4/50, 4/75, 910N	8MB	389
Ascentia 900N 4/50, 4/75, 910N	16MB	649

COMPAQ MEMORY

LTE Lite20, Lite25, Lite25C, Lite25E	4MB	189
LTE Lite20, Lite25, Lite25C, Lite25E	8MB	389
LTE Lite20, Lite25, Lite25C, Lite25E	16MB	689
LTE Lite 4/25C, 3/30, 2/55, 2/55L Mono Notebk	4MB	189
LTE Lite 4/25C, 3/30, 2/55, 2/55L Mono Notebk	8MB	389
LTE Lite 4/25C, 3/30, 2/55, 2/55L Mono Notebk	16MB	649
LTE Lite 4/40C, 5/60, 4/60C, 5/60C, 7/50C	4MB	189
LTE Lite 4/40C, 5/60, 4/60C, 5/60C, 7/50C	8MB	389
LTE Lite 4/40C, 5/60, 4/60C, 5/60C, 7/50C	16MB	789
Centura 4/25, 4/25C, 4/25CX	4MB	189
Centura 4/25, 4/25C, 4/25CX	8MB	389
Centura 4/25, 4/25C, 4/25CX	16MB	649
Centura 3/20, 3/25, 3/25C	4MB	189
Centura 3/20, 3/25, 3/25C	8MB	349
Centura 400C, 400CX, 410, 410C, 410CX	4MB	189
Centura 420 DX4/75, 430 DX4/100	8MB	349
Centura 400C, 400CX, 410, 410C, 410CX	16MB	649
Centura 420 DX4/75, 430 DX4/100	8MB	349
Centura 400C, 400CX, 410, 410C, 410CX	16MB	649

HEWLETT-PACKARD MEMORY

OmniBook 600C	4MB	\$189
OmniBook 600C	8MB	389
OmniBook 4000	4MB	189
OmniBook 4000	8MB	349
OmniBook 4000	16MB	649

IBM MEMORY

ThinkPad 701	4MB	\$189
ThinkPad 701	8MB	349
ThinkPad 701	16MB	649
PS/2 CL570X, ThinkPad 700, 700C, 720C;	4MB	189
PS/2 CL570X, ThinkPad 700, 700C, 720C;	8MB	389
PS/2 CL570X, ThinkPad 700, 700C, 720C;	16MB	699
ThinkPad 750, 755, 355, 340 (All Models)	32MB	1449
ThinkPad 750, 755, 355, 340 (All Models)	4MB	189
ThinkPad 750, 755, 355, 340 (All Models)	8MB	349
ThinkPad 750, 755, 355, 340 (All Models)	16MB	699
ThinkPad 750, 755, 355, 340 (All Models)	32MB	1449
ThinkPad 730T, 750, 755, 360, (All Models)	4MB	189
ThinkPad 355, 355C, 355C	8MB	349
ThinkPad 730T, 750, 755, 360, (All Models)	16MB	699
ThinkPad 355, 355C, 355C	32MB	1509
ThinkPad 755 Series	4MB	189
ThinkPad 755 Series	8MB	349
ThinkPad 755 Series	16MB	649

NEC MEMORY

UltraLite Versa, Versa E, M, P, V, 4000	4MB	\$189
UltraLite Versa, Versa E, M, P, V, 4000	8MB	349
UltraLite Versa, Versa E, M, P, V, 4000	16MB	649
Versa E, M, P, V, 4000 P75	4MB	189
Versa S, 2000	8MB	349
Versa S, 2000	16MB	649

TEXAS INSTRUMENTS MEMORY

TravelMate 4000, 4000E, 4000M	16MB	\$849
TravelMate 5000	8MB	389
TravelMate 5000	16MB	749
Extensa 450, 450T, 455, 455T	4MB	189
Extensa 450, 450T, 455, 455T	8MB	349
Extensa 450, 450T, 455, 455T	16MB	649

TOSHIBA MEMORY

Portege 610CT, Satellite Pro 400CS, 400COT	8MB	\$389
Portege 610CT, Satellite Pro 400CS, 400COT	16MB	749
Portege 610CT, Satellite Pro 400CS, 400COT	32MB	1499
T2100, /CS, /CT, T2105, /CS, /CT	4MB	189
T2150COT, T2150CDS, T2155COT, T2155CDS	8MB	389
T2110, T2115, T2130, T2135	8MB	389
T2100, /CS, /CT, T2105, /CS, /CT	16MB	699
T2150COT, T2150CDS, T2155COT, T2155CDS	16MB	699
T2110, T2115, T2130, T2135	24MB	1279
T2100, /CS, /CT, T2105, /CS, /CT	24MB	1279
T2150COT, T2150CDS, T2155COT, T2155CDS	24MB	1279
T2110, T2115, T2130, T2135	24MB	1279

ZENITH DATA MEMORY

Z-Star EX	4MB	\$189
Z-Star EX	8MB	349
Z-Star EX	16MB	649
Z-NoteFlex	4MB	189
Z-NoteFlex	8MB	389
Z-NoteFlex	16MB	689

NOTEBOOK DRIVES

IBM MODELS 755-355-360-750

524MB-\$895	810MB-\$1095
710MB-\$995	1.2GB-\$1695

MODELS 700-700C-780-720C

340MB-\$995	720MB-\$1495
524MB-\$1295	

MODELS 701C-701CS

540MB-\$795	720MB-\$895
-------------	-------------

NEC VERSA E,M,V,P

340MB-\$595	720MB-\$1095
524MB-\$895	1.2GB-\$1695

TOSHIBA MK2282FC

524MB 15MS IDE	\$399
520MB 15MS SCSI	449
810MB 13MS IDE	499
1.3GB 13MS IDE	575

SEAGATE ST9150AG

131MB 16MS	\$169
510MB 16MS	199
510MB 16MS	299
524MB 16MS	399
810MB 16MS	549



WE WILL TRY TO MATCH OR BEAT ANY ADVERTISED PRICE. CALL FOR LATEST PRICING!!

WE ACCEPT PO'S
FROM QUALIFIED FIRMS

30 DAY
MONEY BACK
GUARANTEE

IBM PS/1, PS/2 MEMORY MODULES

LIFETIME
WARRANTY

SECURITY WILL CALL WINDOW NOW
OPEN! NO SURCHARGE FOR MC,
VISA AE & DISCOVER

BATTERIES

★ ★ CALL FOR NOTEBOOK AND LAPTOP BATTERIES ★ ★

TOSHIBA LAPTOP MEMORY

MODEL	AMT. UPGRADED	MANU. PART #	PRICE
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319

NOTEBOOK, LAPTOP MEMORY

MODEL	AMT. UPGRADED	MANU. PART #	PRICE
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319
2800SX/2800SX/1800, 1800, 1800	2Mg/4Mg/8Mg/16Mg	PC-P20000	89/160/319

IBM PART NO.	WORKS WITH MODEL NO.	PRICE
30P358 (2136)	30-286, 25-286, 50 MTR 80	37.00
30P359 (2136)	30-286, 25-286, 50 MTR 80	104.00
440375 (2136)	80-486	79.00
440376 (2136)	80-486	84.00
440377 (2136)	80-486	89.00
440378 (2136)	80-486	94.00
440379 (2136)	80-486	99.00
440380 (2136)	80-486	104.00
440381 (2136)	80-486	109.00
440382 (2136)	80-486	114.00
440383 (2136)	80-486	119.00
440384 (2136)	80-486	124.00
440385 (2136)	80-486	129.00
440386 (2136)	80-486	134.00
440387 (2136)	80-486	139.00
440388 (2136)	80-486	144.00
440389 (2136)	80-486	149.00
440390 (2136)	80-486	154.00
440391 (2136)	80-486	159.00
440392 (2136)	80-486	164.00
440393 (2136)	80-486	169.00
440394 (2136)	80-486	174.00
440395 (2136)	80-486	179.00
440396 (2136)	80-486	184.00
440397 (2136)	80-486	189.00
440398 (2136)	80-486	194.00
440399 (2136)	80-486	199.00
440400 (2136)	80-486	204.00
440401 (2136)	80-486	209.00
440402 (2136)	80-486	214.00
440403 (2136)	80-486	219.00
440404 (2136)	80-486	224.00
440405 (2136)	80-486	229.00
440406 (2136)	80-486	234.00
440407 (2136)	80-486	239.00
440408 (2136)	80-486	244.00
440409 (2136)	80-486	249.00
440410 (2136)	80-486	254.00
440411 (2136)	80-486	259.00
440412 (2136)	80-486	264.00
440413 (2136)	80-486	269.00
440414 (2136)	80-486	274.00
440415 (2136)	80-486	279.00
440416 (2136)	80-486	284.00
440417 (2136)	80-486	289.00
440418 (2136)	80-486	294.00
440419 (2136)	80-486	299.00
440420 (2136)	80-486	304.00
440421 (2136)	80-486	309.00
440422 (2136)	80-486	314.00
440423 (2136)	80-486	319.00
440424 (2136)	80-486	324.00
440425 (2136)	80-486	329.00
440426 (2136)	80-486	334.00
440427 (2136)	80-486	339.00
440428 (2136)	80-486	344.00
440429 (2136)	80-486	349.00
440430 (2136)	80-486	354.00
440431 (2136)	80-486	359.00
440432 (2136)	80-486	364.00
440433 (2136)	80-486	369.00
440434 (2136)	80-486	374.00
440435 (2136)	80-486	379.00
440436 (2136)	80-486	384.00
440437 (2136)	80-486	389.00
440438 (2136)	80-486	394.00
440439 (2136)	80-486	399.00
440440 (2136)	80-486	404.00
440441 (2136)	80-486	409.00
440442 (2136)	80-486	414.00
440443 (2136)	80-486	419.00
440444 (2136)	80-486	424.00
440445 (2136)	80-486	429.00
440446 (2136)	80-486	434.00
440447 (2136)	80-486	439.00
440448 (2136)	80-486	444.00
440449 (2136)	80-486	449.00
440450 (2136)	80-486	454.00
440451 (2136)	80-486	459.00
440452 (2136)	80-486	464.00
440453 (2136)	80-486	469.00
440454 (2136)	80-486	474.00
440455 (2136)	80-486	479.00
440456 (2136)	80-486	484.00
440457 (2136)	80-486	489.00
440458 (2136)	80-486	494.00
440459 (2136)	80-486	499.00
440460 (2136)	80-486	504.00
440461 (2136)	80-486	509.00
440462 (2136)	80-486	514.00
440463 (2136)	80-486	519.00
440464 (2136)	80-486	524.00
440465 (2136)	80-486	529.00
440466 (2136)	80-486	534.00
440467 (2136)	80-486	539.00
440468 (2136)	80-486	544.00
440469 (2136)	80-486	549.00
440470 (2136)	80-486	554.00
440471 (2136)	80-486	559.00
440472 (2136)	80-486	564.00
440473 (2136)	80-486	569.00
440474 (2136)	80-486	574.00
440475 (2136)	80-486	579.00
440476 (2136)	80-486	584.00
440477 (2136)	80-486	589.00
440478 (2136)	80-486	594.00
440479 (2136)	80-486	599.00
440480 (2136)	80-486	604.00
440481 (2136)	80-486	609.00
440482 (2136)	80-486	614.00
440483 (2136)	80-486	619.00
440484 (2136)	80-486	624.00
440485 (2136)	80-486	629.00
440486 (2136)	80-486	634.00
440487 (2136)	80-486	639.00
440488 (2136)	80-486	644.00
440489 (2136)	80-486	649.00
440490 (2136)	80-486	654.00
440491 (2136)	80-486	659.00
440492 (2136)	80-486	664.00
440493 (2136)	80-486	669.00
440494 (2136)	80-486	674.00
440495 (2136)	80-486	679.00
440496 (2136)	80-486	684.00
440497 (2136)	80-486	689.00
440498 (2136)	80-486	694.00
440499 (2136)	80-486	699.00
440500 (2136)	80-486	704.00
440501 (2136)	80-486	709.00
440502 (2136)	80-486	714.00
440503 (2136)	80-486	719.00
440504 (2136)	80-486	724.00
440505 (2136)	80-486	729.00
440506 (2136)	80-486	734.00
440507 (2136)	80-486	739.00
440508 (2136)	80-486	744.00
440509 (2136)	80-486	749.00
440510 (2136)	80-486	754.00
440511 (2136)	80-486	759.00
440512 (2136)	80-486	764.00
440513 (2136)	80-486	769.00
440514 (2136)	80-486	774.00
440515 (2136)	80-486	779.00
440516 (2136)	80-486	784.00
440517 (2136)	80-486	789.00
440518 (2136)	80-486	794.00
440519 (2136)	80-486	799.00
440520 (2136)	80-486	804.00
440521 (2136)	80-486	809.00
440522 (2136)	80-486	814.00
440523 (2136)	80-486	819.00
440524 (2136)	80-486	824.00
440525 (2136)	80-486	829.00
440526 (2136)	80-486	834.00
440527 (2136)	80-486	839.00
440528 (2136)	80-486	844.00
440529 (2136)	80-486	849.00
440530 (2136)	80-486	854.00
440531 (2136)	80-486	859.00
440532 (2136)	80-486	864.00
440533 (2136)	80-486	869.00
440534 (2136)	80-486	874.00
440535 (2136)	80-486	879.00
440536 (2136)	80-486	884.00
440537 (2136)	80-486	889.00
440538 (2136)	80-486	894.00
440539 (2136)	80-486	899.00
440540 (2136)	80-486	904.00
440541 (2136)	80-486	909.00
440542 (2136)	80-486	914.00
440543 (2136)	80-486	919.00
440544 (2136)	80-486	924.00
440545 (2136)	80-486	929.00
440546 (2136)	80-486	934.00
440547 (2136)	80-486	939.00
440548 (2136)	80-486	944.00
440549 (2136)	80-486	949.00
440550 (2136)	80-486	954.00
440551 (2136)	80-486	959.00
440552 (2136)	80-486	964.00
440553 (2136)	80-486	969.00
440554 (2136)	80-486	974.00
440555 (2136)	80-486	979.00
440556 (2136)	80-486	984.00
440557 (2136)	80-486	989.00
440558 (2136)	80-486	994.00
440559 (2136)	80-486	999.00
440560 (2136)	80-486	1004.00
440561 (2136)	80-486	1009.00
440562 (2136)	80-486	1014.00
440563 (2136)	80-486	1019.00
440564 (2136)	80-486	1024.00
440565 (2136)	80-486	1029.00
440566 (2136)	80-486	1034.00
440567 (2136)	80-486	1039.00
440568 (2136)	80-486	1044.00
440569 (2136)	80-486	1049.00
440570 (2136)	80-486	1054.00
440571 (2136)	80-486	1059.00
440572 (2136)	80-486	1064.00
440573 (2136)	80-486	1069.00
440574 (2136)	80-486	1074.00
440575 (2136)	80-486	1079.00
440576 (2136)	80-486	1084.00
440577 (2136)	80-486	1089.00
440578 (2136)	80-486	1094.00
440579 (2136)	80-486	1099.00
440580 (2136)	80-486	1104.00
440581 (2136)	80-486	1109.00
440582 (2136)	80-486	1114.00
440583 (2136)	80-486	1119.00
440584 (2136)	80-486	1124.00
440585 (2136)	80-486	1129.00
440586 (2136)	80-486	1134.00
440587 (2136)	80-486	1139.00
440588 (2136)	80-486	1144.00
440589 (2136)	80-486	1149.00
440590 (2136)	80-486	1154.00
440591 (2136)	80-486	1159.00
440592 (2136)	80-486	1164.00
440593 (2136)	80-486	1169.00
440594 (2136)	80-486	1174.00
440595 (2136)	80-486	1179.00
440596 (2136)	80-486	1184.00
440597 (2136)	80-486	1189.

Products highlighted in yellow offer special pricing for BYTE readers only! Take advantage of these outstanding values by mentioning VIP 386 when you call today to place your order.

Jameco 486DX2 66MHz Bare-bones System

- Includes motherboard, computer case and power supply. Monitor and keyboard not included.
- Cyrix CX486DX2-66 CPU
- 256KB cache memory
- Supports two 30-pin banks of two and one 72-pin bank of two SIMMs up to 64MB
- Seven 16-bit with three 32-bit (VESA local bus) slot extensions • Award BIOS (with power management, green PC compliant)

128670 486DX2 66MHz\$329.95

Jameco 80486 Turbo Motherboard

- AMI BIOS
- Supports CPUs: 486DX 25/33/40/50MHz 486DX2 50/66MHz (internally) 486SX/487SX 20/25/33MHz 486 Overdrive™ 50/66MHz (internally) P24T, Cyrix CX486S and Cyrix CX487S
- Supports 32MB RAM on board (OMB installed)
- Supports 256K x 9, 1M x 9 and 4M x 9 flexible cache RAM 32KB/64KB/128KB/256KB (OKB installed)
- One 8-bit slot, six 16-bit slots and two (or three) Vesa slots
- Size: 8.6"W x 10.2"L • Weight: 1.6 lbs.
- One year warranty

127061 80486 Turbo MB w/o CPU\$89.95

Jameco Motherboards

- Some motherboards also available without CPU. Call for details
- Diagnostic and operating system software available
- One-year warranty

Part No.	Product No.	Description	Price
79265	80286 20MHz w/ CPU		\$69.95
115941	80386SX 40MHz w/ CPU		\$89.95
117401	80386DX 40MHz w/ CPU		\$129.95
79214	80486SX 25MHz w/ CPU		\$139.95
116118	80486SLC 66MHz w/ CPU		\$179.95
95222	80486DX 33MHz w/ CPU		\$199.95
95169*	80486DX w/o CPU		\$139.95
119731	486DX2 66MHz Motherboard		\$249.95
124652	Pentium 75MHz Motherboard		\$429.95
124644	Pentium 75/90/100MHz w/o CPU		\$249.95

*Compatible w/ DX2-66/50 or DX33/40/50

Dynamic RAM

Part No.	Product No.	Description	Price
41620	4164-100	16 64KB x 1 100ns	\$1.39
41435	41256-60	16 256KB x 1 60ns	2.39
41443	41256-80	16 256KB x 1 80ns	2.19
41371	41256-100	16 256KB x 1 100ns	1.79
42243	51100P-70	18 1MB x 1 70ns	6.29
42251	51100P-80	18 1MB x 1 80ns	6.19

SIMMs

Part No.	Product No.	Description	Price
53701	94000S-70	4MB x 9 70ns	\$169.95
53719	94000S-80	4MB x 9 80ns	164.95
41486	41256A9B-10	256KB x 9 100ns	8.95
41515	41256A9B-70	256KB x 9 70ns	14.25
41523	41256A9B-80	256KB x 9 80ns	13.75
41769	42100A9B-80	1MB x 9 80ns	44.95

Computer Power Supplies

- Fits most popular desktop, mini vertical and vertical cases
- 8088/80286/80386 and compatible
- One-year warranty
- Built-in fan

Part No.	Product No.	Description	Price
19465	150 Watt (8088)		\$59.95
67467	200 Watt (8088/80286)		69.95
19545	200 Watt		79.95
19529	200 Watt mini		59.95
65728	300 Watt		109.95

Keyboard Blowout!



Part No.	Description	Price
20431	84-key keyboard	\$19.95
114868	84-key keyboard, AT, use 114850	59.95
114850	18-key keypad for 114868 only	34.95
78297	101-key AT compatible keyboard	19.95
67432	101-key PC/XT/AT/386/486 compat.	19.95
119044	101-key w/ trackball, PC/XT/AT; PS2	59.95
119167	101-key foldable, PC/XT/AT; PS2	69.95
17128	101-key enhanced keyboard	69.95
119554	101-key w/ built-in phone headset	99.95
124089	101-key multimedia keyboard	89.95
119669	124-key programmable keyboard	69.95
17136	130-key keyboard with calculator	79.95

Jameco Heat Sink/ Fans for 80486/ Pentium CPUs!

- Keep your 80486 and Pentium cool!
- High efficiency cooling fan design
- Installation is easy! Just snap it in

Part No.	Description	Price
85497	486 CPU Heat Sink only	\$3.95
67660	486 CPU Heat Sink w/fan	8.95
112379	486 CPU Heat Sink w/fan & heat pump	49.95
117348	Pentium 60/66 Heat Sink w/fan	14.95
118092	Pentium 75/90/100 Heat Sink w/fan	14.95

64-Bit PCI Local Bus Graphics Accelerator Card

- IBM 486 and up, PCI 2.0 compliant
- 1MB DRAM standard on board; upgradeable to 2MB or 4MB using 256 x 16 DRAM P/N 128688
- Drivers for many Microsoft® and other popular software applications including Lotus, AutoCad and 3D Studio (3.5" disks)
- VGA, SVGA and multi-sync compatible
- Feature connector VESA 26-pin header with DB15 video connector • User's manual included
- Size: 7.6"L x 3.3"W • One-year warranty

128805 1MB PCI graphics card\$119.95

Jameco PC Air Exhaust Fan

- Connects to card slot (non electrically)
- The airduct can be extended
- 12VDC 20 CFM airflow
- One-year warranty

124492 PC air exhaust fan\$24.95

IDE Hard Drives

- For laptops and standard cases

Part No.	Description	Price
123191	H2172-A2 172MB 2.5" for laptops	\$149.95
125701	CFS635A 635MB 3.5"	229.95
118949	CFA850A 850MB 3.5"	249.95
124978	CFS1275A 1.27GB 3.5"	299.95
67061	JE1066A 16-bit hard/floppy card	29.95

Floppy Disk Drives

- PC/XT/AT compatible

Part No.	Description	Price
118957	Panasonic 1.2 MB 5.25"	\$49.95
118922	Panasonic 1.44 MB 3.5"	49.95
74392	Teac 3.5"/5.25" Combo	129.95

JAMECO

ELECTRONIC COMPONENTS
COMPUTER PRODUCTS

© 1996 Jameco 3/96
New Hours:
6AM - 6PM PST
1355 Shoreway Road
Belmont, CA 94002-4100
FAX: 1-800-237-6948 (Domestic)
FAX: 415-592-2503 (International)
E-mail: info@jameco.com
http://www.jameco.com

VISA MasterCard Discover Novus FedEx UPS

Upgrade to a Windows 95 Keyboard!

Our new Windows 95 keyboards include three additional keys for use in switching between active applications, accessing preloaded applications and files, and creating context-sensitive shortcuts. Utilizing these keys makes work within Windows 95 faster and easier.

Part No.	Description	Price
128813	Win 95 104-key keyboard	\$19.95
128821	Win 95 104-key KB w/ trackball	59.95

101-Key Keyboard w/ Trackball

- PC/AT and compatibles
- Tactile click sound and feel
- "N-key" roll-over for quick typists • Adjustable tilt mechanism
- Requires DOS 3.0 or higher
- Menu driven software driver included
- One-year warranty

128717 Keyboard w/ trackball\$89.95

Soundwave 32 Pro 16-Bit Stereo Sound Card

- With Wavetable Synthesis
- AT and compatibles
- DOS 5.0 or higher, Windows 3.1 or higher
- Mitsumi, Sony/Orchid drivers (3.5")
- Complete suite of software including voice recognition, special effects, MIDI sequencer and audio utilities
- FREE MICROPHONE! • Complete manuals
- Weight: 1.6 lbs. • One-year warranty

127079 Multimedia sound card\$169.95

Sertek 5X Enhanced IDE CD-ROM with Sound Card

- This drive is ideal for all your multimedia needs! The enhanced IDE/ATAPI interface allows the CD-ROM drive to share the same data bus and interface card with a disk drive. The included sound card gives you real 16-bit stereo CD quality sound.
- AT/386/486/Pentium compatibles with DOS 5.0 or higher, Windows 3.1, Windows '95 or OS/2
- Data transmission rate: 750KB/sec.
- Power/motorized tray-loading and disk ejection
- Weight: 3.4 lbs • One-year warranty

127677 5X CD-ROM drive w/ sound card \$269.95

3.5" and 5.25" External IDE Cases

- Uses parallel port to interface to IDE device (BI-directional port recommended)
- For hard/floppy disk drives and CD-ROM (P/N 127001)
- Drive compatibility: 80MB, 106MB, 120MB, 210MB, 426MB, 850MB IDE hard drives and 2X CD-ROM IDE drives • Software drivers included

127010 3.5" external case\$99.95

127001 5.25" external case99.95

IBM Easy Options Surge Protector

- 6-outlets - all protected
- 2-RJ11/45 phone, fax or modem jacks
- High speed fuse for catastrophic surge
- UL® 1449 surge protection listed to 400 volts
- 200 volts clamping level • EM/RFI noise filtration
- 7' RJ11 4-wire phone cord included
- \$25,000 lifetime guarantee

128602 6-outlet surge protector\$24.95

Call for your FREE catalog



Mention V.I.P.#386

Hyundai Full Page Monitor

The full page monitor is a unique, dual-purpose monitor that functions both as a normal black-and-white VGA monochrome monitor and as a medium-resolution, full page monitor. It can display the complete text of a standard 8.5" x 11" letter using a standard IBM VGA video system.

- 15", portrait-oriented, monochrome display
- Works in full page mode with the most popular word processors • Full page screen drivers for many popular programs
- Works with any IBM-compatible VGA system - no special video controller needed
- Scan frequency: Horizontal: 31.5kHz/35.5kHz Vertical: 56/58/60/62/70Hz
- 640 x 350, 720 x 400, 640 x 480, 640 x 550, 640 x 600 • Non-glare screen • Power: 120VAC
- Size: 13.9"L x 11.7"W x 15.0"H • Weight: 25.9 lbs.

127909 Full page monochrome\$119.95

800dpi Hand Scanners

- These professional scanners include Ocrn Perceive OCR software and are ideal for Windows based applications.
- P/N 128776 supports 16.8 million colors and P/N 128784 supports 256 of gray shades.
- PC/XT/AT and compatibles
- Requires: 2MB RAM (4MB recommended), Windows 3.X, high or true color VGA or SVGA graphics card, 4MB hard drive space
- File formats supported: TIFF, PCX, BMP, TGA, GIF, JPEG
- Includes interface card, 3.5" disks and manuals
- Weight: 2.1 lbs. • One-year warranty

128784 256 gray shades scanner\$69.95

128776 16.8M color scanner139.95

3 Button Serial Mouse

- PC/XT/386/486 and compatibles
- Microsoft® Mouse compatible
- One-year warranty
- Weight: 1 lb.

104441 3 Button serial mouse\$9.95

PHOEBE 14.4 Internal Modem

- PC/XT/AT and compatibles
- Support international CCITT and Bell standards
- 100% reliable data transfer with V.42 bis/MNP5 error detection
- Five test feature for fault locating
- AT ISA bus compatible • 14.4 bps group III fax
- CCITT V.32 bis, V.32 14.4 bps data
- Industry standard "AT" command set
- Delrina 4-in-1 software for Windows/DOS
- Hayes compatible • FCC compliance
- Weight: 1.5 lbs • One-year warranty

116599 Internal 14.4 fax/modem\$69.95

28.8 bps Data/Fax Internal Modem

- Data throughput up to 115,200 bps (data compression)
- 28,800 bps (Data V.34)
- 14,400 bps group III fax
- V.42/MNP 2-4 error control
- 16,550A compatible UART interface
- Hayes compatible • FCC class B, part 68 certified
- Weight: 2 lbs • One-year warranty

124476 Internal 28,800 fax/modem\$169.95

Jameco Fast Input/Output Card

- UART chips emulate 16550 UARTs
- 16-bit card
- PC/XT/AT and compatibles
- Can be used in an 8-bit system with IRQ 3, 4, 5, 7
- Four serial ports
- Three parallel ports
- All ports configurable to IRQ 3, 4, 5, 7, 9, 10, 11, 12, and 15
- Parallel ports are selectable for normal or bi-directional modes
- Weight: 1 lb. • One-year warranty

117971 Input/Output card\$89.95

Call 1-800-831-4242 to order today!

FROM MATHEMATICAL MODEL TO SIMULATION PROGRAM

Simulation Technology & Parallelism

For Learning Environments

Methods, Concepts, Models and Systems

Rik Min, University of Twente

"In a learning environment it is essential that the learner or user can see both the simulated world and the instruction materials: we call that parallelism."

Parallelism is more than multi-windowing or a desktop concept.

Parallelism is based on:

- the desk-top philosophy
- multi-tasking
- multi-windowing concepts
- the parallel instruction-theory of Rik Min (1994)



• Address: Academic Book Center, P.O. Box 132, 2678 ZJ De Lier, the Netherlands.
Phone +31(0)174-517811, Fax: +31(0)174-514535.

• ISBN 90-5478-036-3; NUGI 724/851 (1995), 202 pages; full color cover; 80 figures; 8 color figures inside; 47.50 US dollar, incl. handling and postage.

• Payment by cheque.

The simulation programs and other simulation stuff - as described in this book - are also available on CD-ROM: 99 US dollar, excl. handling and postage.

• University of Twente
<http://www.to.utwente.nl/user/ism/min/personal.htm>



WHEN FAILURE IS NOT AN OPTION...



YOU NEED POWER YOU CAN DEPEND ON

The LT Series uninterruptible power system from Controlled Power represents a significant advance in UPS technology. The system utilizes Fuzzy Logic theory to provide a regulated output voltage over a much wider input fluctuation range, down to 50% of nominal input voltage, before resorting to battery power. This patented "Fuzzy Ranging™" feature greatly extends battery life and increases backup time during full power outages. Other competitive advantages of the LT Series UPS include:

- Full power protection, conditioning and power purification
- Regulates output voltage within +/- 3%
- Provides R232 communication with SNMP capability
- Utilizes advanced LAN/WAN network monitoring of all electrical parameters readable in realtime and is recorded for review and analysis
- True Magnetic Isolation
- Input power factor correction/harmonic attenuation
- Up to 12 hours of optional battery time

So when failure is not an option for your operation and you need power you can depend on, turn to a company with over 25 years of power control expertise and experience. Controlled Power also offers unsurpassed product support that includes technical assistance and service 24 hours a day, seven days a week.

For more information on Quality Solutions to Power Problems call, write or fax to:



CONTROLLED POWER COMPANY

1955 STEPHENSON HWY • TROY, MI 48063 • (810) 528-3700 • FAX (810) 528-0411


PHONE: 1-800-521-4792 • FAX: 1-800-642-9625



Weighing output quality, software functionality, battery life, and price, we wholeheartedly recommend Controlled Power's LT-1200 UPS.

-Byte Magazine, 11/95.

Single Board Computers



- ◆ Pentium PCI/ISA CPU cards for processors up to 120MHz.
- ◆ PCI/ISA Pentium boards with on board SCSI-II, Enhanced IDE, High Speed Serial Ports, and Enhanced Parallel Port.
- ◆ 486 CPU cards available in both ISA and PCI/ISA bus.
- ◆ 486 computer boards with on-board VL SVGA & optional SCSI-II interface.
- ◆ ISA or PCI/ISA backplanes from 4 slots to 14 slots.
- ◆ Complete custom configured rack mount systems available.

Complete line of PC Rack Mount Products

Enclosures Computers Monitors
Keyboards Custom Designs Printers

Visit our Web site for product descriptions and highlights at:
<http://www.industry.net/recortec>
or e-mail us at: recortec@ix.netcom.com



Made In
USA

RACKFAX™
(408) 734-9374
Fax-On-Demand System



Call for free catalog

1-800-729-7654

RECORTEC, INC.

1290 Lawrence Station Road, Sunnyvale CA 94089
Tel: (408) 734-1290 Fax: (408) 734-2140

Circle 143 on Inquiry Card.

Advertisement



Rack Mount Enclosure with TFT LCD

The **RME-180** 8 slot computer enclosure features a built-in 9.4", 4096 colors, active matrix TFT LCD display. The display which requires no special cards or drivers, connects directly to standard VGA cards. The enclosure contains a 250W power supply and is supplied with equipment slides. A 14 slot version (**RME-184**) and complete computer systems are also available.

RECORTEC, INC. 1-800-729-7654.

Circle 140 on Inquiry Card.



Rack Mount Keyboard with Mouse

The **RMK-111S** industrial rack mount keyboard combines a reduced width 101 key keyboard and a **400dpi serial touch pad mouse**. For maximum accessibility and use, the mouse is centered between the "G" and "H" keys. A palm rest is built into the keyboard for a comfortable typing position. The **RMK-111P** with a PS/2 touch pad mouse is also available. Both models are only 1.75 inches high.

RECORTEC, INC. 1-800-729-7654.

Circle 141 on Inquiry Card.



Rack Mount 17" Ultra VGA Monitor

The **RMM-237** is a rack mounted 0.26mm dot pitch 17" Ultra VGA color monitor. The rack mounted monitor also has a FST, dark glass, non-glare tube and INVAR mask. It contains a microprocessor based digital control system with a maximum non-interlaced resolution of 1280 x 1024. The rack mounted frame is constructed of rugged 14 GA steel while the back of the monitor is fully enclosed in an aluminum housing.

RECORTEC, INC. 1-800-729-7654.

Circle 142 on Inquiry Card.

Making these two environments work together has been like mixing oil and water...





...until now
announcing

OPENNT™ for Microsoft Windows NT™

OpenNT is available from Softway America.

Call 1-800-GET-UNIX today!

Softway America, Inc.

P.O. Box 2821, Evergreen, CO, USA 80437

Tel: 303-670-5345 • Toll Free: 800-438-8649 • Fax: 303-727-7618

Email: sales@softway.com • WWW: <http://www.softway.com/OpenNT>

OpenNT is a trademark of Softway Systems, Inc. This product includes software developed by the University of California, Berkeley and its contributors. All other registered trademarks and trademarks are the property of their respective owners.

OpenNT, from Softway Systems, is the first product to provide true POSIX.1 and POSIX.2 conformance for the Microsoft Windows NT operating system. By providing an enhanced POSIX.1 sub-system and a complete set of POSIX.2 utilities and shell, NT users are finally given a 100% POSIX conforming environment. The same POSIX environment that most UNIX systems use but without sacrificing your investment in Windows NT. The same POSIX environment required by the U.S. Government for all operating system purchases as specified by FIPS 151-2 & FIPS 189. Conformance means file links, case sensitive file names, user and group ownership, background processing and more. Add to this a real POSIX shell and all your favorite UNIX utilities (like *find*, *grep*, *awk*, *sed*, *ls*) and you end up with an environment so close to UNIX that you won't know it isn't UNIX!

OpenNT is available today. Take advantage of our introductory special. **OpenNT Commands and Utilities** is only **\$99** (regularly \$199) — and we include free updates for a year. Our 30-day money back guarantee and free technical support makes this a no risk opportunity to give your Windows NT system the POSIX punch it needs!

Softway Systems

http://www.softway.com/OpenNT
Visit our Web site at:

Introductory
Special
\$99

100 Mbps Fast Ethernet and Ethernet Switches

10/100 Ethernet Switches

BAY NETWORK
Bay Network Lattis Switch System

Fast Ethernet Switching Hub
10/100 Mbps UTP Switch, 16 RJ45 Supports 10/100 Mbps Ethernet Mode (28115) **\$14,450**



100 Mbps Fiber Optic Switching Hub (28104) **\$14,950**

NBASE
New MegaSwitch Seven 100 Mbps Ports, UTP and Fiber Capabilities (NH2007) **\$6,500**



MegaSwitch Six AU/RJ45 Ports, Plus Two Slots for NH200MP & SNMP (NH208-10) **\$3,499**

MegaSwitch Six AU/RJ45 Ports, Plus Seven RJ45 Ports, Plus Two Slots for NH200MP/SNMP (NH215-10) **\$6,999**



100 Base-TX MegaPort Module for NH208/215 (NH200MP) **\$1,129**

XEDIA
MAD Switch
Stackable Ethernet Switch, Six 10Mbit Ports, Plus Slot for 100Mbit Fast Pipe (XE-XM-2410) **\$2,495**

CISCO
ProStack EtherSwitch Stackable Ethernet Switch, Sixteen RJ45, Two Expansion Slots for High-Speed Modules, 10Base-TX/ATM (CPW1601A) **\$5,634**

100Base-T module for PRO16, 1 RJ45 (CPW100T) **\$1,095**

EtherSwitch 1200, Twenty-Five 10Base-T Ports, 2100TX, 1K MAC (CPW1200) **\$5,359**

EtherSwitch 1400, Twenty-Five 10Base-T, Two Slots 8K MAC (CPW1402) **\$5,740**

One-Port 100Base-TX Module (CPW1411-X) **\$686**

Eight-Port 100Base-TX Module (CPW1418-X) **\$1,695**

Fast Pipes Twelve-Port Switching Hub, Twelve 10Base-T Ports, Plus Slot for High-Speed Link HSSP-TX(FSP12) **\$4,937**

3COM

24 Switch 10 Mbps Port, One 100 Base-T Fast Port (3C16900) **\$3,445**



NETWORTH

Fast Pipes Six-Port Switching Hub, Five 10Base-T Ports, One 100MbpsPort (FSP06) **\$3,700**

Fast Pipes Twelve-Port Switching Hub, Twelve 10Base-T Ports, Plus Slot for High-Speed Link HSSP-TX(FSP12) **\$4,937**

100 Mbps Fast Ethernet Adapters

INTEL
Ether Express PRO/100 32-bit (PILA8465) **\$185/870/3,100**

Ether Express 10/100 PCI (PILA8465B) **\$190**

Single/5PK/20PK **\$148/695/2603**

Ether Express PRO/100 32-bit EISA (ELA8265) **\$235**

NEW INTEL Smart 100 Nitro High Performance Server Adapter (PILA8485) **\$715**

3COM

10/100 PCI (3C595TX) **\$169/754/2,740**

Single/5PK/20PK **\$251/1228**

PCI Quartet Full Duplex 4 RJ45 Ports (EM400) **\$1,137**

10/100 PCI (EM110TX) **\$190**

10/100 PCI (EM440) **\$1,170**

10/100 ISA (EM110TX) Single/5PK **\$195/924**

SMC

10/100 EISA (SMC923DS) **\$240**

10/100 PCI (SMC933DS) **\$194**

NATIONAL SEMI CONDUCTOR

10/100 PCI Adapter ISA (N7000-T01) **\$160/765/3,777**

ASANTE

10/100 PCI Adapter for PC and MAC **\$199**

100Base-T4
Fast Ethernet with CAT 3 UTP Support
COGENT

10/100 PCI (EM110T4) **\$190**

T4 Hub (S-1200) **\$1,590**

100VG AnyLAN Adapter

100VG ISA Adapter (DP-161) **\$149**

100 VG EISA Adapter (DP-32E) **\$192**

HEWLETT PACKARD

100VG 16-bit ISA 10/100 (J2573A HP) **\$193/1,103**

Single/6PK **\$227/1,319**

100VG 32-bit PCI (J2585A HP) **\$166/890**

Single/6PK **\$166/890**

ASANTE

Fast 10/100 Bridge, Integrate 100Mbps Fast Ethernet to Existing 10Mbps Ethernet **\$1,210**

100 Base-TX Fast Ethernet Hubs

NBASE

100Base-TX Eight-Port Hub (NH108) **\$1,425**

NETWORTH

100Base-TX Eight-Port Hub (MICRO100) **\$1,350**

Dual Speed Fast Ethernet Hub Twenty Four-Port (MICRO10/100) **\$3,565**

SMC

Tiger Hub 100 Sixteen-Port 100Base-TX Hub (SMC5116TX) **\$2,398**

D-LINK

100 Base-TX Twelve-Port Hub (DFE-812TX) **\$1,475**

ASANTE

100 Base-TX Twelve-Port Stackable Hub **\$1,565**

BAY NETWORK

Twelve-Port 100Mbps Hub (AT2202-001) **\$1,740**

3COM

100 Base-TX 12-Port Stackable Hub (3C250-TX/1) **\$2,028**

100VG AnyLAN Hubs

KATRON

100VG-AnyLAN Hub, 6-Port/12-Port (DP1006/DP1012) **\$840/1,330**

HEWLETT PACKARD

Advanced Stack 100VG 15-Port Hub, Stackable up to 16 Hubs (J2410A) **\$2,075**

100Mbps Macintosh

FARALLON

Fast Ether TX-10/100 NuBus (PN990) **\$328**

Fast Ether TX-10/100 PCI (PN994) **\$240**

ASANTE
Fast 10/100 NuBus (99-00-364-00) **\$299**

100Mbps FX Adapter

COGENT

PCI-SC Connector (EM100) **\$49**

PCI-ST Connector (EM100FX) **\$49**

Eight-Port Fast FX Hub (S-800) **\$3,280**

FDDI Adapters

NETWORK PERIPHERAL

SAS PCI Singlemode (NP-PCI-S50) **\$59**

SAS PCI Multimode (NP-PCI-S10) **\$99**

DAS PCI Multimode (NP-PCI-D10) **\$1,340**

Ethernet Network Adapters

WEST HILLS

ISA BNC (ENET16C) **\$3**

ISA RJ45 (ENET16T) **\$3**

SA RJ45/BNC (ENET16CT) **\$3**

RJ45/BNC/AUI (H12100PC-PCI) **\$1,390**

RJ45/BNC/AUI (H12100VL) **\$1,390**

For SMC, 3Com, and Intel Ethernet Adapters - Please Call

Internet & Remote LAN Access Products

ADTRAN

T1 DSU/CSU, V.35 Dte N1-24, T1 and Fractional, B82S/AN SE/EF Framing **\$1,390**

TSU-T1, 1200 - 060 L1 Data Channel DSU/CSU **\$99**

ASANT

ISDN, Pipeline 25-RJ45, Two RJ11 Ports, One DB9 Connector, IP Routing with Compression **\$8**

ISDN, Pipeline 50-RJ45, WAN/BRI Port, DB15, DTE Port, No Compression, IP Routing **\$8**

3COM

NetBuilder Remote Office 422, ISDN Access Super Stack Router, IP and IPX (3C8422) **\$6**

XYLOGICS

ISDN, Nautico Clam Bridge Router, One BRI Port, One IP and IP **\$9**

ISDN, Martin, NA/B-Bridge Router, V.35 Port, RJ45 Port, Two 64K B Channels (ML2100) **\$2,200**

BAT

SU 56K DDS, Point to Point or Multipoint, DSU/CSU, V.3 Interface, Front Panel LEDs **\$4**

CISCO

2501-IP Router, One Ether Port, Two Serial Port, Dial on Demand **\$1,900**

2503-ISDN IP Router, One Ether Port, Two Serial Port, ISDN BRI Demand **\$2,400**

Visa & MasterCard
Fast Delivery
Most Orders Ship The Same Day
Prices Subject To Change Without Notice

**WEST HILLS
LAN SYSTEMS**

7949 Woodley Avenue, Van Nuys, CA 91406


Circle 151 on Inquiry Card (RESELLERS: 152).

1-800-FOR-LANS
1-800-367-5267
Technical Support
Tel: 1-818-773-8171
Fax: 1-818-773-8932



FIX ANY PC ...FAST!

PC DIAGNOSTICS THAT REALLY FINDS THE BUGS!



The Troubleshooter™ is the most advanced PC diagnostic software available that really finds the bugs. The Troubleshooter bypasses O/S & tests all major hardware components directly for true accuracy. Works with Windows, Windows NT, Windows 95, Novell, MS DOS, OS/2, etc. — fully O/S independent. Loaded with all the tests you'll need to accurately isolate the source of PC or File Server failures. Priced far below all competitors. Call now for full list of latest features!

#1 WINDOWS TROUBLESHOOTING TOOL!



Skylight™ is the #1 rated Windows diagnostic (PC Magazine) that tunes, optimizes & troubleshoots Windows for maximum speed and performance. Edits all .INI files safely. Graphically displays how Windows is using memory, system resources, system metrics, G.D.I.

heap usage plus much more with hundreds of reports! A must for all Windows users! Call now for full list of features!



BUILD YOUR NEXT NETWORK...FAST!



LANDesigner™ is the first network design software that makes creating and installing a network easy, fast and inexpensive! Exposes protocol violations. Issues warnings where designs lead to spec violations, installation problems or outstrip site power and cooling. Provides reports for bill of materials, installation sequence, installation time estimates, tool requirements, spare parts inventory, site energy, HVAC infrastructure and much more! Call today for full specs!

NEW! BECOME A CNE...FAST!



The first interactive Computer Based Training (CBT) program to fully prepare you for Novell's CNE exams. Fast, effective and convenient training for anyone wishing to become a Certified NetWare Engineer. Study at home or work at your own pace. Our CNE CBT allows you to learn and practice everything you'll need for full NetWare certification. Call today!

GET DATA BACK FROM CRASHED DRIVES!



RESCUE Data Recovery Software™ is the only program to easily recover lost data from crashed floppies & hard drives even when DOS can't read them! RESCUE recovers data other recovery programs cannot. RESCUE automatically recovers DOS & Windows files including data from compressed drives. Be prepared for any problem. RESCUE is the insurance and security you need to safeguard your valuable data. Call now! Don't wait until your data is lost!

FIX OR INSTALL ANY HARD DRIVE...FAST!



DrivePro™ provides fast, precise installation and maintenance for any hard drive. Override BIOS limitations for user-definable drive types. DOS format any size hard drive in under 30 seconds. IDE drives installed in less than 60 seconds. Allows use of IDE drives with MFM/RL or ESDI drives in the same system. Retrieves manufacturers' recommended specs from the drive itself, plus much more! Call now for full list of features!


VITAL HARDWARE SPECS AT YOUR FINGERTIPS!



The Micro House Technical Library™ on CD-ROM is compiled from over 50,000 pages of technical hardware manuals! Contains complete configurations, specifications, diagrams, settings, component locations and other vital hardware technical information all at your fingertips on CD-ROM. Includes main boards, network interface cards, hard drives, controller and I/O cards. A must for any service department. Call today for special pricing!



RESOLVE ANY IRQ OR DMA CONFLICT...100%



The Discovery Card™ is the first tool to accurately resolve any IRQ or DMA conflict in less than 5 minutes. 18 L.E.D. lights (11 for all interrupts and 7 for all DMA) immediately report actual usage thus saving time when configuring, upgrading or debugging PC's. Software alone cannot detect DMA usage and is often wrong when reporting IRQ conflicts! Call now, save time and end the frustration!

"...the most valuable tool in your diagnostic kit."



ISOLATE INTERMITTENT FAILURES!



The Alert Card™ is the only add-on card that monitors and diagnoses power and temperature changes in a PC or File Server. L.E.D. lights and an audible alarm alert you whenever a system's power or temperature goes out of a safe operating range. Ideal for troubleshooting hard to find intermittent failures in any PC. A must for every file server to pinpoint problems before they occur. Call now for complete specs!

DEBUG ANY DEAD PC...FAST!



Don't throw away expensive motherboards, use PocketPost™ to debug dead PC's. Feature packed diagnostic add-on card displays BIOS POST codes and tests 9 critical bus & clock signals. 300+ page manual has all the BIOS manufacturer codes you need to isolate the source of failures. Includes detachable logic probe for optional component level testing. Call today and start saving money! "Pinpoint any PC failure. An amazing system." - John C. Dvorak, PC Magazine

Free Technical Support • Next Day Shipping • Performance Guaranteed

(800) 653-4933



International: (813) 539-7283 • Fax: (813) 531-0200

E-Mail: allmicro@ix.netcom.com • Website: //www.allmicro.com

AllMicro, Inc. • 18820 U.S. Hwy. 19 N, #215, Clearwater, FL 34624

AllMicro Italy: 39-2-891-0832 • AllMicro South Africa: 27-11-823-5121 • AllMicro Germany: 49-89-272-5802

**A playground for experts.
Training wheels for their friends**



Traveling the Information Highway

**A new exhibit at
The Computer Museum**

**computer_info@tcm.org / 617.423.6758 / www.net.org
300 Congress Street, Boston, Massachusetts 02210**

Principal Sponsor: Sprint

**Major Sponsors: Apple Computer, Hewlett Packard, Novell,
NYNEX, Stratus, S.W.I.F.T.**

BYTE

**Official
Media Sponsor**

"BLOOD-SPATTERED STREET KILLERS III" NOT SOLD HERE.

Computer Design and Graphic Systems isn't just our name, it's our specialty. While our highly-trained Sales Consultants might not be able to help you get past the Überdæmon on Level 27 of "Shoot-em-all Castle 3-D," they are eminently qualified to help you find the right CPU, scanner, monitor, upgrade card or color laser printer for you. Whatever your graphics, publishing, digital video, or multimedia needs, give us a call. **We carry more than 28,000 PC and Mac hardware & software products.** Yes, even including the latest version of "Morgue Mongers."



Input	
Polaroid Sprintscan slide scanner	\$1,578 pc/m
Nikon SuperCoolscan slide scanner	\$1,929 pc/m
Optonics ColorGetter 3 drum	CALL pc/m
Optonics ColorGetter Falcon drum	CALL pc/m
HP Scanjet 4c flatbed 2400dpi	\$957 pc/m
Agfa Arcus II flatbed 36-bit color	CALL pc/m
Sharp JX-610 12x17 w/transp.	\$9,320 pc/m
Umax Powerlook II flatbed 36-bit	CALL pc/m
Umax Mirage 11x17 flatbed	CALL pc/m
Umax Vista-S12 LE flatbed	\$801 pc/m
Calcomp DrawingSlate II 6x9	\$219 pc/m
Kodak DC 50 Digital Camera	\$999 pc/m
CPUs	
Twinhead 100MHz 8/500 color ntbbk	\$2,799 pc
486DX2-80 8/730 w/mon, kbd	\$1,085 pc
Pentium-100 16/1gb w/mon, kbd	\$1,759 pc
PMac 9500/132 16/1g/CD/video	\$3,699 m
PMac 8500/120 16/1g/CD	\$3,599 m
SiliconGraphics Indy, Challenge	CALL
DigitalPC Venturis, Prioris, Celebris	CALL pc

Storage	
GatorByte 1gb HD ext SCSI	\$349 pc/m
GatorByte 2gb RAID	\$1,026 m
GatorByte 4gb RAID Fast & Wide	\$3,452 m
GatorByte 8gb RAID Fast & Wide	\$3,399 m
MicroNet DataDock 2-module base	\$630 pc/m
MicroNet DataDock modules	CALL pc/m
Torrey PW Dual 4xCD/650mb optical	\$630 pc/m
Olympus Deltis 230DMO opt.	\$578 pc \$481 m
Olympus Deltis 130DMO opt.	\$1,335 pc/m
Olympus 2x CD recorder	\$1,384 pc/\$1,286 m
Kodak 650mb CD-R media 5-pack	\$45 pc/m
Norai 230mb optical media 5-pack	\$106 pc/m
Software	
SPECIAL Adobe Photoshop 3.0.1	\$459 m
SPECIAL Adobe Illustrator 5.5	\$315 m
SPECIAL Adobe PageMaker 6.0	\$515 m
Ulead MediaStudio Pro 2.5	\$310 pc
Macromedia Graphic Design Studio	\$650 pc/m
Macromedia Director MM. Studio	\$1,408 pc/m
VistaPro 3.13 terrain modeler	\$60 pc/m

Monitors & Video	
ArtMedia 14" Trinitron .26mm	\$310 pc/m
ArtMedia 15" Trinitron .25mm	\$459 pc/m
ArtMedia 17" Trinitron 1600x1200	\$999 pc/m
Portrait Displays Pivot 1700i	\$999 pc/m
RasterOps SuperScan MC17	\$922 pc/m
RasterOps SuperScan MC21	\$1,893 pc/m
Targa2000 PCI prof. video in/out	\$3,995 pc/m
FAST FPS60 video in/out	\$621 pc
Diamond Stealth 2mb VLB or PCI	\$267 pc
Diamond Javelin 4mb PCI w/MPEG	\$485 m
IMS TwinTurbo 128M PCI 4mb	\$599 m
Number 9 Imagine 128 PCI 8mb	\$1,409 m
Output	
Epson Stylus ProXL 11x17 color inkjet	CALL pc/m
GCC Elite XL 120BS 12x20 laser	\$5,703 pc/m
Tektronix Phaser 140 color inkjet	\$1,335 pc/m
DEC Colorwriter 600dpi color laser	CALL pc/m
GMS magicolor CX color laser	\$5,335 pc/m
HP Laserjet 5mp 600dpi laser	\$1,019 m
HP Laserjet 5p 600dpi laser	\$909 pc

CDG Systems, Inc./The Technology Center

1-800-741-6227

Local/Int'l **1-941-489-4338** • Fax **1-941-489-4694**

World Wide Web: www.peganet.com/cdgsys/cdg.html Internet E-mail: cdgsys@peganet.com AppleLink: cdg.sys

switch

100 MBPS ON EVERY PORT FAST ETHERNET SWITCH



NH2007 LICENSE TO SPEED

→ Workgroup networking is headed for the fast lane, with a license to speed. The MegaSwitch family from NBase will future-proof your network by deploying both 10 and 100 Mbps Fast Ethernet switching, where and when

it's needed. → In conjunction with MegaSwitch 10/100 and MegaHub 100, an enterprise-wide network can be built to merge Fast Ethernet segments with legacy LANs. → With an installed base of over 1,000,000 ports, NBase is your obvious choice for Fast Ethernet, Call us at 800-966-4444, and we'll help you move your LAN into the fast lane.



UNSURPASSED CAPABILITIES

Visit our Web site: <http://www.nbase.com>




Circle 162 on Inquiry Card (RESELLERS: 163).

Defacto RAID

High-Performance SCSI RAID Systems

Discover the best RAID price/performance in the industry. Raidtec is the affordable, open, SCSI-to-SCSI hardware RAID solution for complete data protection. Ideal for mission critical applications, document imaging & multimedia.

It's time to re-visit the ultimate in high-availability storage. Contact Raidtec today at (770) 664-6066.



- Fast & Wide SCSI II
- RAID levels 0, 1, 10, 3/5
- Programmable RAID Level selection
- On-the-fly hardware parity generation eliminates read, modify, write-back performance overhead
- Single ended or differential
- Configurable read & write buffers
- Downloadable flash firmware
- Remote alarms, configuration & monitoring
- Environmental sensor ports
- "Hot Replaceable" disk drive bays & power supplies
- Single SCSI ID
- Solid state load sharing power subsystem
- LCD control panel status display
- Rackable, stackable

THE STANDARD IN ADVANCED MASS STORAGE SYSTEMS


Raidtec USA
105 Hembree Park Dr. • Suite C
Roswell, GA 30076
Tel: (770) 664-6066
FAX: (770) 664-6166

Raidtec EUROPE
Glen Mervyn House • Glanmire
Cork, Ireland
Tel: (353) 21-821454
FAX: (353) 21-821654

Raidtec

CORPORATION

Lose 500 pounds in 10 minutes



with a Rose keyboard monitor switch

Streamline your computer room by reducing excess equipment. Access up to 256 CPU's from a single keyboard, monitor, and mouse. ServeView is our best-selling switch, has every feature you can imagine, and installs in minutes. Compare price, features, performance, quality, and support and you'll find Rose can't be beat.



Call today for free catalog


- ◆ Print servers
- ◆ Data switches
- ◆ Keyboard/video control

800-333-9343

P.O. Box 742571 ♦ HOUSTON, TEXAS 77274
TEL 713/933-7673 ♦ FAX 713/933-0044

Call us to discuss your application
or to receive your free information kit.

ROSE
ELECTRONICS



JDR Microdevices®

1850 SOUTH 10TH STREET, SAN JOSE CA 95112-4108

Serving you since 1979



**Special Prices for
Byte Buyers!**
Good Through 4/30/96

To receive these special
prices, you must mention
key code #1075

Automatic Switchboxes

Plug several parallel or serial devices into one printer. Now available for bidirectional printers.

- Centronics parallel or RS-232C serial compatible switchbox

ATSW-2P 2 parallel port inputs	\$19.95
ATSW-4P 4 parallel port inputs	\$34.95
ATSW-2PB 2 bidirectional ports	\$39.95
ATSW-4PB 4 bidirectional ports	\$59.95
ATSW-2S 2 serial ports	\$39.95
ATSW-4S 4 serial ports	\$69.95



Test PC Cables

Test your network, serial and parallel cables with this cable tester. Simply plug each end into the appropriate plug or socket, choose the cable type and sequence through the pins.


- Identifies open, shorted & cross-connected wires
- Connectors: BNC, RJ45, RJ11, DB09, DB15, HDB15, DB25 and CEN36

CT-1570 \$119.95



Upgrade Your Motherboard

Improve your system's performance by upgrading the motherboard. Modular Circuit Technology's cost effective upgrades can increase performance without replacing the entire system. Intel motherboards are also available.



MODULAR CIRCUIT TECHNOLOGY

Intel Pentium Processor w/Triton chip set

- RAM expandable to 128MB (0Kb installed)
- Features 4 PCI slots, up to 4 ISA slots plus built-in I/O and drive controllers

MCT-T586-75 75MHz version	\$449.95
MCT-T586-100 100MHz version	\$649.00
MCT-T586-133 133MHz version	\$849.00

Specials for Byte Shoppers Only!

MCT-M486V-100 VLB w/100MHz 486 CPU ...	\$299.95
MCT-M486P-100 PCI w/100MHz 486 CPU ...	\$299.95
MCT-M386SX-40 ISA w/40MHz 386SX CPU ...	\$139.95

Intel Motherboards

MB-ISA2P-75 75MHz Intel Zappa	\$549.00
MB-ISA2P-100 100MHz Intel Zappa	\$749.00
MB-ISA2P-120 120MHz Intel Zappa	\$899.00
MB-ISEV-120 120MHz Intel Endeavor	\$999.00
MB-ISEV-133 133MHz Intel Endeavor	\$1079.00

Intel OverDrive Processors



BOXPODP5V83 \$279.95
Replaces 33/66MHz 486 CPU

BOXPODP5V63 \$199.95
Replaces 25/50MHz 486 CPU

BOXDX40DP100 \$199.95
Replaces 33/66MHz 486 CPU

BOXDX40DP100 \$199.95
Plugs into 33MHz OverDrive socket

BOXDX40DP75 \$149.95
Replaces 25/50MHz 486 CPU

BOXDX40DP75 \$149.95
Plugs into 25MHz OverDrive socket

Improve
performance
with a simple
CPU
replacement!

MCT Network Cards

Join the network using MCT's reliable cards. Available in PCI and ISA configurations.

- 32-bit PC compatible PCI card
- NE-2000 compatible adaptor

MCT-P10BC PCI w/RJ45 & BNC	\$79.95
MCT-10B2 ISA w/BNC	\$39.95
MCT-10BT ISA w/RJ45	\$39.95
MCT-10BC ISA w/RJ45 & BNC	\$49.95
MCT-10BC-PNP ISA Plug & Play w/RJ45, BNC/ AUI	\$99.95



\$79.95
BYTE Special!

30-Pin SIMMs

Part #	Type	Size	Speed	Price
1MX9-70X3	1Mx9	1MB	70ns	\$38.95
1MX9-60X3	1Mx9	1MB	60ns	\$41.95
4MX9-70X9	4Mx9	4MB	70ns	\$160.95

72-Pin SIMMs

Part #	Type	Size	Speed	Price
1MX36-70	1Mx36	4MB	70ns	\$133.95
4MX36-70	4Mx36	16MB	70ns	\$649.95
1MX32EDO-60	1Mx32 EDO	4MB	60ns	\$137.95
2MX32EDO-60	2Mx32 EDO	8MB	60ns	\$241.95

16-Bit Sound Card

This sound card produces reduced-distortion, 16-bit sound for CD-quality recording and reproduction!

- 16-bit PC compatible ISA card
- CD interface supports Sony, Mitsumi, Creative Labs, Panasonic & IDE CD-ROM drives
- SoundBlaster compatible

MCT-SOUND16-1 \$69.95



\$69.95
BYTE Special!

FREE JDR CATALOGS!

**PC PRODUCTS AND
ELECTRONIC COMPONENTS**
CALL US TOLL-FREE!
1-800-538-5000

**ORDER VIA
THE INTERNET!**
<http://www.jdr.com>

Printer Sharing

Share one printer with up to 40 PCs! This starter kit allows two computers to share one printer. To add more computers, simply purchase more transmitters!

- Compatible w/Centronics parallel printer interfaces

- Up to 10,000 characters per second

PRSH-40 \$149.95

PRSH-40T Additional transmitter \$59.95

Note: Not recommended for bidirectional parallel port printers such as the HP LaserJet 5 series.



\$149.95
BYTE Special!

Boost Video Performance

For faster video response, this accelerator card uses the Cirrus Logic GD5422 chip set!

- 16-bit PC compatible ISA card
- Resolution up to 1280 x 1024 in 16 colors, 1024 x 768 in 16/256 colors

MCT-VGA-5000 \$79.95

MCT-VGA-1000 W/GD5401 chip set \$49.95

MCT-PVGA-3 PCI w/ARK2000 chip set \$199.95



\$79.95
BYTE Special!

IDE CD-ROM Drives

These internal CD-ROM drives make multimedia fun and affordable!

- PC compatible ATAPI drive
- 5-1/4" internal drive is MPC, Multisession PhotoCD, High Sierra & ISO 9660 compatible

CDROMI-2 300kB/s double speed \$79.95

CDROMI-4 600kB/s quad speed \$129.95

CDROMI-6 900kB/s six speed \$229.95

CDROMI-8 1,200kB/s eight speed \$329.95

Specials for Byte Shoppers Only!



Sales 1-800-538-5000

Internet Orders: <http://www.jdr.com>

Toll-Free Fax Ordering

1-800-538-5005

Local/International

1-408-494-1400

**Order
24-Hours-A-Day
By Phone or Fax**

KEY
CODE 1075

TERMS: For shipping & handling include \$4.29 for ground & \$6.99 for 2nd day air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices. Modular Circuit Technology is a trademark of JDR Microdevices. Copyright 1996 JDR MICRODEVICES. Other trademarks are the property of their respective owners.

Industrial PC Systems



- Rackmount PCs for Pentium/486/386 SBC
- Onboard Full Function with PCI Bus SVGA/SCSI
- Rackmount Monitor & Keyboard
- 4,6,8,12,14,20 Slots PCI/ISA Bus Backplane
- Hot Swap, Redundant P.S. Available

Call for a Free
200 Page Master
Catalog for your
Rackmount System
Integration.



AXIOM TECHNOLOGY, INC.

13791 Roswell Ave., Unit D, Chino, CA 91710
Tel: (909) 464-1881 Fax: (909) 464-1882

Circle 228 on Inquiry Card (RESELLERS: 229).

When Your Needs Are Portable...



Whether your laptop is talking to a strip chart recorder or collecting process signals on an assembly line, Quatech can meet your needs. Our comprehensive line of PC-Cards can offer communication, I/O and data acquisition solutions specifically targeted for your laptop or notebook computer. Call today for complete information and a FREE 1996 Handbook.



662 Wolf Ledges Pkwy-Akron, Ohio 44311
Sales: 800-553-1170 • Fax: 216-434-1409

Circle 177 on Inquiry Card
(RESELLERS: 178).

SERIAL/PARALLEL I/O ADAPTERS

RS-232/422/485 • Dual Serial Quad Serial • Serial/Parallel

16550/16650 Buffered UARTs
Flexible Address and Interrupt Capability

Ask about our new PCI I/O Products!



- Made in USA • Lifetime Warranty
- Unlimited Technical Support

Globetek, Inc.

3505 E. Royalton Rd. Ste. 160 • Broadview Hts., OH 44147
800-229-4640 • 216-526-8550 • Fax: 216-526-8817

Circle 210 on Inquiry Card.

The Portable Solution



Videx manufactures portable, durable, and programmable data collectors for applications such as:

- inventory • warehousing
- security • asset tracking
- field inspections

and virtually any application requiring data collection at the work site.

Cast-metal cases protect the products and allow them to work reliably in harsh environments. Each is designed to fit in the palm of your hand.



Call for a free
information kit today!



1105 N.E. Circle Blvd., Corvallis, OR 97330
503-758-0521 • Fax 503-752-5285

Vides, TimeWand, DuraWand, TouchProbe, and OmniWand are registered trademarks of Videx, Inc. GCO582

Circle 181 on Inquiry Card.

RS-232/RS-422/RS-485/Current Loop Serial Interface – Yes, Single Card Does It All!

- Uses standard RS-232 commands – no special drivers needed
- Automatic data flow control
- 16C550 UART with 16-byte FIFO buffer
- Transmission speeds up to 115K bps
- Complete RS-232 modem control signals
- Supports 2-wire or 4-wire operation for RS-422/485
- Both DB-9 and DB-25 connectors included
- PC-ComLIB software included, but not necessary
- Multi-port cards also available

Part # PCL-740



750 East Arques Ave., Sunnyvale, CA 94086
Tel. 408-245-6678 • Fax: 408-245-8268
Home page: <http://www.advantek.com> • e-mail: info@advantek.com

Circle 167 on Inquiry Card.



The Right Tool for the Job—

Build powerful CTI applications with the new Challenger Telecom Series

w/ DSP Technology

Pick the voice board with power. Our sophisticated 2, 4, or 8 port models provide the best tools for building success. Used in applications such as:

- Call Logging
- Int'l Callback/Debit Card
- Voice Mail/Messaging
- Automated Attendant
- Fax back/On-demand
- Tele-conferencing
- Telemarketing
- Auditex
- T1/E1 Interface Support

Get on board Computer Telephony Integration (CTI), the fastest growing technology segment. Call today for more information!



Tel (703) 648-0585

Fax (703) 648-9430

Email newvoice@planetcom.com

Circle 196 on Inquiry Card.

Rhetorex Voice Processing boards make CTI a reality.

If you're asking "what's CTI," you're missing one of the hottest new technologies going.

Computer Telephony Integration links PC-based computer applications to the telephone network, providing voice/fax mail, interactive voice response, voice/fax servers and more.

Interested? Maybe you're already developing a CTI application. Then it's time to discover Rhetorex.™

For the best value in CTI technology—from our 2 and 4 port DSP-based voice and fax processing boards, to our 24-port platform—give Rhetorex a call. And start making CTI a reality today.



RHETOREX

Rhetorex, Inc., 200 E. Hacienda Ave., Campbell, CA 95008-6617
Tel. (408) 370-0881; Fax (408) 370-1171

All trademarks identified by the ™ symbol are trademarks of Rhetorex, Inc. All other trademarks belong to their respective owners. © 1993 Rhetorex, Inc.

Circle 179 on Inquiry Card.

COMPUTER TELEPHONY VOICE CARDS DEVELOPER KITS

As a leader in Computer Telephony Integration platforms, PIKA is not only redefining technology standards but also the standards of vendor commitment to CTI software developers.

Contact us to find out about our latest offerings in DSP based multi-line voice cards with developer kits for DOS, Windows 3.1, Windows '95 OS/2 and NT.

PIKA TECHNOLOGIES INC.

155 Terence Matthews Cres.
Kanata, Ontario K2M 2A8, Canada
Tel: 1-613-591-1555
Fax: 1-613-591-1488
Email: pika.info@pika.ca



Circle 191 on Inquiry Card (RESELLERS: 192).

CONTROL ALL YOUR SERVERS

FROM ONE KEYBOARD, MONITOR AND MOUSE



MasterConsole®

Save space, time and money

- 2 - 64 Computers
- Any mix of PCs; PS/2 & Serial Mouse
- Add Mac & Sun
- Keyboard/Mouse Emulation
- AUTOSCAN™
- Front Panel & Keyboard Selection
- Remote Access to 150'
- Desktop or Rack Mount



See us at FOSE, April 2-4, Washington DC, Booth #3034 • Networld+Interop, April 2-4, Las Vegas, Booth #1714

CALL TODAY! 800-RCI-8090 x 71

RCI Europe (31)-10-458-6673
fax (31)-10-451-9610

RCI Taiwan: (886) 2-218-1117
fax (886) 2-218-1221

Call RCI for local phone numbers of International Dealers in:
Argentina, Brazil, Chile, Denmark, Finland, France, Germany,
Ireland, Italy, Japan, Korea, Lebanon, Mexico, Netherlands, Slovenia,
Switzerland, Syria, Turkey, United Kingdom, Uruguay
International Dealers Inquiries Welcome

RARITAN COMPUTER, INC. (908) 874-4072 Fax (908) 874-5274
10-1 Ilene Court, Belle Mead, NJ 08502 ■ sales@raritan.com ■ <http://www.raritan.com>

30-DAY MONEY BACK GUARANTEE FULL 1-YEAR WARRANTY

Circle 193 on Inquiry Card
(RESELLERS: 194).

MARCH 1996 BYTE 197

LET YOUR COMPUTER DO THE TALKING!

Integrated Voice/Fax Mail

Integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, Bicom, Pika, TTI and Intel voice and fax hardware. Supports up to 32 voice lines and up to 8 fax lines.

Hardware + Software Kits

\$595

2 voice lines kit starts at
Fax-on-Demand lines: 818-368-4566 or 818-368-8848

SigmaTech Software

Tel: (818) 368-6132 Fax: (818) 368-7859

10801 Bismarck Ave., Northridge, CA 91326 USA
(Resellers/Dealers/OEMs/Private labels are welcome)

- Automated Attendant
- Unlimited Audiotex
- Voice Mail
- Talking Yellow pages
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Date/Party lines
- Int'l Call Back

Circle 187 on Inquiry Card (RESELLERS: 188).

X-RATED VOICE MAIL

X-TREMELY - Reliable IBM & Compatible

PC - Based Voice Mail & Call Processing

X-CITE - YOUR SALES!

X-PERIENCE - Our Service & Support

X-PLORE - The Way Voice Processing Will Streamline Your Business

X-CELLENT - Packages with 2 Year Warranty Start at \$295

X-PERTS - In International Sales & Support

(Developer/OEM Packages Available)

For Information or Sales CALL:

1-800-685-4884

Voice: 510 522-3800 / FAX: 510-522-5556 / E-Mail: sales@tti.net / http://www.tti.net

over 200,000 ports in 75 countries

TALKING TECHNOLOGY, INC.

1125 Atlantic Avenue, Alameda, California 94501, USA

Circle 180 on Inquiry Card.


STARVIEW

PS/2 Model SV421

Control up to 216 Servers

with just 1 Monitor, Keyboard, and Mouse

- Supports SVGA, VGA, and Multisync Monitors
- Keyboard or pushbutton CPU selection
- Autoboots Keyboards and mice (SV421)
- Cascadable



Model	Connection Type	Servers per unit	Cascadable	Price
SV621	AT	6	216	\$349
SV421	PS/2	6	64	\$349
SV182	AT	2	8	\$295

Listed Price Applies to CSA/UL model

USA/Canada: 800-265-1844 (ext. 231)

France Office: 0-590-3661 / UK Office: 0-800-96-7710

Fax: (519) 438-8555 / Internet E-Mail: startech.computer@online.com

See us at Network/Interop Las Vegas - Booth 1715

Cebit Hannover, Germany Hall 6, Stand D06, Booth 35

StarTech

COMPUTER PRODUCTS

USA • Canada • UK • France

Netherlands • Hong Kong

European/International Distribution

use Fax or Internet

or Call: (519) 438-8529 (ext.231)

Visa/Mastercard/American Express

Circle 208 on Inquiry Card.

Industrial Strength PC Solutions - Made in USA



20 Slot Hot Swap Redundant PS

800-927-5464

408-452-9200 • 408-452-9210 FAX



CALL or FAX for Full Catalog

2032 Bering Drive • San Jose, CA 95131

In-House Design • In-House Manufacturing • Custom Configurations

Rack Mount Products - Designed, Built in USA

- Rack mount Systems - 386 to Dual Pentiums
- Rack mount Chassis - Up to 20 Slots Custom Design & Modifications available
- Rack mount Monitor - Up to 20"
- Rack mount Cherry 101 Keyboard
- HDD / CD-ROM Enclosure - Hot Swappable
- NEMA 4/12 Workstation

Single Board Computers

- 386/486/Pentium - ISA / EISA / VESA / PCI
- Passive Backplanes - from 3 slots to 20 slots Segmented Backplane Available

Circle 184 on Inquiry Card (RESELLERS: 185).

Rackmount



- ENCLOSURES for 386, 486 & Pentium
- KEYBOARDS
- MONITORS
- DRIVE ENCLOSURES

PC Enclosures from \$300

Monitor:

10" Super VGA Color from \$650

Keyboards:

Drawer, Shelf & Panel from \$85

- Excellent Air Flow & Cooling
- Accepts Most Motherboards and Passive Backplanes
- Rack & Desk Models • Up to 20 Slots • Rugged, Modular Construction
- 200, 300 & 400 Watt Supplies, UL, CSA, TUV • Made in U.S.A.

INTEGRAND
RESEARCH CORP

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203 FAX 209/651-1353

PC™ IBM • 386/486 Pentium™ Intel • Drives and computer boards not included.

Circle 171 on Inquiry Card.

PC SYSTEMS IN ROM



KS-1 XT CPU card. NEC V40, 1 MB Dram, Sram, Flash, Pcmcia, 3 srl, 2 par, modem, A/D. **\$129 up**

KS-9 AT (F8680) battery operated CPU with 2M Flash, Sram, CGA contr., Pcmcia, 3 srl, 2 par. **\$249 up**

PC-in a-Box Complete system with KS-9 CPU, 256K Ppsram, 192x128 LCD, 53 kypd, 1 srl, pwr sup, box. **\$399**

Sales: **1-800-505-6749**
KILA 303-444-7737 • Fax 303-786-9983

Circle 173 on Inquiry Card.

Full Line of INDUSTRIAL COMPUTER SYSTEMS

- Systems • Chassis • Monitor & Monitor Enclosures
- Keyboards • Backplanes • CPU Cards & More



Pentium CPU Card!
We'll beat any Price! with Best Quality!

- Up to 150 MHz CPU
- Up to 512MB On Board Memory
- Built-In Adaptec 2940 PCI SCSI Controller
- Built-In PCI Enhanced IDE Controller
- Varieties of 386 & 486 CPU Cards also available

Best Value!



- 19" Rackmount Chassis
- Locking Front Panel Access
- AT M/B or 14 Slot Passive B/P
- Shock Mounted Drive Bay
- Filter Positive Air Pressurization
- 260W P/S/UL, CSA & TUV

Siliconix 1-800-700-8560

Tel 408-720-1090 Fax 408-245-2570

Circle 201 on Inquiry Card.

Rackmount Solutions

RACKMOUNT COMPONENTS - QTY 25 PRICING	
Rackmount Chassis 19"x7"x17"	\$131
Rackmount VGA Monitor	\$531
Rackmount Monitor Shelf	\$113
Rackmount Cherry Keyboard Drawer	\$200
RACKMOUNT PLATFORMS - Qty 1 Pricing	
RMS486DX2-66 EISA	\$1593
RMS486SX-33	\$915
RMS486DX-33	\$1136
RMS386SX-33	\$665

RACKMOUNT CHASSIS - 15 Models up to 20 Board Slots
SLOT CPU BOARDS - EISA/ISA 486, 486SX, 386, 386SX
RACKMOUNT MONITORS - Super VGA & Monochrome
RACKMOUNT KEYBOARDS - High Quality Cherry KB
RACKMOUNT SWITCH - Video/KB up to 12 CPUs
RACKMOUNT CABINET - Modular from 21" to 96" high
Exclusive International Distributor Program now Available

VALLEY
TECHNOLOGY INC.

2468 Armstrong Street, Livermore CA 94550
(510) 447-2030 FAX: (510) 447-4559



Circle 183 on Inquiry Card.

Portable Data Acquisition



- ▲ PCMCIA™ or parallel port
- ▲ 12- or 16-bit, 100 kHz or 1 MHz
- ▲ up to 256-channel expansion
- ▲ measure thermocouple, RTD, strain-gage, accelerometer, high-voltage, high-isolation, & other signal types
- ▲ DOS™, Windows™, DaqView™, DASyLab™, LABTECH NOTEBOOK™, Snap-Master™, & LabVIEW® drivers available

216-439-4091 ▲ Fax: 216-439-4093



Circle 172 on Inquiry Card.

Industrial PC Solutions



Rackmount PCs

Industrial PC Chassis

Industrial Workstations


Panel Display PCs

Pentium/486/386 CPU Cards

RS-232/422/485 Interface

Analog and digital I/Os

Data Acquisition



Call 800-800-6889 to receive a **FREE** 100-page Solution Guide for your OEM or system integration needs.

ADVANTECH

750 E. Arques Ave.
Sunnyvale, CA 94086
408-245-6678, Fax 408-245-8268

Circle 166 on Inquiry Card.

8 BIT, 250 MSPS A/D Card



- ✓ 12 bit, 60 MSPS A/D
- ✓ Software Drivers
- ✓ Up to 16 Meg Memory

PCI BUS
Available!!

CSLITE	8 bit, 40 MSPS	\$595
CS250	8 bit, 100 MSPS	\$3500
CS2125	8 bit, 250 MSPS	\$4995
CS1012	12 bit, 20 MSPS	\$4995
CS6012	12 bit, 60 MSPS	\$6995

U.S. Prices listed. International prices may vary.

GaGe
1-800-567-GAGE

Gage Applied Sciences Inc.
5610 Bois Franc, Montreal, QC, Canada H4S 1A9
From outside North America, call +1-514-337-6893
Fax: (514) 337-8411, BBS: (514) 337-4317

Circle 169 on Inquiry Card.

INTELLIGENT DATA ACQUISITION



from
MICROSTAR
LABORATORIES™
the onboard intelligence company

DAP3200e™ with onboard DX4

- High Speed I/O
- Digital Signal Processing
- Multiprocessor Systems
- Most PC Software
- DAPtools for HP VEE
- Control Loop < 1 ms
- Windows, OS/2 Warp
- External Expansion
- DLL, VBX, Delphi
- DASyLab, LabVIEW...

206-453-2345 — 206-453-3199 fax
info@mstarlabs.com — www.mstarlabs.com/mstarlabs/

DAQValue™

Portable Data Acquisition
Performance and Portability –
We Give You Both.

DAQCard™ Series

- Six Type II PCMCIA cards
- Up to 100 ksamples/s
- 12-bit resolution
- Analog input and output
- Digital I/O and timing I/O

DAQPad™ Series

- Parallel port interface
- 100 ksamples/s
- 12 or 16-bit resolution
- Analog, digital, and timing I/O
- DC power, optional battery pack

SCXI Signal Conditioning

- Parallel port or PCMCIA interface
- Expandable to 384 channels
- DC power, optional battery pack

Software

- NI-DAQ driver software for:
 - LabVIEW®
 - LabWindows®/CVI
 - Basic, C/C++, Visual Basic, Pascal, and many more

Call for FREE DAQ Designer™ Software
(800) 433-3488 (U.S. and Canada)

NATIONAL INSTRUMENTS™
The Software is the Instrument™

U.S. Corporate Headquarters • Tel: (512) 794-0100 • Fax: (512) 794-8411
E-mail: info@natinst.com • WWW: http://www.natinst.com

© Copyright 1995 National Instruments Corporation. All rights reserved.
Product and company names listed are trademarks or trade names of their respective companies.

Circle 174 on Inquiry Card.

Disk & Optical Drives • Mail Order

Custom Fast 20 SCSI Tools

SCSIVue™ Active Terminator

Benefits:

- Improves SCSI Bus Performance
- Less Errors; More Reliable Data Transfer
- Diagnoses Problems • Analyzes Signal Quality

Features:

- Active Regulation • Supports 68 Pin, 50 Pin
- Status Indicators • Gold Contacts

Optional Remote Display

From: \$59



From: \$39

Benefits:

- No Loss Of Important Data
- Faster Performance • Test Cable Integrity

Features:

- Diagnostic Indicators • Large Ferrite Filters
- Triple Shielding (Unique Cable Design)
- Double Gold 20u" Plated Connectors
- Extra Heavy 26 Gauge Wire, 50 & 68 Pin

Over 40 Cable Styles In Stock

SCSIVue™ Teflon Custom Internal Cables

Benefits:

- Less Errors, Ultimate Performance
- Silver Wire Improves Signal Quality

Features:

- Perfect 90 Ohm Impedance Match
- Triple Pronged Connector With Gold contacts

Fast 20 & Ultra SCSI compatible

SCSIVue™ Gold Diagnostic Cables

From: \$39

Custom Internal Cables in 1 DAY!



SCSI 2+3 COMPATIBLE

SCSIVue™ Active Digital Switch

Benefits:

- Share SCSI Devices Between 2 Computers
- Attach up to 14 Devices to 1 Computer

Features:

- 2-1 Active Digital Switch/Repeater
- Regenerates SCSI Signal for Long Runs

Granite Digital The SCSI Solution Company

3101 Whipple Rd. • Union City, Ca. 94587 • Ph: 510-471-6442 • Fax 510-471-6267

Circle 189 on Inquiry Card (RESELLERS: 190).

Parallel & SCSI

4.2 Gigs

World's Smallest

Portable Disk Drives

Internal Battery Option!

PC 9500 COMPATIBLE

SCSI Connection

- New 4.2 & 2.2 Gigs
- Fast 8ms access
- Fast SCSI-2 Transfer Rates
- Over 1MB/sec thru parallel port
- No power supply "Bricks"
- Rugged aluminum for field usage
- High impact 75 G Shock
- Built in power supply. Battery option

To Computer Parallel Port

To Printer

540 MB Removable

230 MB Optical

• 6.7x CD-ROM

• 1.3-2.6 Gig MO

• Any dual combo

• Ex. CD-ROM & Tape

16 Gig DAT

No Power Supply Bricks

Liberty Systems

(408) 983-1127
Fax 408-243-2885

120 Saratoga Ave. #B2, Santa Clara, CA 95051

Circle 227 on Inquiry Card.

if you were thinking of expanding your storage or adding a CD-ROM, you might want to give us a call.

We specialize in expansion housing, from one 3-1/2" portable, or one 5-1/4" "Mac" ZFP all the way up to eighteen 5-1/4"HH.

WX525F-7B

WX525F-2B

WX525F-4B

WX525F

Special \$55

CALL US FOR A PORTFOLIO TO ORDER 800-75-WETEX
OUTSIDE CALIFORNIA 93839

WETEX INTERNATIONAL (USA) CORP.

624 S. Hambleton Ave., City of Industry, CA 91744
Tel: (818) 854-6600, Fax: (818) 854-6611


Circle 213 on Inquiry Card.

Laptops & Notebooks • Memory/Chips/Upgrades

133Mhz PENTIUM POWER

\$3000.

- Huge 11.3" 800x600 Dual-scan Color screen. 2MB VRAM. Optional 10.4" TFT Active Matrix.
- Built-in 2x CD-ROM drive, 16-bit stereo sound, 2 speakers, & mic.
- Two type II PCMCIA slots, serial, parallel, MIDI, PS/2, & infrared ports.
- 8mb RAM (maximum 32mb) and 256K level 2 cache.
- 520mb removable PCI EIDE HD (up to 1.3GB available).
- 1 year parts and labor warranty. Extended warranties available.
- PS/2 Glide Point & Joystick.
- 3.5" removable floppy drive.
- Windows 95 or DOS/Windows.



Micro International, Inc. 10850 Seaboard Loop, Houston, Texas 77099. Top quality merchandise with excellent service and support since 1984! Member of Houston Better Business Bureau. Dun & Bradstreet listed. Fax (713) 495-7791 Hours: 8-6 Monday-Friday.

*Pentium is a registered trademark of Intel Corporation.

1-800-967-5667

Circle 186 on Inquiry Card.

SIMMVERTER™

The easy and affordable way to convert your SIMMs!

For only: **\$25***

- ✓ Converts four 30 pin SIMMs to one 72 pin SIMM.
- ✓ Guaranteed to work in any PC system using 72 pin SIMM sockets.
- ✓ Works along with other 36 bit and even 32 bit SIMMs.
- ✓ 4 models to choose from to fit any system (Tall, Short, Front and Back).
- ✓ Designed in the USA (Patent pending).

To Order call **1-800-440-7466**
Dealer and distributor inquiries welcome!

Also available:

- SimmVertor 30 : Four 30 pin to One 30 pin SIMM adapter.
- SimmVertor 72 : Two 72 pin to One 72 pin SIMM adapter.

* Add \$5 for shipping and handling and sales tax where applicable.

CAMELEON TECHNOLOGY, INC.
2001 Bering Dr., Unit L
San Jose, CA 95131
Ph: 408-436-8581
Fax: 408-436-8585

Circle 206 on Inquiry Card (RESELLERS: 207).

Best Price!

\$22.95

FutureWare
1562 Parkway Loop, #E • Tustin, CA 92680
Phone: 714-258-7079 • Fax: 714-258-7061

- ▲ Convert (4) 30-pin SIMMs to (1) 30-pin SIMM
- ▲ Convert (4) 30-pin SIMMs to (1) 72-pin SIMM
- ▲ Convert (2) 72-pin SIMMs to (1) 72-pin SIMM
- ▲ No DIP switches - Plug & Play installation
- ▲ Designed and manufactured in USA
- ▲ Tested for Pentium performance
- ▲ Manufactured by ISO-9002 Certified Company

DEALER AND RESELLER INQUIRIES WELCOME!

Recycle Your Memory with
SimmXtender

To order, call...

800-353-8200

Circle 223 on Inquiry Card (RESELLERS: 224).

SIMMSTACK™ Win 95 Ready

Convert 30-pin SIMMs into 72-pin SIMMs.
Add 72-pin SIMM slots to your system.

Plug & Play installation
486, Pentium & Mac compatible
Totally transparent
Will fit virtually all systems
On board logic ICs
Each adapter individually tested
Lifetime warranty
Manufactured since 1993

800-209-7126
<http://www.simmstack.com>

SERMAX
CORPORATION

1751 Second Ave., New York, NY 10128 Tel (212) 410-1597 Fax (212) 410-0452

Circle 211 on Inquiry Card (RESELLERS: 212).

FAST

- ✓ 8 HIGH SPEED CHANNELS
- ✓ BUILT IN FOSSIL DRIVER AND BUFFERS
- ✓ GUARDIAN WATCHDOG CIRCUIT PROTECTS SYSTEM INTEGRITY
- ✓ COMPATIBLE WITH ALL MAJOR OPERATING SYSTEMS
- ✓ COMPATIBLE WITH ALL POPULAR BBS SOFTWARE THAT SUPPORT FOSSIL COMMAND SET
- ✓ NATIVE DRIVERS FOR: OS/2, WIN95 & MBBS WORLDGROUP
- ✓ FULL TO CONDUCTOR RS-232C INTERFACE
- ✓ DATA RATES TO 115,200 BPS
- ✓ PERFECT FOR SYSOPS - BBS & INTERNET CONNECTIVITY!

COMPATIBLE

SmartCard-8™



ORDER TOLL FREE
1-800-282-GTEK

GTEK, INC.

Development
Hardware & Software

Voice - (601) 467-8048

Fax - (601) 467-0935

BBS - (601) 452-0058

E-mail - spot@gtek.com

or Fido 1:3604/18

Visit our new HomePage: <http://www.gtek.com>

Circle 170 on Inquiry Card.

Sliger

DESIGNS is a vertically integrated design and manufacturing company specializing in computer enclosures, disk subsystem enclosures and fully integrated systems.

15 Yrs. Experience - Supplier to Suppliers

Industrial PC Enclosures
Rackmount Drive Enclosures
Rackmount Accessories
Rack Systems
Tower PC Enclosures
Tower Drive Enclosures
CPU Cards and Backplanes
Industrial PS2 Power Supplies
Redundant N+1 Load Sharing Power Supplies



Phone: 1-702-356-5595

Fax: 1-702-356-6361

Email: info@sliger.com

Internet: <http://www.sliger.com>

Postal: 1385 Greg St. Suite 101 Sparks, NV 89431

Circle 221 on Inquiry Card (RESELLERS: 222).

Low Cost 16-bit Controllers

Easy to program in Borland/Microsoft C/C++.

C-Engine™ Prices start at \$119 Qty 1, \$49 OEM

- 3.6x2.3", 24 I/O, 3 UARTs, 3 timers 2 counters
- Upto 512K SRAM, 512K EEPROM, Watchdog
- 11 12-bit ADC, 3 mA standby, Battery, RTC
- Networking, C library, Development kits



TERN
INC.

216 F St. #104, Davis CA 95616 USA

Tel: 916-758-0180 Fax: 916-758-0181

Internet Email: tern@netcom.com

<http://ftp.netcom.com/pub/tern>

Circle 218 on Inquiry Card.

Programmable Controllers
Just Got Easier!

Smaller than a credit card



"a Hulk Hogan of capabilities"
Byte, Oct. 95

Develop reliable multi-tasking systems in hours, not weeks, with the new Micro G™ EasyStart Kit. Beginners and experts alike will love our simplified version of C. The kit includes:

- ◆ Micro G controller with 32K RAM, 128K flash EPROM, 14 bidirectional digital I/Os, and one analog input.
- ◆ Prototyping board with switches, LEDs, beeper and low-pass filter
- ◆ Dynamic C EasyStart™, our integrated development environment (editor, compiler, and source-level debugger) for Windows
- ◆ Schematics, reference manual, power supply and cables

It's everything you need to start serious development. **Only \$279.** Call our AutoFAX 916.753.0618 from your FAX. Request data sheet #35.



1724 Picasso Ave.
Davis, CA 95616

916.757.3737

916.753.5141 FAX

<http://www.zworld.com>

Circle 182 on Inquiry Card.

SECURE ACCESS AND USER AUTHENTICATION FROM ANY LOCATION

The **AuthentikCard** is a low-cost, handheld, DES-based, personal authentication token for both optical and numeric challenge/response and electronic signatures (via PC or telephone).

The programmability of security parameters and on-screen messages offer a maximum of flexibility to fit the **AuthentikCard** into existing user interfaces and terminology or to customize it for specific applications.

Tools available for integration of **AuthentikCard** in existing networks and systems.



Lintel Security nv/sa, Avenue de Jette 32, B-1080 Brussels, Belgium
Tel: +32-2-425.77.67 • Fax: +32-2-425.37.22

Circle 216 on Inquiry Card (RESELLERS: 217).

Tape Solutions

...The Tape Experts



- 9 TRACK
- 3480 • 3490 • 3490E
- LIBRARIES

Qualstar Corporation
6709 Independence Avenue
Canoga Park, CA 91303

FAX (818) 592-0116 TEL (818) 592-0061
(800) 468-0680


Circle 176 on Inquiry Card.

Let your "**TRUE COLORS SHINE THROUGH**" when you advertise your computer products in the

BYTE

HARDWARE/SOFTWARE SHOWCASE

For more information call your **BYTE** sales representative (see listing, page 211) or fax 603-924-2683



THE ALTERNATIVE UPS HAS LANDED

LUNAR ENERGY, INC.
P.O. BOX 2017
DENTON TX USA 76201, EARTH
TEL: 817.387. MOON
FAX: 817.383.0747
e-mail - lunar@compulink.net

LUNAR

UNINTERRUPTIBLE POWER SYSTEMS
"FROM 300VA TO 60KVA"

LUNAR LANDING AT THIS SITE: <http://www.lunarus.com>

The Power of the MOON

Circle 205 on Inquiry Card.


PC TEX
High-Quality
Scientific
Publishing
Software.

New!

DVIscope - a T_EX WEB browser \$49.00

For demo and information: <http://www.crl.com/~pti/>

Personal T_EX, Inc. 800/808-7906 Fax: 415/388-8865 E-mail: pti@crl.com



DESIGNED FOR WINDOWS 95

Circle 175 on Inquiry Card.

How to stay ahead of the market and the psychiatrist.

Searching for a cost-effective way to create focused software for a specific market? License Autodesk® OEM Technology. That way, you can relieve the stress of writing industry-compatible code and instead, focus on your customers and expanding your market. Plus, the Autodesk name carries worldwide recognition, a strong three-million customer base and reputation for success. All elements that should keep the psychiatrist far away.

License any of the following Autodesk OEM Engines:



POWERED WITH
AUTODESK
TECHNOLOGY™

DWG OEM
AutoCAD® OEM
AutoVision™ OEM
AutoCAD Data Extension OEM
HOOPS® OEM

Autodesk.

Call 1-800-964-6432 and ask for InfoPak I956
email: oem_info@autodesk.com

© 1996 Autodesk, Inc. Autodesk, the Autodesk logo, AutoCAD, and ADE are registered trademarks, and AutoVision and HOOPS are trademarks of Autodesk, Inc. in the U.S. and other countries.

Factory Data Collection



The TransTerm 5 is a work station data entry/display terminal for on-line shop floor data collection into PC/AT/PS-2 systems. The unit is one of a family of such terminals which feature LC displays for operator prompting and data entry via sealed touch keys or an optional barcode scanner or badge reader (Code39, UPC+). A multi-terminal network controller (up to 250 stations) and a dBASE IV compatible software package are also available. System costs start below \$300 per station. Options include display backlighting, barcode scanning, counter inputs, control output.

COMPUTERWISE®

302 N. Winchester • Olathe, KS 66062

913-829-0600 • 800-255-3739 • FAX 913-829-0810

Circle 168 on Inquiry Card.

Let your
"true colors shine through"
when you advertise your
computer products in the

BYTE

HARDWARE/SOFTWARE SHOWCASE

our newest, affordable,
4-color advertising section!

For more information call your **BYTE**
sales representative (see listing,
page 211) or fax 603-924-2683

CGM for MS Windows

The Computer Graphics Metafile is the ISO/ANSI standard for the system independent storage of vector and raster based graphical information. Our Windows solutions give you easy access to this technology.

MetaPrint: The CGM printer driver for MS Windows. Is installed and functions as a standard MS Windows printer driver. MetaPrint gives you immediate **print to CGM** capability from any application that uses the GDI print function.

HSIview: The CGM interpreter for MS Windows. Views and prints CGM and WMF files and also translates CGM to/from WMF. HSIview was developed for Microsoft for use with Word, Powerpoint, etc. and is available as both an enduser application and a developer DLL.

Besides CGM, EMATEK supports other ISO/ANSI standards. Based on the Graphical Kernel System (GKS) and Computer Graphics Interface (CGI) standards our GSS graphic tools enable you to develop portable, device independent graphic applications. Call for an info pack today.

CGM-Standard
EMATEK

EMATEK GmbH
Subbelrather Straße 17
D-50823 Cologne, Germany
Phone: +49-221-512074
Fax: +49-221-529666
Email: gsscgi@ematek.de

Circle 197 on Inquiry Card.

TCP/IP for Windows

**NOW
ONLY \$199**

MultiNet For The Enterprise. Powerful. Reliable. Sleek. Fast.

TGV's MultiNet® is the only TCP/IP solution to deliver the performance, reliability, and ease of use that corporate networks demand. MultiNet is *first* to let you run Microsoft Windows for Workgroups networking over a superior TCP/IP stack. *First* to let you select and pay for just the TCP/IP applications you need, thereby reducing software and support costs. And MultiNet is *first* with supernet support so that IP address limitations are no longer an administrative nightmare. MultiNet further simplifies IP address configuration with DHCP and Bootp.



MultiNet for Windows TCP/IP Stack & Applications

TCP/IP Stack

32-bit VxD
DHCP and Bootp
NetBIOS/TDI interface
RIP & Router Discovery
Supernet support
Multicast
Ethernet, Token-Ring
PPP and SLIP/CSLIP

**NEW
VERSION**

File Sharing

FTP client and server
32-bit VxD NFS client
Internet Applications
Enhanced Mosaic V2.1
Pronto Mail V2.0
Terminal Emulation
Telnet and Rlogin
VT320 and TN3270
Kerberos authentication

Network Printing

LPR
PCNFS
Stream (reverse Telnet)
Network Utilities
Ping
Traceroute
Host lookup
Whois
Finger

Get MultiNet up and running on your enterprise today. It's powerful. Reliable. Sleek. Fast. And designed for the enterprise. To Order Your Free Evaluation:

Call 800-TGV-3440
or 408-457-5200



The Enterprise TCP/IP Experts

Fax: 408-457-5205 Email: sales@tgv.com Web Server: <http://www.tgv.com> TGV Europe Tel: +44-1-256-8141511
*Developer tested only. Novell makes no warranty with respect to this product. MultiNet is a registered trademark of TGV Software, Inc. All other trademarks are the property of their respective owners. ©1996 TGV Software, Inc. 015/2

Circle 215 on Inquiry Card.

On-Line Services • Programming Languages/Tools

Put your Company on the World Wide Web!

INTERNET

VIRTUAL WEB HOSTING

\$24.95 per month*
*49 setup fee required

- Domain name registration provided (http://your_name)
- Unlimited updates via your own FTP account
- 500 MB of data transfer per month (90.12 per MB over 500 MB)
- 10 MB of disk space for your html documents & graphics (11 per MB over 10 MB)
- Full T1 to the Internet
- Unlimited e-mail address forwarding
- Custom CGI script support via your own cgi-local directory
- Detailed web usage statistics & access to raw log files
- Controlled anonymous FTP
- TrueSpeech® server support included (real-time audio)

Graphics and Web Page Design

See our online order form at <http://www.hw.net/home.html>

Hiway Technologies, Inc.

sales@hw.net 1 800 339-HWAY

Circle 225 on Inquiry Card (RESELLERS: 226).

UNIX • Utilities • Windows

WORLDWIDE WEB SERVER • WINDOWS FOR WORKGROUPS LAN SERVER

What's your operating system done for you lately?

More powerful and flexible than NT and OS/2, Linux is the OS of choice in nearly half the Internet Provider Sites set up in 1995. WGS Linux Pro is a more professional, stable and complete version of Linux, including programming languages, tools, new software and games. It transforms any PC into a powerful workstation or network server. Also a great way to learn Unix systems concepts and programming!


Try it risk-free for 30 days! Only \$69
(That's 30% off the regular price!)
Visa/MC/AmEx accepted

Order today by calling: 800-234-7813

WorkGroup Solutions, Inc. • P.O. Box 460190 • Aurora, CO 80046-0190
Tel: 303-699-7470 • Fax: 303-699-2793 • E-Mail: info@wgs.com • <http://www.wgs.com>

Circle 219 on Inquiry Card.

Secure Client/Server over the Internet!



Dunn Systems
SECURE SQLBase™

Use Client/Server tools for remote access solutions!

- Use the Internet as a secure virtual Wide Area Network
- Develop powerful Internet applications using 4GL tools
- Use SQLWindows, Visual Basic, Powerbuilder, Delphi, C++...
- Provides automatic data-stream encryption for all SQL data
- Uses RSA security and Netscape's secure socket references
- Includes a complete enhanced version of SQLBase v6.0
- Transparent to users, developers and administrators

Use the Internet to securely access your client/server applications

Pricing starts at \$1,595 for a 5-user version

Call 1-800-486-DUNN ext. 402
e-mail: securesales@dunnsys.com
<http://www.dunnsys.com>



DUNN
systems, inc.

Circle 230 on Inquiry Card.

cc:Mail Anywhere!

No Rules Needed! Leave Your PC Off

With Redirector for cc:Mail from C2C Systems you can leave for an hour or a month and have your mail handled automatically. Let's people know you are away and when you'll be back!

- Quick Installation
- Easy Operation
- Free Evaluations.. call today!

US (800) 449-0506 or (206) 885-7888 International +44 1734 511 211
<http://www.scanet.com/vendors/c2cusa>



Circle 220 on Inquiry Card.

KCOM2 for Windows

Japanese / English Word Processing Software for Windows95.

- ❖ You don't need Japanese version Windows or DOS!
- ❖ KCOM2 for Windows is an easy to use Japanese and English Word Processing Software with Communication feature for your regular MS-Windows V3.1 or above.
- ❖ With OLE server feature, you can insert Japanese on English applications.
- ❖ Offers two types of Japanese outline fonts, built-in Japanese Front End Processor and much more.

<http://www.intransnet.bc.ca>

KUREO Technology Ltd.
InTransNet Services Ltd.

#303-3600 Gilmore Way, Burnaby, B.C.
CANADA V5G 4R8
FAX (604) 433-3393 TEL (604)433-7715


Circle 198 on Inquiry Card (RESELLERS: 199).

Learn C++ & Windows™-Based Programming...

Simply, Quickly!

With the OML Learning Series™ you can learn C/C++, object technology and Windows™-Based programming quickly and conveniently in the privacy of your home or office. The OML Learning Series features:

Visual Series™
C/C++ Series™
OOA/OOD Series™
OLE Series™



Each series: \$249* (reg. \$400)
Any 2 series: \$399* (reg. \$750)
Any 3 series: \$549* (reg. \$1050)
All 4 series: \$649* (reg. \$1300)
LAN version: Call
* Limited Time Offer

800-6789-OML

Call us for information, and FREE Demo Software

Visa
MC
Amex

OBJECT MANAGEMENT LABORATORY
TEL: 805-373-8111
FAX: 805-373-8116

Circle 200 on Inquiry Card.


Tape Storage Solution for Windows 95

- Turns a SCSI tape drive into a Logical "disk".
- Works with Windows 95 - Long file names.
- CODEBLUE™ Disaster recovery for Windows 95.
- TDWIN GUI for Windows 95.
- Backup & Secondary storage.
- Random Access Tape files
- Read/write files directly to tape.
- Supports SCSI DAT, 8MM, QIC
- Crash Guard protects your data

Supports 4MM DAT/DDS-28MM, QIC/SCSI tape drives
ADPI • Hewlett-Packard JetStore/SureStore • Colorado Power-Tape-DAT •
Conner • Contemporary Cybermetrics • Exabyte • Legacy • Mountain • PCM •
Sony • Tandberg • Teconar • WangDAT • WANGTEK • others



TAPEDISK®
We make tapes work like disks!
Voice 715-235-3388 • 715-235-3818 Fax



Circle 195 on Inquiry Card.

Back up!



New Product
New Low Cost

\$169

M. S. R. P.

Before all your hard work goes down
the drain.

Why risk losing a single bit of your valuable data when it's so easy to **BACK UP** with a **backpack 800TD** printer port tape drive? The **backpack QIC-80 800TD** stores up to 800MB of data on a single Travan TR-1 tape and uses all QIC-80 tapes too.

No slots? No problem.
There are no cards to install.
You don't even have to open



backpack[®]
800TD

MicroSolutions

Call Toll Free - 800.295.1214

your computer. Plug the **backpack 800TD** into your computer's printer port; plug your printer into the port provided on the back of the tape drive (Windows[™] and DOS backup software is included free).

Join the **backpack** drive family today... Easy plug and play tape back up, CD-ROM, hard disk and diskette drives.

TRAVAN[™]
TECHNOLOGY
Travan is a trademark of 3M.

132 W. Lincoln Hwy. DeKalb, Illinois 60115 • Telephone 815.756.3411 • FAX 815.756.2928

Circle 135 on Inquiry Card (RESELLERS: 136).

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. 2"x1 1/8" ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address,

telephone and fax number. 2"x2 1/4" ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: **THE BUYER'S MART**, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information please call Vivian Bernier in BYTE sales at 603-924-2521 or FAX 603-924-2683.

RATES (Jan. 1996)

		3-5 Issues	6-11 Issues	12 Issues
1 ad	\$790	\$760	\$665	
2"x1 1/8"	2 ads/issue	-	-	635
	3 ads/issue	-	-	600
1 ad	\$1,580	\$1,515	\$1,330	
2"x2 1/4"	2 ads/issue	-	-	1,265
	3 ads/issue	-	-	1,200

*****COLOR - Add \$100*****

ACCESSORIES

SVGA Splitters

- Connect 2, 4, or more monitors to your computer
- Bright and crisp presentation simultaneously on all monitors - **Guaranteed**
- Works with all VGA, SVGA, and RGB monitors
- Supports 1280 x 1024 - **MADE IN USA**
- Special VGA extension cables to 250 ft

HALL RESEARCH

Santa Ana, CA (714) 641-6607

800-959-6439

Inquiry 451.

BAR CODE

Bar Code Readers

For PC, XT, AT, PS/2, Macintosh and Serial Terminals

- ★ Attaches as 2nd Keyboard, no software changes
- ★ Reads 2of5, 128, UPC/EAN, Code 39, etc.
- ★ External or Internal attachment on PC
- ★ Wand, CCD, Slot Badge, Magstripe or Laser
- ★ Supports DOS, Novell, UNIX, Mac OS, etc.
- ★ 100+ Configurable Options
- ★ Supports USA & International Keyboards
- ★ 2 Year Warranty, 30 Day \$\$ Back Guarantee
- ★ Direct From Manufacturer
- ★ **Top Rated by Independent Review**
- ★ Complete with CCD Scanner - \$599
- ★ Complete with Laser Scanner - \$655
- ★ Complete Wand only Reader - \$329

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060

408-458-9938

800-345-4220

BAR CODE

Labeling Software

For DOS and Windows with dot-matrix, LaserJet or DeskJet. Easy WYSIWYG design. Any format/size. Mix big text, bar codes, and PCX graphics. Formats for AIAG, KMart, Sears, MIL-STD, Penneys, WalMart. File Input. LabelRIGHT for DOS - \$279. LabelRIGHT for Windows - \$295.

30 Day Money Back Guarantee

Worthington Data Solutions

(408) 458-9938

800-345-4220

RF Terminal

Communicates 2 way to Serial Base Station from 150-600 ft. Relay units extend range to 4000 ft. 1-16 terminals per base station. Keyboard, wand, CCD or laser scanner input. 16 Selectable frequencies. Small size and low weight - 12 oz. with batteries. Base Station - \$795. Terminal - \$1095.

Worthington Data Solutions

(408) 458-9938

(800) 345-4220

Windows Bar Code Fonts

Add bar codes to any font based Windows program. Fonts designed for dot matrix, DeskJet and LaserJet. Print Codabar, 2 of 5, Code 128, UPC/EAN and Code 39 inside your Windows program. TrueType fonts, bitmaps and metafile support included. Only \$199.

Worthington Data Solutions

(408) 458-9938

(800) 345-4220

BAR CODE

BAR CODE READERS

For PC, XT, AT, PS/2, & Serial Terminals

- Emulates Keyboard: Works With Any Software
- Data Appears as Keyboard Input
- Uses Enhanced Decoding Algorithms
- Accepts Wand, Slot/Badge, CCD, Laser, Magnetic Stripe Reader, & RS232C Serial Input
- Reads All Popular Bar Codes (16 types)
- Reads HIGH, MEDIUM, & LOW density codes
- Auto-Discriminates Between Bar Code Types
- Easily Programmed with a Bar Code Menu
- Over 140 User Configurable Options
- Daisy Chain Up to 96 Readers
- Supports NOVELL Networks
- Supports US & INTERNATIONAL Keyboards
- Direct From Manufacturer
- 30-day \$\$ Back Guarantee, 1 Year Warranty
- Complete Unit with LASER Scanner - \$645
- Complete Unit with WAND Scanner - \$299

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

Bar Code Printing Software LabelWorks for Windows

- Prints all Popular Bar Code Types (19 Types)
- Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- Rotates Text, Bar Codes, and Graphics
- Supports Windows Compatible Fonts
- Choose From Over One Hundred Popular Label Formats or Design Your Own
- Rich Text Support: Mix Styles, Types, & Sizes
- Automatically Prints Serial Numbers
- Imports & Exports Graphic Files: TIFF, GIF, BMP, PCX, WPG, WMF, TARGA
- Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- 30-day Money-Back Guarantee, \$295

*****CALL FOR FREE DEMO SOFTWARE*****

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

Portable Reader

- ★ AA Battery Operated, 64K or 256K
- ★ Display messages and optional voice messages tell operator what to do. Messages are easily recorded (like answering machine) in any language. This unit is EASY!
- ★ Double duty as Non-portable Reader
- ★ 4x20 Supertwist LCD Display, 35 Rubber Keys
- ★ 2 Built-In Inventory Programs or create custom
- ★ Download tables and Pick Lists
- ★ Wand, CCD, or Laser Scanner Input
- ★ Serial Interface and Keyboard Interface
- ★ Reads 2of5, UPC/EAN, 128, Code 39, etc.
- ★ 2 year Warranty on Reader & Wand
- ★ 30 Day Money Back Guarantee
- ★ 64K Complete with Steel Wand - \$799
- ★ Small Size and very long battery life

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060

408-458-9938 FAX 408-458-9964 **800-345-4220**

Portable Bar Code Reader

- Use as a PORTABLE, WEDGE, or SERIAL
- 9V Battery Operation with Lithium Backup
- 2x16 Supertwist LCD Display
- 54 Key Keyboard with Separate Numeric Keys
- Real-time Clock Supports Date & Time Stamps
- Reads all Popular Bar Codes (16 types)
- Wand, CCD, Laser, or Serial Input Devices
- Built-In Program Generator
- Create Your Own Custom Programs
- 6 Built-In Inventory Programs
- Up to 250 Programs Can Reside in Memory
- Create up to 250 Data Files per Program
- Up to 250 Look-Up Files in Memory
- Built-In Calculator
- Supports Hayes Compatible Modems
- 64K Memory with Data Compression
- 30-day \$\$ Back Guarantee - 1 Year Warranty
- Complete Unit with WAND Scanner - \$795

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

Bar Code Library DLL

Bar Code Library sends bar codes to the display, Windows clipboard, bitmap file, or printer. Bar Code Library supports most applications with a built-in programming language that can call a DLL. \$329. 32 Bit version \$649.

StrandWare, Inc.

715-833-2331 Fax: 715-833-1995

800-552-2331 (in US)

Inquiry 452.

BAR CODE

BAR CODE PRINTERS

Only \$1,495.00 (reseller pricing available)
Impeccable print quality, rugged performance!
FREE Windows™ Bar Code Printer Driver with every printer purchase! Print bar codes from MS Word™, Write, Word Pad, Access™, Visual Basic™, Lotus® Approach®, Paradox®, dBASE®, etc.

THARO SYSTEMS, INC.

P.O. Box 798, Brunswick, OH 44212-0798
http://www.tharo.com/tharo/ Internet e-mail: tharo@tharo.com
216-273-4408 Fax: 216-225-0099

Inquiry 453.

BOOKS

12,000 COMPUTER TITLES

Easy searching & ordering in our online stores.
Computer books from 450 publishers. Web URL:
http://www.compubooks.com/, CompuServe, GO CBK.
Excellent customer service. Worldwide shipping by
UPS or US Mail. MC/Visa/AmEx/Novus/JCB cards.

CompuBooks® Online Bookstores
512-321-9652 Fax 512-321-4525 800-880-6818

CAD

Circuit Design Software for Windows
Easy-to-use schematic entry, PCB design, and
simulation software, starting at \$149 each.
Complete PCB package with schematics,
autorouter, and layout for 2-layer circuit boards,
\$399. Enhanced version with autoplacement,
more symbol libraries, and up to 16 layers, \$649.
CAM file outputs.

Mental Automation, Inc.

5415 136th Place, SE-Bellevue WA 98006
(206) 641-2141 FAX (206) 649-0767 BBS (206) 641-2846

Inquiry 454.

CAD/CAM

CONTOURING MOTION CONTROL

FROM A PRINTER PORT!

NEW Indexer LPT™ software **\$249**
VERSION 3 VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver, Super Manual.
- CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX: (215) 657-7815

Inquiry 455.

CD-ROM

INFOMAGIC CD-ROMS

WORLD WIDE WEB on CD-ROM\$30
See the Web without being on-line! Most popular sites included!
INTERNET Tools CD-ROM\$30
Networking tools & utilities for DOS & UNIX
USENET 2 CD Set\$25
comp.sources & alt. sources groups archived + lots of FAQ's
CICA Windows 4 CD Set\$30
Hundreds of Windows programs & games ready to plug & play!
LINUX TOOLBOX\$45
Includes 5 CD Set, Install Manual, Internet Guide & more!
LINUX Developers Resource 5 CD Set\$25
Complete OS, source code, on-line docs, Slackware & Red Hat!
MOO-TIFF CD-ROM (for LINUX)\$99
Complete development system, 100% OSF/Motif compatible
OS/2 HOBBS 4 CD Set\$35
Utilities, demos, games, shareware and more all for OS/2!
TCL/TK CD-ROM\$35
Tool Command/Scripting Language - general purpose library
Mother of PERL 2 CD Set\$35
Utility language for UNIX, Windows, NT, OS/2, DOS, MAC & more!
GAMES for DAZE 2 CD Set\$30
Hundreds of games, demos & source code, XZFTP Archive
BSDISC 2 CD Set (NetBSD & FreeBSD)\$35
Complete Unix-like OS & install scripts for both
STANDARDS 2 CD Set\$30
RFCs, IENs, CCITT/ITU Bluebook, Windows Sockets
SOURCE CODE CD-ROM\$30
4.4 BSD-Lite 2, XIR6, MACH, Andrew Windowing, more!
Phone Orders: 1-800-800-6613
Fax Orders: +1-520-526-9573
Int'l Phone: +1-520-526-9565
Web Orders: www.infomagic.com E-mail: orders@infomagic.com
1950 N. Hwy 89, Flagstaff, AZ 86004

Inquiry 456.

CD-ROM

We Buy, Sell & Trade
CD-ROMS & MEMORY CHIPS
Resellers Wanted

Call or write for a free product update

Consolidated CDROM Inc

102 Greenwood Ave, Wyncote PA 19095 USA
+1-215-572-9831 / +1-215-572-9832 fax
1-800-8-CDROMS

Inquiry 457.

CD ROM TOWERS & JUKEBOX SERVERS FOR ALL OPERATING SYSTEMS!

No Device Drivers/ MSCDEX needed,
Complete Kit Networks CD Roms,
unlimited user license, DISCPORT.

"JES, NONE BETTER AT ANY PRICE"

Call NOW: 1 (800) 482-1866 305-597-3980
http://www.jescdrom.com

Inquiry 458.

WALNUT CREEK CDROM

FreeBSD. 2.1 Rock solid Berkeley Unix for PC w/src.
2 disc set, easy install, 6 mo updates\$39.95
Slackware Linux. 2 disc *OFFICIAL* Slackware 3.0.
Internet's favorite. Quarterly updates\$39.95
Cica MS Windows. 4000+ Windows programs, games,
drivers, fonts, shells, src. Indexes in German/Spanish/
Italian/French/English/Japanese. Quar. updates\$29.95
Hobbes OS/2. 1000 MB Free/Shareware drivers, app's,
etc. OS/2 Mag's product of the year! 6 mo updates\$29.95
Sintel MSDOS. 2 discs, premier Internet technical,
programming Free/Shareware\$29.95
Black Hawk. - New Win. 95 shareware collection\$29.95
Internet Info. 17,000 doc's, FAQs, FRCS, & IENs.\$39.95
Music Workshop. 2 Music prog., midi, demos, etc\$39.95
Project Gutenberg. 350+ Copyright free books\$39.95
Scientific Library. Technical shareware. DOS/Win\$39.95
POV-Ray. Ray-tracing images, src, documentation\$39.95
60+ titles about Windows 95 & NT, games, Tcl, perl, QRZ!
Ham Radio, Music, Fonts, Royalty-free images

Call for your FREE catalog today!

All our products are unconditionally guaranteed!

1-800-786-9907

4041 Pike Lane, Ste D-214, Concord, CA 94520
+1-510-674-0783 Visa/MC/AMEX, Fax: +1-510-674-0821
orders@cdrom.com http://www.cdrom.com/

Inquiry 459.

COMMUNICATIONS

Frame Relay, X.25, BSC, HDLC, SDLC, PPP

Rock solid, compliant, inexpensive and robust PC APIs and
router implementations. On board protocol support reduces
PC overhead.

- For MS-DOS, Windows, Win NT, Unix, OS/2, Network and others.
- Routers interconnect any PC systems or LANs.
- Cards for 56kbps to T1/E1.
- Superior test and diagnostics including SNMP.

Sangoma Technologies Inc.

(800)-388-2475 • (905)-474-1990 • Fax: (905)-474-9223
E-Mail: dm@sangoma.com • Web: www.sangoma.com

COMPUTER GRAPHICS

Work from Home

We need help creating our "Virtual World
Project". Use your 486PC or PentiumPC to
create 3D models for our CD-ROM.
Average \$20 to \$30 per hour with a signed
contract. Software is required and training
is available. Call:

3rd Dimension Technologies, Inc. 1-800-455-3558

Inquiry 460.

COMPUTER MEMORY

WE'LL PAY YOU FOR YOUR OLD MEMORY

Simms, Dips, Laser Printer, 1 Megx8, 4 Megx8, DRam Chips
— ANY MEMORY —

All Memory Has Value! Don't let your old memory collect dust

Call or fax what you have available

1-800-718-7755
THE MEMORY LIQUIDATORS

"The company that buys memory back"

531 Main St., Ste. 1174, El Segundo, CA 90245-3060
Ph. 310-676-3074 Fax 310-676-3076

Inquiry 461.

DATA RECOVERY

We Can Save It!

All Platforms - All Storage Devices
Proprietary techniques so advanced we
rescue data others simply abandon.

DRIVE SAVERS

Restoring data since 1985

1-800-440-1904

415-883-4232

Inquiry 461.

The Leader in Data Recovery

- Expertise in virtually every operating system
& media storage device.
- 24-Hour support & emergency services available.
- Call for a FREE consultation!

ONTRACK DATA RECOVERY

MN: 1-800-872-2599 • CA: 1-800-752-7557

DC: 1-800-650-2410 • Europe: +44 (0)181 974 5522

Inquiry 462.

DATA/DISK CONVERSION

WE WROTE THE BOOK!

Deal direct with the company who developed the
systems that most others use...
SHAFSTALL! Tape/Diskette
Transfer/Conversion/Duplication. PC/Mini/
Mainframe/Workstation Tape Transfer. WP to
WP Document Conversion Services.

1-800-357-6250

Shaffstall Corporation 317-842-2077
(Fax) 317-842-8294

Inquiry 463.

DATABASE

DbCAD dev 1.3 DLLs

Create, select, edit, import (DXF, DWG), all the
AutoCAD 2D vector entities, in a graphics database
(DBF). Display raster images (RLC, RLE, BMP) on
which you can overlay vector drawings (DWG, WMF,
graphic DBF). Manage a graphic window (pan,
zoom, overview, pick). Print by using Windows
driver and fonts.

Channel inc. U.S.A.

+617-863-0068 http://www.mynet.it/abaco

Inquiry 464.

EDUCATION

B.S. & M.S. In COMPUTER SCIENCE

The American Institute For Computer Sciences offers an in-
depth home study program to earn your Bachelor of Science
at home. B.S. subjects covered are: MS/DOS, BASIC,
PASCAL, C, C++, Data File Processing, Data Structures &
Operating Systems. M.S. program includes subjects in
Software Engineering and Artificial Intelligence. Ada and
Using Windows courses also available. Accredited Member:
World Association of Universities and Colleges.

AMERICAN INST. FOR COMPUTER SCIENCES

2101-BY Magnolia Ave., Suite 200, Birmingham, AL 35205
1-800-767-2427 • 1-205-323-6191

THE BUYER'S MART

EMBEDDED CONTROLLERS

✓ MAKE A DATALOGGER FAST!

TDS2020 - the ideal low-power micro-controller for building a datalogger. From only \$199 (100s)
 ✓ Fast development with high-level Forth- no emulating!
 ✓ Application software library provided - easily tailored!
 ✓ Save to b/b RAM, PCMCIA cards or mini hard drive!
 ✓ Take 10/12 bit analog signals, digital or ASCII data!
 Call today for details: (716) 425-3753; -3835 (fax)
 SAELIG CO. 1193 Moseley Rd. Victor, NY 14564

Inquiry 465.

FOREIGN LANGUAGES

Foreign Language Software Leader

Largest selection of Translation, dictionary, language learning, fonts, word processing, OCR etc. from any company! Best prices, Satisfaction guaranteed!
 Free 52-page Catalog.

<http://www.lainet.com/CLR>

Character Language Resources

800-900-8803 FAX 310-996-2303

2130 Sawtelle Blvd. Ste. 304A, Los Angeles, CA 90025

Inquiry 466.

FORMS DESIGN & PRINTING

FORMS OVERLAY MACROS...from US \$99.00

Forms Electric is the forms overlay solution for LaserJet & compatible printers. Use your preferred Windows applications to create PCL forms overlay macros for print merging, on-screen preview and faxing. Xerox and developer solutions available.

<http://www.visual.co.uk/>

Visual Software

Fax: +44 1306 742 425 geddes@visual.co.uk

Inquiry 467.

HARDWARE

Coin Op PC systems

for any computer system inc. PC's and Mac. Suitable for Cyber cafés, Hotels etc. From components to full systems with dial up Internet access. Sturdy and Theft proof. Any currency. Can operate unattended. Internet literate companies required as agents.
 Cyber café operating systems and equipment.
 Internet + Virtual reality systems.

MAAS-NEOTEK Ltd.

www.netropolis.co.uk Email info@maasneotek.com
 Tel. 44 (0) 1224 595666 fax 595333

Inquiry 468.

Pre-Owned Electronics, Inc.™

THE Independent Provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985.

APPLE II® & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog...800-274-5343

Office: 617-275-4600 • FAX: 617-275-4848
 205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 469.

HEWLETT-PACKARD

Buy - Sell - Trade

LaserJet ColorPro
 DeskJet DraftPro
 RuggedWriter DraftMaster
 Electrostatic Plotters DesignJet

HP 9000 Workstations and Vectras also available.

Ted Dasher & Associates

Your Hewlett Packard Remarketing Specialist
 Phone: (205) 591-4747 Fax: (205) 591-1108
 (800) 638-4833 E-mail: sales@dasher.com

Inquiry 470.

HELP WANTED

☆ EXTRA INCOME '96 ☆

Earn \$200-\$500 weekly mailing travel brochures. For more information send a self-addressed stamped envelope to:

C.C.L. Travel

P.O. Box 612290, Miami, FL 33261

Inquiry 471.

LANs

Little Big LAN

The most flexible network

- Peer to Peer LAN to 250 nodes
 - \$75 total software cost, not per node!
 - Link via serial, parallel, or Modems
 - Also via Ethernet or Arcnet, or mix!
 - Typically only 40k of RAM
- Information Modes**
 817-387-3339 / P.O. Drawer F, Denton TX 76202
 Fax 817-382-7407 Orders 800-628-7992

Inquiry 472.

MEMORY

MEMORY

BATTERIES & FAX/MODEMS

for over 3,500 brands and models of PCs, MACs, Laser Printers. Also sell batteries for Camcorders & Cellular Phones. More choices than anybody else on earth.
 Discover Visa Mastercard Amex Corporate PO's

CONTROL Memory Factory

(800) 952-7867 Fax: (408) 437-1278

Inquiry 473.

NETWARE

NOVELL SPECIALS FREE SHIPPING

No. User	ver. 4.1	ver. 3.12
5-user	\$ 395	\$ 485
10-user	\$ 985	\$1,045
25-user	\$1,385	\$1,485
50-user	\$1,795	\$1,985
100-user	\$2,650	\$2,785
250-user	\$3,495	CALL

NOVELL UPGRADES UP TO 60 % OFF LIST! We will beat or match any advertised PRICE. Bring us your best deal!!!

800-373-2485 VANDY MICRO CORP
 Fax: 714-768-1063 Tel: 714-768-1595

Inquiry 474.

PROGRAMMERS TOOLS

The Fastest xBASE Engine...

for C, C++, Visual Basic and Delphi programmers. Get multi-user compatibility with FoxPro, Clipper and dBASE files. CodeBase is portable between DOS, Windows and UNIX! Includes client/server option as well as data-aware custom controls and a visual report writer!

FREE 30 day trial

Call Sequiter Software Inc. for details!
 Phone 403 437 2410 FAX 403 436 2999

Inquiry 475.

SECURITY

EVERLOCK Safe-D EVERKEY

CPU-Lock • CD-ROM Lock • Serialization •
 Registration • Date & Execution Limits •
 Window 95 • 3.11 • DOS

Az-Tech Software, Inc.
 Leaders in Software Security

Call Today For More Information!
 Phone: (816) 776-2700 FAX: (816) 776-8398

Inquiry 476.

SECURITY

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906
 800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX:301/460-7545

Inquiry 477.

CRYPTKEY SOFTWARE LICENSING SYSTEM

"Software Copy Protection with NO Hardware Key and NO Disk Key"

CrypKey is software copy protection that is

- completely secure from any disk copy program
- completely compatible with MSDOS, MS WINDOWS, WIN 95, WIN NT
- completely compatible with CD-ROM, BBS, or Internet distribution!
- customer friendly - no disk key, no hardware key, less support calls

CrypKey can increase your software sales by allowing you to sell your program

- by increments - sell add-on software options or levels to your customers
- by number of runs - e.g. sell 100 calculations for \$100.00
- by time period - e.g. lease or demo your program for 60 days

CrypKey uses a numeric key that can be transmitted by phone, fax, or email. Sell your customers more options, more copies, more time or more runs instantly, just by making a telephone call (great for overseas customers or distributors). CrypKey is produced by Kenonic Controls Ltd. - engineering and software since 1972.

Kenonic Controls Limited

7175-12th Street South East
 Calgary, Alberta, Canada T2H 2S6
 (403) 258-6200 • fax: (403) 258-6201
 INTERNET: crypkey@kenonic.com

Inquiry 478.

Cop's CopyLock II

Professional software protection with TRUE Machine Install. Option Board safe. DOS, OS2, Networks, Windows, Trace 3000. DialCOPS Access Control for mass distribution via CD-ROM or Internet. Known and used world-wide since 1984.

LINK Data Security
 Int'l: + 45 3123-2350 Fax: + 45 3123-8448

CRYPTO-BOX™ Locks in Your Profits!

The Marx CRYPTO-BOX is the result of 10 years experience in effective software protection.

- microprocessor controls ID codes, memory, dynamic algorithm and high speed data encryption
- remote access to passwords and counters
- license metering in networks: single key per LAN

MARX International, Inc.

20 Executive Park West, Suite 2027, Atlanta, GA 30329
 404-321-3020 1-800-MARX-INT fax: 404-321-0760
 Visit our Home Page: <http://www.marx.com>

Inquiry 479.

KEY LOK II™ SECURITY

Software Piracy Prevention - Survival 13 years proves effectiveness of powerful multilayered security. Algorithmic response, programmable memory, counters, lease control, remote update. Low pricing (\$13.95/1000, \$15.50/50, \$16.00/5, \$19.95/2). No startup costs. No ID on devices. Also, ACCESS CONTROL systems and disk drive/system LOCKS

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122
 1-800-4KEY-LOK (303) 770-1917 FAX: (303) 770-1863

Inquiry 480.

SOFTWARE ANALYSIS TOOLS

Windows Hierarchical Diagrammer

Analyze, design & communicate your programs, business processes, & databases using **B-liner**, an intuitive, interactive bracket outliner. Diagrams can range from formal specifications to informal "to do" lists. Check out our web site for a Free Demo.

- Powerful editing & formatting
- OLE 2.0 server
- Ideal for Warnier/Orr diagrams
- For Windows 95, NT, & 3.1

\$149 (60 day money back guarantee) **Varatek Software, Inc.**
<http://world.std.com/~varatek> (508) 685-7003

Inquiry 481.

SOFTWARE PACKAGING

FREE SOFTWARE PACKAGING CATALOG

Everything you will need to Package, Distribute, and Ship Your Software! From manuals and binders to mailers and shippers.

LABELS • LABELS • LABELS

For your diskettes, plain or custom printed dot matrix or laser printer... free samples

...FREE CATALOG...

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069
 Phone/Fax: 513-779-7977

Inquiry 482.

SOFTWARE/BUSINESS

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, operator stats, batch control, on-line help, output record reformat, free tech support.

For the PC, PC LAN, S/36, AS/400.

FREE 30 day trial

Computer Keyes Tel: 206-776-6443
 21929 Makah Rd., Fax: 206-776-7210
 Woodway, WA 98020 USA: 800-356-0203

SOFTWARE/ENGINEERING

Analog/Digital Simulation!!

- Windows, NT, DOS
- Model Libraries, RF, Power
- Power Mac, Macintosh
- More Than 5000 parts
- IsSpice4 Real Time SPICE
- Waveform Analysis
- Mixed Mode Simulation
- Full SPICE programs
- Schematic Entry
- starting at \$95. Complete
- New AHDL Modeling Kit!!
- systems, \$595-\$2595

P.O. Box 710 San Pedro, CA 90733-0710

(310)833-0710, FAX (310)833-9658

Call for your Free Demo and information kit.

intusoft

Inquiry 483.

SOFTWARE/GRAPHICS

The Ultimate Imaging Toolkit AccuSoft Image Format Library 5.0

Programmers: Add support for 36 raster file formats instantly!

TIFF, JPEG, PCX, TARGA, DIB, DCX, GIF, BMP, WMF, PICT, WPG, EPS, PNG, Group 3, Group 4
New Formats: Photo CD, PhotoShop, ASCII, Kofax, RLE, LaserData, CALS, ATT, CLP, XWD, IMG, IFF, SUN, XBM, ICO, ICGA, CX2, XPM, CUT, Brooktrout, MAC, MSP.

Guaranteed to read all raster images in existence in the listed formats!

- * Import, export, scanning, conversion, compression
- * Printing, display, image processing
- * Support all languages
- * Fax formats and multi-page images
- * Rotate, zoom, scale, color reduction
- * Thumbnails, sharpen, special-effects

* Multi-Platform Support:

Win 3.x, Win95, NT, DOS, DOS 32, VBX, OCX, OS/2, FoxPro, Sun OS, Solaris, HP-UX, AIX, SGI, SCO, Mac, PowerMac
 * Pro Gold versions for Windows as a DLL, VBX, OCX
 Win 95, NT, OS/2, UNIX and Macintosh platforms.

AccuSoft Corp. Call 800-525-3577

Two Westborough Business Park Westborough, MA 01581
 TEL (508) 898-2770 FAX (508) 898-9662
 Compuserve: GO ACCUSOFT <http://www.accusoft.com>

Inquiry 484.

SOFTWARE/ENGINEERING

SAUNA: 3D THERMAL ANALYSIS

- Models: PCBs, stacked plates, heatsinks, multiboard enclosures.
- All heat transfer modes: convection, radiation, conduction
- Interactive menu-driven
- Thermal parameters library
- Fast "What if": dimension, mat'l, finish, analyses
- Easy to learn & use
- IBM PC & Macintosh II

Call or FAX for free evaluation program

Tatum Labs, Inc.

1287 N. Silo Ridge Drive, Ann Arbor, MI 48108

313-663-8810

FAX 313-663-3640

Inquiry 485.

SOFTWARE/GRAPHICS

Viewing

"View" enable your application with the most extensive viewing libraries - Viewing & Conversion Enabling Technology. Add viewing capabilities for over 150 file formats within your Windows application in a matter of hours. The same technology used in AutoVue® and other leading viewing and document management software.

Cimmetry Systems Inc.

(800) 361-1904 Tel: 514-735-3219 Fax: 514-735-6440

Inquiry 486.

C/C++ NEW RELEASE C/C++ TG-CAD Professional v.6.0

For Win 95, Win 32, Win NT, Win 3.1 A 2D & 3D library of CAD routines (16 & 32 bit versions) for 'C' programming. Draw, Fill, Shade, Dimension, DXF, Fonts, Color & more included. Free Demo & Technical Paper available.

DSI

DISK SOFTWARE INC.

P.O. Box 9411 S2, Plano, Texas USA 75094
 Fax 1-214-423-7288 Pho 1-800-635-7760
 BBS: 1-214-881-9322

Inquiry 487.

LEADTOOLS

The comprehensive imaging development toolkit for BITONAL, GRAYSCALE & COLOR!

Easy to Use! Integrating LEADTOOLS is quick & easy by single-function implementation. One call loads/saves supported formats.

Saves you time! With LEADTOOLS, you get example source code!

Performance! 30+ image processing features all optimized for speed.

Ultimate Control! Our experience in the software toolkit business helped us create 200+ high level functions to cut development time.

Comprehensive Solution! Supports 40+ file formats including JPEG.

Different Coding Styles! Get the advantage of using LEAD's registered class, MFC, OLE Custom Control (OCC) & pure C/C++ code.

FREE imaging application built with LEADTOOLS 5.

Download free imaging application built with LEADTOOLS 5 <http://www.leadtools.com/> or call

1-800-637-1835



**LEAD
 TECHNOLOGIES
 INCORPORATED**

704-332-5532 (Fax) 704-372-8161 CIS: "GO LEADTECH" <http://www.leadtools.com/>

Inquiry 488.

SOFTWARE/SCIENTIFIC

VTX Scientific Desktop Publishing

- Scalable Fonts • Font effects • Typeface customization
- Equations • Tables • Graphics • Foreign languages
- Multi-lingual spell & hyphenation • IDE • On-line help
- Dos, Dos-32 and Windows versions • From \$199

X of Tomorrow™ - Notices of AMS, March 1991

Call now for a **FREE DEMO DISK**

MicroPress, Inc.

68-30 Harrow Street, Forest Hills, NY 11375

Tel (718) 575-1816 Fax (718) 575-8038

See us on Web: <http://www.micropress-inc.com/>

Inquiry 489.

SOFTWARE/VOICE/FAX

Computer Telephony 'C' Libraries

Multi-Voice V4.0 and Multi-Fax V2.0 Toolkits give you the most powerful solution to integrate telephony to your 'C' applications. Unique design based on multi-tasking; DOS Extender; Supports most major voice and fax boards; Commented source code; Royalty free; Best value. Also available: Windows based application generator.

ITI SOFTWARE

Tel: 514-835-3124 Fax: 514-835-4772 BBS: 514-835-5945

Fax-On-Demand: 514-835-2216, E-mail: ggagnon@cam.org

Check our home page: <http://www.cam.org/~ggagnon>

WINDOWS

*FREE INTERNET

217-322-1111

Full Access 28.8K 8/N/1 All Nodes
 Service is FREE *You Pay L.D. Charge
Voice Help 1-217-322-1212

Inquiry 490.

THE ULTIMATE BBS

FREE FREE FREE FREE FREE FREE

Latest Windows and DOS Utils, Pgms, Source Code, Lively CHAT, online games, Internet Access and more and all FREE. Call from home or office up to 14.4K and download for FREE. (n/8/1)

217-792-3663

Customer Service 415-281-4429

Inquiry 491.

MARKET TO EUROPE!

The BYTE EURODECK offers you a unique opportunity to sell your computer products to BYTE's 50,000 European Subscribers!

Call

Joseph Mabe

for more info!

(603) 924-2533

Inquiry 492.

YOUR AD HERE

**ADD IMPACT
 WITH
 COLOR
 IN THE
 BUYER'S MART!!**

Attract the attention of your customers with the addition of color to your ad.

Call

Vivian Bernier today

at 603-924-2521

for rates and details

to start or upgrade

your advertising today!

OR FAX 603-924-2683

Inquiry 493.

ADVERTISER CONTACT INFORMATION

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
615 RAVE COMPUTER ASSOCIATES	96DM 18	800-966-RAVE	108 STORAGE SOLUTIONS	134	203-325-0035	616-617 VISUAL NUMERICS	96DM 1	800-364-8880
193-194 RCI	197	800-RCI-8090 ext 71	78 SYMANTEC	49	800-450-9760 9AP15	158-159 VORTEX COMPUTERSYSTEMES GMBH	169	+49-7131-255063**
140-143 RECORTEC INC	189	800-729-7654	T			W		
179 RHETOREX INC	197	408-370-0881	180 TALKING TECHNOLOGY INC	198	800-685-4884	* WALKER, RICHER & QUINN	79	206-217-7100
138-139 ROSE ELECTRONICS	194	800-333-9343	195 TAPEDISK CORP	204	715-235-3388	151-152 WEST HILLS LAN SYSTEM	190	800-FOR-LANS
238-239 ROSS TECHNOLOGY INC	121	800-774-7677	218 TERN INC	201	916-758-0180	213 WETEX INTERNATIONAL	200	800-75WETEX
S			215 TGV	203	800-TGV-3440	109-110 WIBU	136	800-986-6578
107 SAG ELECTRONICS	129	508-682-0055	83 TOSHIBA AMERICA INC	2-3	800-457-7777	602 WINBOOK	13	800-293-1639
603 SAMSUNG ELECTRONICS	17	201-229-4053	97-98 TRAVELING SOFTWARE	87	800-224-7704	618 WIZSOFT	96DM 20	508-620-4554
211-212 SERMAX	201	800-209-7126	111 TREND MICRO DEVICES INC	137	408-257-1500	219 WORKGROUP SOLUTIONS	204	800-234-7813
71 SGS-THOMSON MICROELECTRONICS	18-19	602-867-6227**	183 TRI VALLEY TECHNOLOGY INC	199	510-447-2030	* WORLDWIDE TECHNOLOGIES	183-185	215-922-0116**
187-188 SIGMA TECH SOFTWARE	198	818-368-6132	62-63 TRIPP LITE	6	312-755-8741	X		
* SILICON GRAPHICS	39	800-636-8184 D440	U			103 XEROX OFFICE DOCUMENT SYS	100	800-34-XEROX
201 SILICONRAX	198	800-700-8560	240-241 UNIVERSITY OF TWENTE	188		Z		
221-222 SLIGER DESIGNS	201	702-356-5595	V			182 Z-WORLD ENGINEERING	201	916-757-3737
155-156 SOFTWAY AMERICA INC	190	303-670-5345	181 VIDEK INC	196	503-758-0521			
208 STARTECH COMPUTER PRODUCTS	198	800-265-1844 ext 231	79-80 VIEWSONIC	51	800-888-8583			
86 STATSOFT	69	918-749-1119	* VISIO CORP	157	800-24-VISIO E23			

* Correspond directly with company.
** Indicates FAX Number

Note: Calls to 900 numbers usually incur an extra per-minute charge in addition to any long-distance charges. BYTE is not responsible for charges incurred when calling these numbers

* Correspond directly with company.
** Indicates FAX Number

Note: Calls to 900 numbers usually incur an extra per-minute charge in addition to any long-distance charges. BYTE is not responsible for charges incurred when calling these numbers.

BYTE ADVERTISING SALES STAFF

John M. Griffin, V.P. of Sales, One Phoenix Mill Lane, Peterborough, NH 03458, Tel: (603) 924-2663, (212) 512-2367, Fax: (603) 924-2683

NEW ENGLAND

CT, MA, ME, NH, NY, RI, VT,
Ontario, Canada, Eastern Canada
Jean Criss Farrell (617) 860-6344
Merle Model (617) 860-6221
The McGraw-Hill Companies
24 Hartwell Avenue
Lexington, MA 02173
FAX: (617) 860-6899

NEW YORK

NY Metro, NJ
Michael Feinberg (212) 512-4811
John Ferraro (212) 512-2555
Jill Pollak (212) 512-3585
The McGraw-Hill Companies
1221 Avenue of Americas—
28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHWEST, ROCKY MOUNTAIN

CO, OK, TX
Brian Higgins (603) 924-2596
The McGraw-Hill Companies
14850 Quorum Dr., Suite 380
Dallas, TX 75240
FAX: (214) 991-6208

MID ATLANTIC

AL, AR, DC, DE, FL, GA, KY, LA, MD,
MS, NC, PA, SC, TN, VA, WV
Neil Helms (212) 512-4629
Paul Franchak (614) 899-4912
The McGraw-Hill Companies
1221 Avenue of Americas—
28th Floor
New York, NY 10020
FAX: (212) 512-2075

CENTRAL U.S.

IA, IL, IN, KS, MI, MN, MO, ND, NE,
OH, SD, WI
Lori Silverstein (614) 899-4908
Jeanne Beeson (617) 860-6349
The McGraw-Hill Companies
921 Eastwind Drive, Suite 118
Westerville, OH 43081
FAX: (614) 899-4999

NORTH PACIFIC

AK, Northern CA, HI, ID, MT, OR,
Silicon Valley, UT, WA, WY,
Western Canada
Roy J. Kops (415) 513-6861
Susan Rastellini (415) 513-6951
Lisa Farrell (415) 513-6862
The McGraw-Hill Companies
1900 O'Farrell Street, Suite 200
San Mateo, CA 94403
FAX: (415) 513-6867

SOUTH PACIFIC

AZ, Southern CA, NM, NV
Beth Dudas (714) 753-8140
Emily Ospenson (714) 753-8140
The McGraw-Hill Companies
15635 Alton Pkwy., Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

Peterborough, NH Office:

Sales FAX: 603-924-2683
Advertising FAX: 603-924-7507

BUYERS MART

Southern U.S.
Brian Higgins (603) 924-2596
Northern U.S.
Joseph Mabe (603) 924-2533
BYTE
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Deck

Brian Higgins (603) 924-2596
BYTE
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK

Joseph Mabe (603) 924-2533
BYTE
One Phoenix Mill Lane
Peterborough, NH 03458

NEW MEDIA/ONLINE PRODUCTS

Susan Monkton (603) 924-2618
BYTE
One Phoenix Mill Lane
Peterborough, NH 03458
FAX: (603) 924-2683

INTERNATIONAL ADVERTISING SALES STAFF

L. Bradley Browne, International Sales Director, One Phoenix Mill Lane, Peterborough, NH 03458, Tel: (603) 924-2501, Fax: (603) 924-2683

UNITED KINGDOM, BENELUX

Jonathan McGowan
The McGraw-Hill Companies
34 Dover St.
London W1X 4BR
England
Tel: +44 171 495 6781
FAX: +44 171 4956734

GERMANY, SWITZERLAND, AUSTRIA

Jürgen Heise
The McGraw-Hill Companies
Emil von Behring Strasse 2
D-50439 Frankfurt
Germany
Tel: +49 69 5801 140
FAX: +49 69 5801 147

ITALY, FRANCE, SPAIN, PORTUGAL, SCANDINAVIA

Zena Coupé, Amanda Blaskett
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 171 2843171
FAX: +44 171 2843174

ISRAEL

Dan Aronovic
DARA International
41 Ravutski
Ra'anana 43220
Israel
Tel: +972 9 919544
FAX: +972 9 981934

TAIWAN

Janet Wang
Third Wave Publishing Corp.
2nd Fl., No. 19-2, Lane 231
Fu Heing North Road
Taipei 105, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7189467

HONG KONG

Zoe Yen
Third Wave Publishing Corp.
Unit 2, 6F Hing Wah Center
82-84 To Kwa Wan Road
Kowloon, Hong Kong
Tel: +852 764 3830
FAX: +852 764 3857

KOREA

Young-Seoh Chinn
JES Media International
6th Fl., Donghye Bldg.
47-16, Myungil-Dong
Kangdong-Gu
Seoul 134-070, Korea
Tel: +82 2 4813411
FAX: +82 2 4813414

JAPAN

Hirokazu Morita
Japanese Advertising
Communications, Inc.
Three Star Building
3-10-3 Kanda Jimbocho
Chiyoda-ku, Tokyo 101
Japan
Tel: +81 3 32614591
FAX: +81 3 32616126

AUSTRALIA

Phil Bush
National Advertising Services
7-13 Parraween Street
Cremorne NSW 2090,
Australia
Tel: +61 2 908 9329
FAX: +61 2 953 8274

SINGAPORE, INDIA, INDONESIA, PAKISTAN, PHILIPPINES, OTHER ASIAN AND PACIFIC COUNTRIES

Janet Wang
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 105, Taiwan
R.O.C.
Tel: +886 2 7136959 ext. 226
FAX: +886 2 7189467

MALAYSIA

H.K. Lim
Servex (Malaysia) Sdn. Bhd.
5th Floor, Bena Tower
180, Jalan Ampang
50450 Kuala Lumpur
Malaysia
Tel: +60 3 2624592
FAX: +60 3 2624591

Subscription Customer Service
U.S. 1-800-232-2983
Outside U.S. +1-609-426-7676

For a New Subscription
U.S. 1-800-257-9402
Outside U.S. +1-609-426-5526

INDEX TO ADVERTISED PRODUCTS

For **FREE** product information from individual advertisers, circle the corresponding inquiry numbers on the response card!

To receive information for an entire product category, circle the category number on the response card!

Category No.
Inquiry No.

Page No.

HARDWARE

1 ACCESSORIES/SUPPLIES

* ANTHRO CORP 77

2 ADD-IN BOARDS

228-229 AXIOM TECHNOLOGY 196
116-117 DEXON SYSTEMS LTD 140
223-224 FUTUREWARE 201
210 GLOBETEK 196
* JAMECO ELECTRONICS 187
69-70 MIRO COMPUTER PRODUCTS AG 9
177-178 QUATECH INC 196
180 TALKING TECHNOLOGY INC 198
158-159 VORTEX COMPUTERSYSTEMES GMBH 169

3 BAR CODING

181 VIDEIX INC 196

4 COMMUNICATIONS/ NETWORKING

74 3COM CORPORATION 29
126 ALTEX ELECTRONICS 168
167 AMERICAN ADVANTECH 196
127 COMPUTERLANE UNLIMITED 176
112-113 KONEXX 138
216-217 LINTEL SECURITY 201
160-161 MEDIAPHONICS 173
162-163 NBASE 193
196 NEWVOICE 197
191-192 PIKA TECHNOLOGIES 197
193-194 RCI 197
179 RHETOREX INC 197
138-139 ROSE ELECTRONICS 194
748-749 SEH COMPUTERTECHNIK GMBH 40IS 30
187-188 SIGMA TECH SOFTWARE 198
208 STARTECH COMPUTER PRODUCTS 198
180 TALKING TECHNOLOGY INC 198
151-152 WEST HILLS LAN SYSTEM 190

5 COMPUTER SYSTEMS

184-185 APPRO INTERNATIONAL INC 198
228-229 AXIOM TECHNOLOGY 196
164-165 CDG SYSTEMS 193
* COMPAQ 10-11
233 DATALUX CORPORATION 172
* DELL COMPUTER CORP CIII
* DELL COMPUTER CORP CIV
758 DIGITAL EQUIPMENT CORP EUROPE 31
619 DIGITAL STORAGEWORKS 75
* GATEWAY 2000 56A-N
* GATEWAY 2000 57
* IBM SERVERS 64NA 4-5
171 INTEGRAND RESEARCH 198
122 INTEGRIX INC 83
* INTEL CORPORATION 14-15
* INTEL CORPORATION 40A-D
173 KILA 198
77 MICRON ELECTRONICS 24-25
61 MICRON ELECTRONICS CII-1
150 PC'S COMPLEAT 166-167
137 POLYWELL SYSTEMS 180
615 RAVE COMPUTER ASSOCIATES 96DM 18

Category No.
Inquiry No.

Page No.

140-143 RECORTREC INC 189
107 SAG ELECTRONICS 129
* SILICON GRAPHICS 39
763 SILICON VALLEY SOLUTIONS 40IS 20
201 SILICONRAX 198
183 TRI VALLEY TECHNOLOGY INC 199

6 DATA ACQUISITION

166 AMERICAN ADVANTECH 199
228-229 AXIOM TECHNOLOGY 196
169 GAGE APPLIED SCIENCES INC 199
172 IO TECH 199
* MICROSTAR LABORATORIES 199
174 NATIONAL INSTRUMENTS 199
719 NATIONAL INSTRUMENTS 40IS 28
177-178 QUATECH INC 196

53 DIAGNOSTIC EQUIPMENT

145 ALLMICRO 191
144 MICRO 2000 162-163

7 DISK & OPTICAL DRIVES

157 ASHTEK INC 177
189-190 GRANITE DIGITAL 200
87-88 KINGSTON TECHNOLOGY 71
227 LIBERTY SYSTEM INC 200
135-136 MICRO SOLUTIONS COMP PROD 205
64-65 PINNACLE MICRO 7
107 SAG ELECTRONICS 129
727-728 STARTECH INTERNATIONAL 40IS 23

9 FAX BOARDS/MACHINES

160-161 MEDIAPHONICS 173

11 KEYBOARDS

233 DATALUX CORPORATION 172

12 LAN HARDWARE

701-702 COMPEX INC 40IS 7
128-129 CYBEX CORPORATION 181
130-131 CYBEX CORPORATION 165
704-705 CYBEX CORPORATION CIV
133-134 FIRST SOURCE INT'L 170-171
122 INTEGRIX INC 83
162-163 NBASE 193
770-771 PSI PRINTER SYSTEMS INTL 40IS 40
748-749 SEH COMPUTERTECHNIK GMBH 40IS 30
763 SILICON VALLEY SOLUTIONS 40IS 20
158-159 VORTEX COMPUTERSYSTEMES GMBH 169
151-152 WEST HILLS LAN SYSTEM 190

13 LAPTOPS & NOTEBOOKS

127 COMPUTERLANE UNLIMITED 176
729-730 FIRST INTERNATIONAL COMPUTER 40IS 2
766-767 HUSKY COMPUTERS LTD 40IS 39
* JDR MICRODEVICES 195
186 MICRO-INTERNATIONAL INC 200
739-740 MITAC INTERNATIONAL CORP 40IS 9
734 MULTIVENTURE 40IS 17
764-765 OLIVETTI S.P.A. 75
150 PC'S COMPLEAT 166-167
763 SILICON VALLEY SOLUTIONS 40IS 20
83 TOSHIBA AMERICA INC 2-3
97-98 TRAVELING SOFTWARE 87
602 WINBOOK 13

Category No.
Inquiry No.

Page No.

* WORLDWIDE TECHNOLOGIES 183-185

14 MAIL ORDER

126 ALTEX ELECTRONICS 168
164-165 CDG SYSTEMS 193
89 COMPUTER DISCOUNT WAREHOUSE 174-175
* JAMECO ELECTRONICS 187
231 MEC COMPUTER EXPRESS 178-179
150 PC'S COMPLEAT 166-167
727-728 STARTECH INTERNATIONAL 40IS 23
151-152 WEST HILLS LAN SYSTEM 190
213 WETEX INTERNATIONAL 200
* WORLDWIDE TECHNOLOGIES 183-185

15 MEMORY/CHIPS/UPGRADES

206-207 CAMELEON TECHNOLOGY INC 200
133-134 FIRST SOURCE INT'L 170-171
223-224 FUTUREWARE 201
* INTEL CORPORATION 40A-D
* INTEL CORPORATION 14-15
* JAMECO ELECTRONICS 187
146-147 L A TRADE 186
238-239 ROSS TECHNOLOGY INC 121
211-212 SERMAX 201
71 SGS-THOMSON MICROELECTRONICS 18-19
* WORLDWIDE TECHNOLOGIES 183-185

16 MISCELLANEOUS HARDWARE

119-120 CALIFORNIA PC PRODUCTS INC 142
164-165 CDG SYSTEMS 193
170 GTEK INC 201
221-222 SLIGER DESIGNS 201

17 MODEMS & MULTIPLEXORS

737-738 ATRIE TECHNOLOGY INC 40IS 16
752-753 E-TECH 40IS 33
* JDR MICRODEVICES 195
112-113 KONEXX 138
160-161 MEDIAPHONICS 173
69-70 MIRO COMPUTER PRODUCTS AG 9

18 MONITORS & TERMINALS

732-733 DAEWOO 40IS 13
233 DATALUX CORPORATION 172
746-747 GVC CORP 40IS 31
713-714 KUO FENG 40IS 19
715-716 LITEON 96
609 MAG INNOVISION 63
605-606 NANAO USA CORP 64NA 3
722-723 PHILIPS MONITORS CIII
761-762 PRINCETON GRAPHIC SYSTEMS 63
603 SAMSUNG ELECTRONICS 17
79-80 VIEWSONIC 51

19 MULTIMEDIA/CD-ROM

118 BYTE ON CD-ROM 141
741-742 ELEKTROSON BV 40IS 15
95-96 MRT 84
99-100 PROXIMA CORPORATION 93
* SILICON GRAPHICS 39
195 TAPEDISK CORPORATION 204

20 PRINTERS/PLOTTERS

127 COMPUTERLANE UNLIMITED 176
756-757 KYOCERA 40IS 25

FREE PRODUCT INFORMATION

BYTE Advertisers Deliver the Information You Need - FAST!

FAST: INQUIRE BY MAIL

Enter your name and address at right. Then circle the inquiry numbers that correspond to those on the advertisement or BYTE article, and mail this postage-paid card.

FASTER: INQUIRE BY FAX

Enter the information as described above, then fax this card to:

800-571-7730

FASTEST: INQUIRE ON THE INTERNET

Access BYTE's home page at:

www.byte.com

and click on **Free Product Information**.

Follow the instructions on-line.

BYTE

YES! I want FREE product information from the following advertisers

Fill out this coupon carefully. Please print.

Name First Last

Title

Company

Address

City

State Zip

Phone

Fax

A. My company profile is best described as: (check one)

- ☐ Corporate end user
- ☐ Computer/communications manufacturer
- ☐ Reseller/distributor/OEM/integrator/consultant
- ☐ Other (please describe):

B. My job function is best described as: (check one)

- ☐ Company Management
- ☐ IS/MIS/IT Management
- ☐ Systems Engineering/Integration
- ☐ Departmental Management (non-IS/MIS)
- ☐ Technical Services Support
- ☐ Other (please describe):

C. My responsibilities require that I be involved with the following operating system environments: (check all that apply)

- ☐ DOS
- ☐ OS/2
- ☐ Mac/OS
- ☐ UNIX (any, including Solaris)
- ☐ Windows
- ☐ Windows/NT
- ☐ NetWare
- ☐ Other (please describe):

D. Please indicate which specific fields of interest are important to you: (check all that apply)

- ☐ 19 Mobile Computing
- ☐ 20 Application development
- ☐ 21 Client/Server
- ☐ 22 Internet/on-line
- ☐ 23 Video Conferencing
- ☐ 24 Multimedia
- ☐ 25 PC Telephony

E. Do you influence the purchase of the following products or services for your organization? (check all that apply)

- ☐ 26 Computers/peripherals
- ☐ 27 Software applications
- ☐ 28 Remote/wireless communications
- ☐ 29 LAN hardware or software
- ☐ 30 Networking hardware, software, or services

March 1996

91 97 99

Valid until May 31, 1996

Advertiser Inquiry Numbers

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238
239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374
375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595

Editorial Inquiry Numbers

976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992
993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009
1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026
1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043
1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060
1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077
1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094
1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111
1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128
1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145
1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162
1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179
1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196
1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213
1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230
1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247
1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264
1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281

Product Category Information

To receive information for an entire category, circle the appropriate number in box above.

Hardware

Accessories/Supplies	1
Add-in Boards	2
Bar Coding	3
Communications/Networking	4
Computer Systems	5
Data Acquisition	6
Diagnostic Equipment	53
Disks & Optical Drives	7
Diskettes/Duplicators	8
Fax Boards/Machines	9

Graphics Tablets/Mice/

Pen Input	10
Keyboards	11
LAN Hardware	12
Laptops & Notebooks	13
Mail Order	14
Memory/Chips/Upgrades	15
Miscellaneous Hardware	16
Modems/Multiplexors	17
Monitors & Terminals	18
Multimedia/CD-ROM	19
PCMCIA	57
Printers/Plotters	20
Programmable Hardware	21
RAID Drive Arrays	56
SCSI/Peripheral Interfaces	59
Scanners/OCR/Digitizers	22
Security	52

Table Drivers

UPS/Power Management	24
Voice Technology	55

Software

Business	25
CAD/CAM	26
Communications/Networking	27
Data Acquisition	28
Database	29
Educational	30
Engineering/Scientific	31
Entertainment	32
Graphics	33
Macintosh	34
Mail Order	35
Mathematical/Statistical	36
Miscellaneous Software	37

On-Line Services

Operating Systems	38
OS/2	54
Programming Languages/Tools	40
Security	41
Shareware	42
Software Duplication	43
Spreadsheets	44
UNIX	45
Utilities	46
Windows	47
Word Processing	48
General	
Books/Publications	49
Recruitment	50
Miscellaneous	51

FREE PRODUCT INFORMATION

BYTE Advertisers Deliver the Information You Need - FAST!

A Division of The McGraw-Hill Companies



FAST:

INQUIRE BY MAIL

On the opposite side, enter your name and address. Then circle the inquiry numbers that correspond to those on the advertisement or BYTE article, and mail this postage-paid card.

FASTER:

INQUIRE BY FAX

Enter the information as described above, then fax this card to:

800-571-7730

FASTEST:

INQUIRE ON THE INTERNET

Access BYTE's home page at:

www.byte.com

and click on **Free Product Information**.

Follow the instructions on-line.

BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO 9335 BUFFALO NY

POSTAGE WILL BE PAID BY ADDRESSEE

INQUIRY MANAGEMENT SYSTEMS LTD

PO BOX 1663

BUFFALO NY 14205-9978



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



INDEX TO ADVERTISED PRODUCTS

Category No. Inquiry No.	Page No.	Category No. Inquiry No.	Page No.	Category No. Inquiry No.	Page No.
231 MEC COMPUTER EXPRESS	178-179	* WALKER, RICHER & QUINN	79	610 NU-MEGA TECHNOLOGIES	96DM 6
770-771 PSI PRINTER SYSTEMS INTL	40IS40			200 OBJECT MANAGEMENT LABORATORY	204
103 XEROX OFFICE DOCUMENT SYSTEMS	100			731 ON TIME MARKETING	40IS 32
21 PROGRAMMABLE HARDWARE		29 DATABASE		125 OPEN SOFTWARE ASSOCIATES	117
114-115 ALADDIN SOFTWARE SECURITY INC	139	72 BORLAND INTERNATIONAL	21	612 POPKIN S/W & SYSTEMS INC	96DM 2
708-709 FAST SECURITY AG	40IS 5	168 COMPUTERWISE	202	613-614 RAIMA CORP	96DM 15
* JDR MICRODEVICES	195	735-736 INNOVATIVE SOFTWARE	40IS 32	724-725 RAIMA CORP	40IS 14
607 RAINBOW TECHNOLOGIES	96	236-237 IQ SOFTWARE	58-59	616-617 VISUAL NUMERICS	96DM 12
726 RAINBOW TECHNOLOGIES	13	618 WIZSOFT	96DM 20	* WALKER, RICHER & QUINN	79
218 TERN INC	201			41 SECURITY	
109-110 WIBU	136	30 EDUCATIONAL		90-91 ALADDIN SOFTWARE SECURITY INC	72
182 Z-WORLD ENGINEERING	201	67-68 AMT LEARNING SOLUTIONS	8	230 DUNN SYSTEMS	204
		717-718 LOGIC PROGRAMMING ASSOCIATES	40IS 30	706-707 EUTRON	40IS 6
56 RAID DRIVE ARRAYS		31 ENGINEERING/SCIENTIFIC		708-709 FAST SECURITY AG	40IS 5
132 DISTRIBUTED PROCESSING TECH	164	743-744 F & H SIMULATIONS	17	607 RAINBOW TECHNOLOGIES	96
153-154 RAIDTEC CORPORATION	194	717-718 LOGIC PROGRAMMING ASSOCIATES	40IS 30	726 RAINBOW TECHNOLOGIES	13
107 SAG ELECTRONICS	129	731 ON TIME MARKETING	40IS 32	111 TREND MICRO DEVICES INC	137
108 STORAGE SOLUTIONS	134	175 PERSONAL TEX	202	109-110 WIBU	136
158-159 VORTEX COMPUTERSYSTEMES GMBH	169	240-241 UNIVERSITY OF TWENTE	188		
22 SCANNERS/OCR/DIGITIZERS		33 GRAPHICS		45 UNIX	
750-751 MDI SYSTEMS LTD	40IS 8	85 COREL XARA	66	121 AGE LOGIC	147
768-769 RECOGNITA	157	75 COREL DRAW	37	604 ATTACHMATE CORP	64NA 7
		73 COREL FLOW	23	* COPIA INTERNATIONAL LTD	8
52 SECURITY		116-117 DEXON SYSTEMS LTD	140	84 HUMMINGBIRD COMMUNICATIONS	60
90-91 ALADDIN SOFTWARE SECURITY INC	72	197 EMATEK GMBH	203	711-712 INTERGRAPH CORPORATION	40IS 10
114-115 ALADDIN SOFTWARE SECURITY INC	139	81-82 MICROGRAFX	53	92-93 IXOS SOFTWARE GMBH	78
708-709 FAST SECURITY AG	40IS 5	605-606 NANA USA CORP	64NA 3	613-614 RAIMA CORP	96DM 15
216-217 LINTEL SECURITY	201	99-100 PROXIMA CORPORATION	93	724-725 RAIMA CORP	40IS 14
205 LUNAR ENERGY CO	202			155-156 SOFTWAY AMERICA INC	190
607 RAINBOW TECHNOLOGIES	96	35 MAIL ORDER		215 TGV	203
726 RAINBOW TECHNOLOGIES	13	89 COMPUTER DISCOUNT WAREHOUSE	174-175	* WALKER, RICHER & QUINN	79
109-110 WIBU	136	703 COMPUTER QUICK	40IS 12	219 WORKGROUP SOLUTIONS	204
		710 GREY MATTER LTD	40IS 26		
23 TAPE DRIVES		36 MATHEMATICAL/STATISTICAL		46 UTILITIES	
135-136 MICRO SOLUTIONS COMP PROD	205	175 PERSONAL TEX	202	145 ALLMICRO	191
176 QUALSTAR CORP	202	86 STATSOFT	69	220 C2C SYSTEMS	204
24 UPS/POWER MANAGEMENT		37 MISCELLANEOUS SOFTWARE		144 MICRO 2000	162-163
* AMERICAN POWER CONVERSION	32A-B	234-235 FINSON	99	611 PKWARE INC	96DM 16
76 AMERICAN POWER CONVERSION	32-33			94 PKWARE INC	82
242 CONTROLLED POWER	188	38 ON-LINE SERVICES		101 POWERQUEST	95
205 LUNAR ENERGY CO	202	450 BIX	215	195 TAPEDISK CORPORATION	204
720-721 MINUTEMAN	40IS 18	* COMPUSERVE	OUTSERT	97-98 TRAVELING SOFTWARE	87
62-63 TRIPP LITE	6	225-226 HIWAY TECHNOLOGIES	204		
		* IDT INTERNET	89	47 WINDOWS	
		* PIPELINE NY/PSINET	112A-B	* COPIA INTERNATIONAL LTD	8
25 BUSINESS		39 OPERATING SYSTEMS		198-199 KUREO TECHNOLOGY INC	204
234-235 FINSON	99	104 QNX SOFTWARE SYSTEMS LTD	105	605-606 NANA USA CORP	64NA 3
* IBM TECHNICAL INTERCHANGE '96	31	54 OS/2		195 TAPEDISK CORPORATION	204
81-82 MICROGRAFX	53	* IBM OS/2	55	215 TGV	203
99-100 PROXIMA CORPORATION	93	123 NSTL	148	* VISIO CORPORATION	157
		618 WIZSOFT	96DM 20	602 WINBOOK	13
26 CAD/CAM		40 PROGRAMMING LANGUAGES/TOOLS			
* AUTODESK	202	* APPLE/ORACLE	96DM 5	49 BOOKS/PUBLICATIONS	
27 COMMUNICATIONS/NETWORKING		* COPIA INTERNATIONAL LTD	8	* COMPUTER BOOK CLUB	80A-B
772 ACCENT SOFTWARE INTERNATIONAL	55	* DATA ACCESS CORP	182	* COMPUTER BOOK CLUB	81
121 AGE LOGIC	147	230 DUNN SYSTEMS	204	* MCGRAW HILL NRI	64NA 8A-B
604 ATTACHMATE CORP	64NA 7	197 EMATEK GMBH	203	* MICROSOFT PRESS INC	35
701-702 COMPEX INC	40IS 7	710 GREY MATTER LTD	40IS 26	* OSBORNE MCGRAW-HILL	42-43
133-134 FIRST SOURCE INT'L	170-171	84 HUMMINGBIRD COMMUNICATIONS	60		
773-774 HOB ELECTRONIC GMBH & CO KF	215	735-736 INNOVATIVE SOFTWARE	40IS 32	51 MISCELLANEOUS	
105 LANSOURCE TECHNOLOGY	118	236-237 IQ SOFTWARE	58-59	* BEST OF CEBIT	40IS 34
124 PERSOFT INC	153	620-621 LAHEY COMPUTER SYSTEMS	96DM 20	* BYTE BACK ISSUES	106
78 SYMANTEC	49	717-718 LOGIC PROGRAMMING ASSOCIATES	40IS 30	* BYTE INTERNATIONAL FIELD SALES	40IS 38
215 TGV	203	* MICROSOFT CORPORATION	96DM 11	* BYTE REPRINTS	40IS 29
97-98 TRAVELING SOFTWARE	87	* MICROWAY	131	* BYTE SINGLE COPY SALES	106
				* BYTE SUB MESSAGE	140
				* BYTE WEBSITE	160
				* CEBIT SHOW LISTING	10-11

SOFTWARE

GENERAL


EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on the response card. Each page number refers to the first page of the article or section in which the company name appears.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
A							
1011	AC&E	159		991,	Lotus Development	85, 158,	
1083	Accent Software	40IS 11,		1156	LSI Logic	96DM 19	
	International	40IS 35			Lundeen & Associates	44	
1058	Accton Technology	40IS 28		996		158	
	Acorn Computer	44		M			
1151	Adobe Systems	67, 85		1149,	Macromedia	28, 85	
	Advanced RISC Machines	44		1157			
	AER Energy Resources	26			Marczak Business Services	34	
1043	Ahead Systems	161		992	McAfee	159	
	AimTech	67			Media Phonics	40IS 3	
1051	Aladdin Knowledge	40IS 27			MegaSoft	40IS 3	
	Systems			1133	MetaWare	109	
1067	A>Line Dataspeed	40IS 27		1063	Microcontrol Australia	40IS 28	
	Devices			994	MicroHelp	34, 158	
1150	Allen Communication	67, 85		1140	Micropolis	135	
1128	Alps Electronics USA	113		989,	Microsoft	44, 85, 109, 119,	
1006	Amtelco	159		1115, 1134,		96DM 7, 96DM 19	
1122	Apple Computer	28, 44, 124		1148, 1158			
	Applied Voice	64NA 1		1108	Microsoft Press	96DM 17	
	Technology				Microsystems Software	107	
	Arrington Research Group	44		1081	Mimetics	40IS 36	
1086	Artas Engineering	40IS 36			Mips Technologies	44	
1152,	Asymetrix	85			miro Computer Products	40IS 3	
1153					Mitel	64NA 1	
	AT&T Bell Laboratories	145			Mitsubishi	28	
	AT&T Business	64NA 1			Money.Com	34	
	Communications Division				Mortice Kern Systems	96DM 7	
	Atria Software	96DM 7		1111	Motion Pixels	96DM 17	
	Aurora Systems	64NA 1		1047	Motorla	161	
	Avid Technology	67		1057	MRT International	40IS 28	
	AVM	40IS 21		N			
	Computersysteme				Nanao	28	
1050	Axis Communications	40IS 27			NEC America	64NA 1	
B							
1087	Bentley Europe	40IS 38			NEC Electronics	44	
1113	Borland	96DM 3,		1042,	NEC Technologies	113, 161	
	International	96DM 17		1129			
	Bristol Technology	115		1065	Nighthawk Electronics	40IS 32	
C							
990	Caere	107, 119			Nokia Mobile Phones	40IS 21	
	Caligari	61			Nortel	64NA 1	
	Call Ware	64NA 1		987	Novell	119	
	Technologies				NuMega	96DM 3	
	Campbell Services	107			Nutek	40	
	Cellware	40IS 3		O			
	Computer Associates	107		1001	Omron Advanced Systems	158	
	International			1016	On Technology	159	
	Computer Products	34			Oracle	44	
	ComRoad	40IS 3			Ovum	40IS 11	
1091	Connaught FactsLine	40IS 38		P			
1044	Conner Peripherals	161			Palm Computing	40	
1074	Contemporary	40IS 35			Paper Software	61	
	Software				ParaGraph International	61	
	Continuus Software	96DM 7			Patricia Seybold Group	44	
1114,	Coriolis Group	96DM 18,			Philips Dictation Systems	30	
1118	Books	96DM 19		1143	Plexor	135	
1012	C-Tad Systems	159			Polhemus	26	
D							
993	Decisive Technology	158			Polyglot	40IS 11	
986	Delrina Group/Symantec	119			PowerProduction Software	67	
	Dialogic	64NA 1		1142	PowerQuest	135	
	Diamond Optimum	96DM 7		1105,	Powersoft	109, 115	
	Systems			1136			
1123	Digital Equipment	124			Progress Software	96DM 7	
	Dive Labs	26			P3 Software	96DM 7	
	Division	26		Q			
1055	D-Link Deutschland	40IS 27		1039	Quantum	162	
1073	dL Soft	40IS 35		1049	Quarterdeck	34, 97	
	Dr. Materna	40IS 3			QuickSilver Software	153	
1084,	Dr. Neuhaus	40IS 36,		R			
1092	Telekommunikation	40IS 38			RAD Data	40IS 3	
					Communications		
E							
1003	Durand Communications	159					
F							
	Elan Software	107					
1066	Electrone	40IS 30					
1053	Elonex	40IS 27					
1056	Euraf	40IS 27					
G							
1076	FABmaster	40IS 35					
1038	Fargo Electronics	162					
	First Virtual	73					
1054,	Fiskars Power	40IS 32,					
1080	Systems	40IS 36					
	Forrester Research	44					
	Forte Software	96DM 7					
	Forté Communications	40IS 21					
	Frontier Technologies	41					
	Fujitsu Business	64NA 1					
	Communications Systems						
H							
1033,	Hewlett-Packard	26, 107, 162					
1120, 1130							
1138	Hilgraeve	135					
1155	HSC Software	85					
I							
1116,	IBM	30, 96DM 7, 96DM 18					
1119							
	IBM Mobile Business Unit	26					
	IBM Multimedia Studio	30					
1106	IBM Personal Computer	101					
1079	Image Computer	40IS 38					
	Innovative Software	40IS 3					
1061	Inside Technology	40IS 32					
1008	Integra Software	158					
	Integrated Device	44					
	Technology						
1060	Integrated	40IS 30					
	Measurement Systems						
	Intel	96DM 3					
1082	Intellution	40IS 36					
1124	Intergraph	124					
	Intersolv	96DM 7					
	InterVision Systems	34					
	Intervista Software	61					
	Intuit	34					
J							
988	JetForm	119					
K							
	Kaufman Brothers	26					
	Kodak	28					
1041	Konica Business Machines	161					
	Kopin Systems	34					
	Kurzweil Applied	30, 40					
	Intelligence						
L							
1141	Legend Entertainment	135					
	LHS	40IS 21					
999	Liebert	159					
1131,	Logitech	107, 135					
1145							
	Logos	40IS 11					
1139	Logos Research Systems	135					
M							
1085	Recognita	40IS 35					
	RVS	40IS 3					
S							
1040	Seiko Instruments USA	161					
	Sense8	26					
1052	Siemens Nixdorf	40IS 3,					
	Informationssysteme	40IS 27					
	Siemens Rolm	64NA 1					
	Communications						
	Sierra Online	30					
1125	Silicon	26, 44, 61, 124					
	Graphics						
	Software AG	40IS 11					
	Sonnetch	28					
1048	Speech Systems	162					
1077	Sphygmic Software	40IS 36					
1069	Spot Technology	40IS 30					
	Standard Performance	149					
	Evaluation						
1159	Stirling Technologies	85					
	Strata	61					
1072	Sunbelt International	40IS 35					
1126	Sun Microsystems	26, 44, 124					
	SunSoft	96DM 7					
	Superscape	26					
1045	Supra	162					
	Swiss Telecom PTT	40IS 21					
	Sybase	107					
1135	Symantec	34, 109					
T							
1064	Tandberg Data	40IS 30					
	Storage						
1127	Tatung	124					
1137	Teac America	135					
997	Tedas	158, 40IS 3					
1062	Teklogix	40IS 28					
1032	Tektronix	161					
	Telecom Finland	40IS 3					
	3Com	73					
1088	TopSpeed	40IS 36					
1046	Toshiba America	162					
	Total Clearance	65					
1089	TouchStone Software	40IS 38					
U							
1078	Unibol	40IS 36					
	Unicode Consortium	40IS 11					
1121	U.S. Robotics	162					
V							
1107,	V Communications	135,					
1117, 1144		96DM 17, 96DM 19					
	Venture Development	30					
1160	V-Graph	85					
1146	ViewSonic	135					
1093	Vinca	103					
	Virtual Presence	61					
	Virtual Vineyards	34					
	Virtus	61					
1132	Visioneer	107					
1004	Visual Components	159					
	VNP Software	96DM 7					
W							
1110,	Waite Group Press	96DM 17					
1112							
1070	Wibu Systems	40IS 32					
	World Tutor Group	85					
X							
	Xcc Software						
	Xing Technology	40IS 3					

IS pages appear only in the International edition. DM pages appear only in the U.S. edition. NA pages appear only in the North America edition.

BIX: Your Coach to the Internet!



The Internet connects you with more than 10 million people, at universities, companies, and other online services. Now, get full access to the Internet free of charge when you subscribe to BIX! You'll also get expert assistance from BIX moderators who can help you find your way around the Internet.

These experts can guide you through the many services and features available, and help you find the information you're looking for. Anytime you need help, just join our special 'internet' conference and get fast answers to your questions.

As you become more familiar with the Internet, you'll be able to download files from all over the world using FTP, connect to other sites and services through telnet, read and reply to Usenet Newsgroups, access utilities like finger and whois, and much more! BIX and the Internet together provide the largest and most effective technical resource for computing professionals.

And with over 600 local access numbers in the U.S., plus telnet access via the Internet, BIX makes it easy to connect. Try BIX today through our special 5 for Free offer - and become part of the top technical team!

New Member
5 hours for Free
Introductory Offer

Give BIX a try with our new 5 for Free Offer! Join BIX today and get 5 hours of evening and weekend access for free!

Take the rest of the calendar month to explore BIX, and then continue for our standard \$13 monthly membership fee. Further details and complete rate information are provided during registration. Using any communications program, dial 1-800-695-4882. At the "login" prompt enter bix.

Then at the "name?" prompt enter bix.byte39. If you have any questions, call us at 1-800-695-4775 (voice). Or fax us at 617-491-6642.

Send Internet mail to info@bix.com. Windows users can order BIXnav, our graphical interface for BIX, for easy point and click access. Details are available during registration.

Under the 5 for Free plan, daytime rates (\$9/hr.) apply for access during prime time hours. The 5 for Free offer is valid for first-time members only.

Circle 450 on Inquiry Card.

BIX

If you can hack it

Oh, Grow Up

It's time for technology and product developers to stop acting like adolescents

Adolescence is hard. It always has been. That's why every society tries to channel the energy, creativity, and potential for utter chaos that comes with adolescence in such a way that adults don't go bonkers and adolescents make it to adulthood. Now well into its twenties, the PC industry is still behaving like an adolescent. It's high time for those of us who depend on technology to say it loud and clear to everyone involved in designing hardware and software: Grow up.

OK, you ask, what does adolescence have to do with the computer industry? Well, this industry is showing, and has been for a while, some classic symptoms of adolescence: a hypersensitivity to critical comments from others, an enormous amount of energy guided by an amazing lack of focus, an ego-driven world view that is almost entirely self-centered, and impressive intelligence bereft of all guidance from wisdom. Adolescence is a necessary stage of development, but the time has surely come to start acting a little more like a grown-up. Let's look at some of the immature behaviors we could live without.

"You're picking on me": Customers need information on the products they buy. Some companies are so troubled by the idea of customers getting information from someone not in their marketing department that they put up legal barriers to avoid product reviews.

Technology du jour: This industry is great at coming up with new technology but tends to lack something in focus and application. Need proof? Pen computing.

Product life cycles measured in weeks: Industry honchos point to collapsed life cycles with perverse pride, but when computer resellers complain that they can't learn a product's features before it goes out of production, things are definitely out of hand. So much for the symptoms.

What would maturity bring? What would we all get out of a more adult attitude? Here are some of the benefits.

A more mature relationship with the press: The computer press does a pretty good job of telling end users what new hardware and software does, but the fact is that writers want access to new products and technologies and will trade kid-gloves treatment to keep that access. Consumers, the press, and the manufacturers themselves would all benefit from insisting on more rigorous evaluations of technology and products.

Rational collaborations: Your reaction to a new industry consortium is probably a stifled yawn. Rampant egos, lingering paranoia about trade secrets, and disregard for what's best for the customer have made meaningful computer-industry consortia nearly impossible to create and sustain. Of course, differences drive improvements,



ROB NELSON © 1996

but there are many areas—file formats, anyone?—where reasonable agreement would be a godsend for users.

A customer focus: The industry needs to show enough maturity to care about what customers need. Too often, change in this industry is driven by what engineers and programmers want to build rather than what users need to have. Mature industries tend to respect the marketing people who talk to customers. In the computer industry, the technical types disdain them.

Getting the products right: Mature industries can produce mature products. With all the technological flash and sizzle of the latest generation of hardware and software, none of it is truly easy to use or solidly reliable. Here's a tip to vendors: Enduring system crashes is not a touching bonding ritual; it's a painful damper on market growth. Taking the time to get it right rather than rushing to the next project would be a sign of industry maturity welcomed by customers (and potential customers).

Mature businesses fearlessly solicit feedback from customers. Some software companies claim their rigorous usability testing tells them what people like and don't like, and what they find easy or hard to use. But these usability tests are skewed. They're designed by insiders, by computer literates who have far more experience than most customers. Having product developers design and administer usability tests is like having Einstein put together a high-school physics exam.

The computer industry has convinced itself that its adolescent energy is a virtue. That was once true. But computers now do too many jobs for us. We can't have systems that crash without apparent reason, or software that talks back to us in that tone of voice so familiar to parents of adolescents. Product manufacturers and sellers need to care more about customer needs than developer whims. It's time to grow up—before you're grounded. ■

Curtis Franklin Jr. is director of labs at Client/Server Labs in Atlanta, Georgia. You can reach him on the Internet or BIX at cfranklin@cslinc.com.

DELL LATITUDE
Dependable Notebooks
With Superior Battery Life



DELL LATITUDE™ XPi P120D
120MHz PENTIUM® PROCESSOR

- 10.4" Dual Scan Color Display
- 8MB RAM (40MB Max RAM)
- ★ **256KB L2 Cache**
- 540MB Removable Hard Drive (1.2GB Max)
- ★ **Smart Lithium Ion Battery with Advanced Power Management**
- 32-bit Local-bus Video, 1MB Video RAM

- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- Optional Dell Latitude DeskDock™ Docking Station Available
- 1 Year Warranty†
- ★ **Double your RAM to 16MB for only \$399 more.**
- ★ **Add a 28.8 X-Jack Modem for only \$259 more.**

Business Lease*: \$107/Mo.
Order Code #800036

Our Pentium Chip-based
Latitude XPi

\$2899


ROAD TESTED.

Recently, Stephen Taylor of North Carolina accidentally backed his car over his Dell Latitude XPi notebook. Don't ask. These things happen.

But as amazing as it may seem, his Dell Latitude notebook booted up immediately

and sustained only minor damage. Which all leads to the moral of this incredible story: if you really want a notebook that can stand up to the daily rigors of the real world, get a Dell Latitude.

Because not only are Dell Latitude notebooks powerful and affordable. They also seem to be virtually indestructible.



DELL®

TO ORDER, CALL

800-545-3725

In Canada* call 800-839-0148

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT

Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01092

WINDOWS 95. DELL DOES IT BEST.

PC
MAGAZINE
EDITORS'
CHOICE™

December 5, 1995
Dell Dimension P100t

PC
MAGAZINE
EDITORS'
CHOICE™

December 5, 1995
Dell Dimension XPS P133c



DELL LATITUDE XPI P75D 75MHz PENTIUM PROCESSOR

- 10.4" Dual Scan Color Display
- 8MB RAM (40MB Max RAM)
- 256KB L2 Cache
- 540MB Removable Hard Drive (1.2GB Max)
- Smart Lithium Ion Battery with Advanced Power Management
- 32-bit Local-bus Video, 1MB Video RAM
- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- 1 Year Warranty†

★ Add an external Sony multimedia kit with detachable speaker and CD-ROM for \$499 more.

\$2399[†]

Business Lease: \$89/Mo.
Order Code #800044



DELL LATITUDE LX 4100T 100MHz INTEL DX4™ PROCESSOR

- 10.4" Active Matrix Color Display
- 8MB RAM (24MB Max RAM)
- 128KB L2 Cache
- 420MB Upgradeable Hard Drive (810MB Max)
- \$99 More for 2nd NiMH Battery (Slides into floppy drive to achieve extended battery life)
- 32-bit Local-bus Video, 1MB Video RAM
- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- 1 Year Warranty

★ Upgrade to an 810MB hard drive for \$200 more.

\$1999[†]

Business Lease: \$74/Mo.
Order Code #800033

DELL LATITUDE XPI P120D 120MHz PENTIUM PROCESSOR

- 10.4" Dual Scan Color Display
- 8MB RAM (40MB Max RAM)
- 256KB L2 Cache
- 540MB Removable Hard Drive (1.2GB Max)
- Smart Lithium Ion Battery with Advanced Power Management
- 32-bit Local-bus Video, 1MB Video RAM
- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- 1 Year Warranty

▶ Ask about our P120ST system with 10.4" SVGA Active Matrix Color Display.

\$2899[†]

Business Lease: \$107/Mo.
Order Code #800036

DELL LATITUDE LX 4100T 100MHz INTEL DX4 PROCESSOR

- 10.4" Active Matrix Color Display
- 16MB RAM (24MB Max RAM)
- 128KB L2 Cache
- 810MB Upgradeable Hard Drive
- \$99 More for 2nd NiMH Battery (Slides into floppy drive to achieve extended battery life)
- 32-bit Local-bus Video, 1MB Video RAM
- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- 1 Year Warranty

★ Add a 28.8 X-Jack modem for only \$259 more.

\$2599[†]

Business Lease: \$96/Mo.
Order Code #800042



Dell's featured computer artist is Jonathan Herbert of NY, NY.

If you're impressed by Windows 95, you should see it running on the Dell Dimension XPS P133c and the Dell Dimension P100t. These Dell® systems were just judged the best for running Windows 95 by PC Magazine.

The experts reviewed 83 different desktops—both high-end (120 and 133MHz) and mid-range (90 and 100MHz), and the Dell systems swept both categories. In fact, they praised the Dell desktops, calling them, "shining examples of what this award is all about."

The way these systems run Windows 95 is impressive. But the way these systems are priced is even more so.

To order, give us a call today.

DIRECT NEWS ON THE INTERNET

For free updates on Dell's product offerings, pricing and other news electronically, send an email message to "DirectNews-request@dell.com."

Please use the word "subscribe" as the body of your message.

DELL®

TO ORDER, CALL

800-545-3770

In Canada,* call 800-639-0148

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT

Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01093

OTHER PCs CAN RUN W BUT PC MAGAZINE SAYS D

DELL DIMENSION XPS Pro150 150MHz PENTIUM® PRO PROCESSOR

- Mini Tower Model
- 16MB Parity Memory (128MB Max RAM)
- 256KB Internal L2 Cache
- 2.1GB Hard Drive [10ms, Mode 4]
- 17LS Monitor (15.7" v.i.s.)
- Imagine 128-bit Graphics Accelerator with 4MB VRAM
- 6X Multi-session EIDE CD-ROM Drive
- MS Office Professional with Bookshelf for Windows 95 (N.F.I.)
- AWE32 Wave Table Sound Card
- Altec Lansing ACS-31 Speakers
- 28.8 Fax/Modem
- Microsoft Windows NT™/1 Year Software Support

★ Upgrade to 200MHz with 32MB of ramRIGHT™ Memory for only \$700 more.

\$4799

Business Lease*: \$173/Mo.
Order Code #500206

DELL DIMENSION XPS P166c 166MHz PENTIUM PROCESSOR

- Mini Tower or Desktop Model
- 16MB EDO Memory (128MB Max RAM)
- 512KB Pipeline Burst Cache
- 2GB Hard Drive [10.5ms]
- 17LS Monitor (15.7" v.i.s.)
- 9FX Motion Graphics Accelerator with 2MB VRAM (128-bit 4MB VRAM Max)
- 6X Multi-session EIDE CD-ROM Drive
- MS Office Professional with Bookshelf for Windows 95
- AWE32 Wave Table Sound Card
- Altec Lansing ACS-31 Speakers
- Microsoft Windows 95/30 Days Free Support

★ Add the HP LaserJet 5P for only \$879 more.

\$3579

Business Lease: \$129/Mo.
Order Code #500196

DELL DIMENSION XPS P166c 166MHz PENTIUM PROCESSOR

- Mini Tower or Desktop Model
- 16MB EDO Memory (128MB Max RAM)
- 256KB Pipeline Burst Cache
- 1GB Hard Drive [10ms] (2GB Max)
- 15TX Trinitron Monitor (13.7" v.i.s.)
- 64-bit PCI 2MB DRAM Video (128-bit 4MB VRAM Max)
- 6X Multi-session EIDE CD-ROM Drive
- MS Office Professional with Bookshelf for Windows 95
- Microsoft Windows 95/30 Days Free Support

★ Add the HP LaserJet 5L for only \$479 more.

★ Upgrade to the #9FX with 2MB VRAM for \$110 more.

\$2679

Business Lease: \$99/Mo.
Order Code #500197

DELL DIMENSION XPS P133c 133MHz PENTIUM PROCESSOR

- Mini Tower or Desktop Model
- 16MB EDO Memory (128MB Max RAM)
- 512KB Pipeline Burst Cache
- 2GB Hard Drive [10.5ms]
- 17LS Monitor (15.7" v.i.s.)
- 9FX Motion Graphics Accelerator with 2MB VRAM (128-bit 4MB VRAM Max)
- 6X Multi-session EIDE CD-ROM Drive
- MS Office Professional with Bookshelf for Windows 95
- AWE32 Wave Table Sound Card
- Altec Lansing ACS-31 Speakers
- 28.8 Fax/Modem
- Microsoft Windows 95/30 Days Free Support

★ Upgrade to the Imagine 128 with 4MB VRAM for only \$330 more.

\$3399

Business Lease: \$126/Mo.
Order Code #500198

DELL DIMENSION XPS P133c 133MHz PENTIUM PROCESSOR

- Mini Tower or Desktop Model
- 16MB EDO Memory (128MB Max RAM)
- 256KB Pipeline Burst Cache
- 1.6GB Hard Drive [10ms] (2GB Max)
- 15LS Monitor (13.7" v.i.s.)
- 64-bit PCI 2MB DRAM Video (128-bit 4MB VRAM Max)
- 6X Multi-session EIDE CD-ROM Drive
- MS Office Professional with Bookshelf for Windows 95
- Microsoft Windows 95/30 Days Free Support

★ Upgrade to the 15TX Trinitron monitor (13.7" v.i.s.) for only \$60 more.

Pictured System

\$2449

Business Lease: \$91/Mo.
Order Code #500199



DELL DIMENSION P100t 100MHz PENTIUM PROCESSOR

- Desktop Model
- 16MB EDO Memory (128MB Max RAM)
- 256KB Cache
- 1GB Hard Drive [10ms] (2GB Max)
- 15LS Monitor (13.7" v.i.s.)
- 64-bit PCI 2MB DRAM Video
- 4X Multi-session EIDE CD-ROM Drive
- Sound Blaster 16 Sound Card
- Altec Lansing ACS-5 Speakers
- Microsoft Windows 95/30 Days Free Support

★ Add the HP DeskJet 855C for only \$479 more.

★ Upgrade to a 6X EIDE CD-ROM drive for only \$75 more.

\$2199

Business Lease: \$81/Mo.
Order Code #500200



DELL DIMENSION P100t 100MHz PENTIUM PROCESSOR

- Desktop Model
- 8MB EDO Memory (128MB Max RAM)
- 1GB Hard Drive [10ms] (2GB Max)
- 15TX Trinitron Monitor (13.7" v.i.s.)
- 64-bit PCI 2MB DRAM Video
- 4X Multi-session EIDE CD-ROM Drive
- Microsoft Windows 95/30 Days Free Support

★ Add a 3Com EtherLink III Network Interface Card with Parallel Tasking for only \$79 more.

★ Upgrade to 16MB of EDO Memory for \$290 more.

\$1799

Business Lease: \$67/Mo.
Order Code #500201



DELL DIMENSION P75t 75MHz PENTIUM PROCESSOR

- Desktop Model
- 8MB EDO Memory (128MB Max RAM)
- 540MB Hard Drive [12ms] (2GB Max)
- 14XE Monitor (13.19" v.i.s.)
- 64-bit PCI 1MB DRAM Video (2MB DRAM Max)
- 4X Multi-session EIDE CD-ROM Drive
- Microsoft Windows 95/30 Days Free Support

★ Upgrade to a 1GB hard drive for only \$80 more.

★ Add the U.S. Robotics 28.8 Fax/Modem for only \$149 more.

\$1479

Business Lease: \$55/Mo.
Order Code #500202

★ SYSTEMS FEATURED ARE JUST A SAMPLING OF THE THOUSANDS OF POPULAR CONFIGURATIONS AVAILABLE.

*Pricing is not discountable. †For a complete copy of our Guarantees or Limited Warranties, please write Dell U.S.A., 2214 W. Braker Lane, Building 3, Austin, TX 78758. *Business leasing arranged by Leasing Group, Inc. *Prices and specifications valid in the U.S. only and subject to change without notice. The Intel Inside logo and Pentium are registered trademarks and IntelDX4 is a trademark of Intel Corporation. MS, Microsoft, Windows and the Windows logo are registered trademarks and Windows NT is a trademark of Microsoft Corporation. ©1996 Dell Computer Corporation. All rights reserved.



DELL DIMENSION

Reliable PCs For
High Performance
Computing

DELL DIMENSION™ XPS P133c

133MHz PENTIUM® PROCESSOR

- Mini Tower or Desktop Model
- 16MB EDO Memory (128MB Max RAM)
- ★ 256KB Pipeline Burst Cache™
- 1.6GB Hard Drive [10ms] (2GB Max)
- 15LS Monitor (13.7" v.i.s.)
- 64-bit PCI 2MB DRAM Video (128-bit 4MB VRAM Max)

★ 6X Multi-session EIDE CD-ROM Drive

★ MS® Office Professional with Bookshelf for Windows® 95

• Microsoft® Windows 95/30 Days Free Support

★ Upgrade to the 15TX Trinitron monitor (13.7" v.i.s.) for only \$60 more.

Business Lease*: \$91/Mo.
Order Code #500199



\$2449

**BEST
BETS
FOR
PC
BUYERS**

RANK OVERALL RATING MANUFACTURER AND MODEL/ PRICE			CONFIGURATION	COMMENTS
1	8.77	Dell Computer Dimension XPS P133c \$3,249 w/ monitor	Minitower, 133-Mhz Pentium, 16MB of memory, 1GB hard disk, quad-speed CD-ROM	Dell provides strong and preloads Mi- jns it
2	7.70			

BUSINESS WEEK CONFIRMS WHAT YOU ALREADY KNEW.

In search of the perfect PC? Just ask *Business Week*. In its First Annual Computer Buying Guide, the Dell Dimension XPS P133c was rated #1 among the "Best Bets for PC Buyers."

That's another best for Dell, a company famous for delivering the best performance, the best features, the best value. But that's probably not news to you, is it?



Designed for



DELL®

TO ORDER, CALL

800-545-3723

In Canada*, call 800-839-0148

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT

Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01091

*Tests conducted by the National Software Testing Laboratories, a division of McGraw-Hill, Cos. Published in Business Week, November 6, 1995.